

FOR ORDERS AND ENQUIRIES PHONE - 08 8947 0733

DENEEFE SIGNS HISTORY

Established in 1926, DeNeefe Signs is Australia's largest manufacturer of fixed metal directional and instructional traffic signs. It has operations in every state of Australia, with the main production facility located in Melbourne and Norsign, a division of DeNeefe, located in the Northern Territory.

Primarily, DeNeefe Signs manufacture a wide range of traffic control products, vests, brackets, cones and bollards, as well as Corporate Signage to both Government and private sectors. We also provide sign installation and computer assessment of Local Government Signage.

In September 1993, DeNeefe Signs Victoria, was accredited with Australian Standard 3902 and have since attained ISO 9001 certification. All our interstate branches now also have the same accreditation. We have initiated an Occupational Health and Safety Program to safeguard the health and well being of our employees.

We are proud to say we are an Australian owned company and promote Australian manufactured products. DeNeefe Signs seek the latest technology and systems to support our continued growth and success. Our computerised Graphics Department currently have 5 work stations, an image setter for screen printing positives and computer and flatbed cutters which increase workflow to other areas of the company. Our administration has the latest 'state of the art' computer system, which services the processing of orders, invoicing, estimating and production planning.

Our mission is to provide our customers with a product which meets their requirements and expectations, at a price acceptable to all parties and a customer service which exceeds their expectations.

As the Signage Division of Traffic Technologies, DeNeefe Signs work in conjunction with the other divisions of Traffic Technologies, to provide a 'one-stop-shop' for all our customers traffic requirements.







Care and Storage of Norsign Signs

Signs should be stored with either slip sheeting or foam padding between them to reduce the risk of abrasions. If signs are not stored upright with proper padding, Norsign cannot accept responsibility for damage, as these damages will most likely be permanent.

Signs should not be stacked lat, rather stored on edge in a dry environment. Stacking signs lat may compress either the glass beads, or prisms in the sheeting, resulting in a loss of necessary reflectivity.

DEAR VALUED CUSTOMER

A NEW NORSIGN QUOTE CART CAN BE FOUND AT...

WWW.TRAFFICLTD.COM.AU







Supplier



TABLE OF CONTENTS

	PAGE
 > REGULATORY SIGNS > (PARKING SIGNS - PAGE 12) 	03
> WARNING SIGNS	17
GUIDE SIGNS (STREET NAME SIGNS - PAGE 33)	27
> HAZARD MARKERS	35
 > TEMPORARY ROADWORK SIGNS > (CORFLUTES & MULTI MESSAGE SIGNS - PAGE 43) 	39
> TRANSPORT SIGNS	49
> WORK ZONE PRODUCTS	53
SIGN ACCESSORIES	59
SAFETY SIGNS	65
> RECREATIONAL SIGNS	71
> SPECIALTY PRODUCTS (SPECIAL ORDER ELECTRONIC SIGNAGE - PAGE 80)	75
> COMMERCIAL GRAPHICS	81



1300 88 SIGN

REGULATORY SIGNS INFORM ROAD USERS OF TRAFFIC LAWS OR REGULATIONS WHICH, IF DISREGARDED, IS AN OFFENCE. THEY ARE NORMALLY PLACED AT THE POINT OR BEGINNING OF THE SECTION WHERE THE REGULATION APPLIES.

Included in this classification are signs which indicate the end of a legal restriction imposed by a preceding regulatory sign, e.g. the END LOAD LIMIT sign (R6-5).

Most regulatory signs are rectangular with the long axis vertical and have black legend with or without red annulus and slash on white background. Wherever practicable, use is made of symbols and arrows to:

- a. Assist in identification
- b. Clarify the instruction; and
- c. Increase legibility

Additional legend may be required on certain signs to restrict their application to particular periods and classes of traffic or to indicate the beginning or end of a special traffic lane.

SIGN CLASSIFICATIONS

The sub-classifications and their relevant prefix and series coding for regulatory signs are as follows:

SERIES No.	CLASSIFICATION
R1	Movement series
R2	Direction series
R3	Pedestrian series
R4	Speed series
R5	Parking series
R6	Miscellaneous series
R7	Exclusive-use lane series
R8	Bicycle/Pedestrian series
R9	Supplementary plates for general use

1300 88 SIGN



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



 R1-1B
 750 x 750

 R1-1C
 900 x 900



R1-2AA375R1-2A750R1-2B900R1-2C1200



R1-3A750R1-3B900R1-3C1200



NSW ONLY R1-4A 450 x 450



R2-2A 450 x 600 **R2-2B** 600 x 800 (L or R)



R2-3AA 300 x 400 R2-3A 450 x 600 R2-3B 600 x 800 (L or R)



 NSW, NT & ACT ONLY

 R2-4A-RTA
 450 x 750

 R2-4B-RTA
 600 x 1000

 R2-4C-RTA
 750 x 1250



R2-4AA	300 x 300
R2-4A	450 x 450
R2-4B	600 x 600
R2-4C	750 x 750
R2-4D	900 x 900



 NSW, NT & ACT ONLY

 R2-5A-RTA
 450 x 750

 R2-5B-RTA
 600 x 1000



R2-5A450 x 450R2-5B600 x 600R2-5C750 x 750R2-5D900 x 900



NSW, NT & ACT ONLY R2-6A-RTA 450 x 900 R2-6B-RTA 600 x 1200 (L or R)



 R2-6A
 450 x 450

 R2-6B
 600 x 600

 R2-6C
 750 x 750

 R2-6D
 900 x 900

 (L or R)

All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R2-7A 450 x 600 R2-7B 600 x 800



R2-8A 450 x 600 R2-8B 600 x 800



R2-9A 450 x 750 R2-9B 600 x 1000 (L or R)



//

R2-10A 600 x 600



R2-11A 450 x 600 R2-11B 600 x 800



R2-14A 600 x 800 R2-14B 900 x 1200 (L or R)



R2-15A 450 x 600 R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800 R2-17B 600 x 1050 R2-17C 900 x 1600



R2-19A 800 x 1200



R2-20 450 x 800



R2-21 800 x 1100







All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R2-22 750 x 750



R2-209 150 x 1150



R3-1A 600 R3-1B 750 R3-1C 900



R3-2A 450 R3-2B 600



R3-3A 600 x 600 FLAG C/W DOWELL NON/REFLECTIVE



R3-4A 450 x 1200 R3-4B 600 x 1600

FLASHING



(L or R) DECAL



R4-1A 450 x 600 R4-1B 600 x 800 R4-1C 900 x 1200 R4-1D 1200 x 1600



WA & NT ONLY R4-2A 600 x 800 R4-2B 900 x 1200



R4-3A 450 x 300 R4-3B 600 x 400 R4-3C 900 x 600



R4-4A 450 x 750



R4-5A 450 x 750



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials





R4-8A 450 x 300 R4-8B 600 x 400



R4-9A 450 x 450 R4-9B 600 x 600



R4-10A 450 x 750 R4-10B 600 x 1000



R4-11A 450 x 750 R4-11B 600 x 1000



R4-12B 600 x 1000 R4-12C 800 x 1334



NSW ONLY R4-231A-RTA 900 x 850 R4-231B-RTA 1200 x 1135 R4-231C-RTA 1800 x 1700




VIC ONLY

R4-V105A	900 x 850	
R4-V105B	1200 x 1135	
R4-V105C	1800 x 1700	
NSW ONLY		
R4-230A-RTA	900 x 850	
R4-230B-RTA	1200 x 1135	
R4-230C-RTA	1800 x 1700	



VIC ONLY R4-V106AA 360 x 1016 R4-V106A 450 x 1270





R4-V114-1AA 360 x 463 R4-V114-1A 450 x 612 R4-V114-1B 600 x 877



VIC ONLY R4-V115AA 360 x 540 R4-V115A 450 x 675 R4-V115 600 x 900

R4-V115 (R)




R4-V121AA	360 x 876
R4-V121A	450 x 1095
R4-V121B	600 x 1460



NSW ONLY R4-212A 450 x 900 R4-212B 600 x 1200 R4-212C 900 x 1745 R4-212D 1200 x 2400 (Hinged or Unhinged)



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials





R6-9A 450 x 600



R6-10-1A600 x 600R6-10-1B900 x 900R6-10-1C1200 x 1200



 R6-10-2A
 600 x 600


 R6-10-2B
 900 x 900

 R6-10-2C
 1200 x 1200



450 x 450
600 x 600
750 x 750
900 x 900

All signs are available in CL400 [CL1] & CL1100 [CL1X] materials





All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



 R6-27A
 600 x 700

 R6-27B
 900 x 1050

 R6-27C
 1200 x 1400



R6-28A900 x 900R6-28B1200 x 1200R6-28C1800 x 1800



 R6-29A
 1200 x 600

 R6-29B
 1800 x 900

 R6-29C
 2400 x 1200



R6-30A600 x 1200R6-30B900 x 1800



R6-31A 350 x 350 **Decal**



R6-32A 1200 x 800



R6-33 1200 x 1350



R7-1-1C600 x 800**R7-1-1D**900 x 1200**R7-1-1E**1200 x 1600



 R7-1-3C
 600 x 800

 R7-1-3D
 900 x 1200

 R7-1-3E
 1200 x 1600



R7-1-4B450 x 600R7-1-4C600 x 800R7-1-4D900 x 1200



R7-1-5C600 x 800**R7-1-5D**900 x 1200



 R7-1-6C
 600 x 800

 R7-1-6D
 900 x 1200

 R7-1-6E
 1200 x 1600

All signs are available in CL400 [CL1] & CL100 [CL1X] materials



R7-2B450 x 150R7-2C600 x 200R7-2D900 x 300R7-2E1200 x 400



 R7-3B
 450 x 300

 R7-3C
 600 x 400

 R7-3D
 900 x 600

 R7-3E
 1200 x 800

 (L & R)



 R7-4A
 300 x 100

 R7-4B
 450 x 150

 R7-4C
 600 x 200

 R7-4D
 900 x 300

 R7-4E
 1200 x 400



 R7-5B
 450 x 300

 R7-5C
 600 x 400

 R7-5D
 900 x 600

 R7-5E
 1200 x 800



R7-6-1A 1400 x 400 (L & R)



R7-7-1C600 x 800R7-7-1D900 x 1200R7-7-1E1200 x 1600



R8-1A300 x 450**R8-1B**450 x 600**R8-1C**600 x 800

KERB LANE R7-6-2A 1400 x 400

CENTRE LANE R7-6-3A 1600 x 400



 R7-7-2C
 600 x 800

 R7-7-2D
 900 x 1200

 R7-7-2E
 1200 x 1600



 R8-2A
 300 x 450

 R8-2B
 450 x 600

 R8-2C
 600 x 800

THIS 🖶 LANE

R7-6-4 1600 x 400



 R7-8C
 600 x 800

 R7-8D
 900 x 1200

 R7-8E
 1200 x 1600



 R8-3A
 300 x 300

 R8-3B
 450 x 450

 R8-3C
 600 x 600

 (L or R)
 (R Shown)



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

7 - 930 MON - FRI R9-1-1A 450 x 300 R9-1-1B 600 x 400 R9-1-1C 900 x 600 R9-1-1D 1200 x 800	$\begin{array}{c} 7 & - & 9_{AM} \\ 4^{30} - 6^{30}_{PM} \\ MON - FRI \\ \hline \\ R9-1-2A & 450 \times 450 \\ R9-1-2B & 600 \times 600 \\ R9-1-2C & 900 \times 900 \\ R9-1-2D & 1200 \times 1200 \\ \hline \end{array}$	AT ALL TIMES R9-1-3B 600 x 400 R9-1-3C 900 x 600 R9-1-3D 1200 x 800	BUSES EXCEPTED R9-2A 450 x 300 R9-2B 600 x 400 R9-2C 750 x 500
BICYCLES EXCEPTED R9-3A 450 x 300 R9-3B 600 x 400 R9-3C 750 x 500	AUTHORISED VEHICLES EXCEPTED R9-4A 450 x 300 R9-4B 600 x 400	FRE R9-50 R9-51	
SCHOOL TIMES R9-V108-AA 360 x 210 R9-V108-A 450 x 263 R9-V108-B 600 x 350 R9-V108-C 900 x 525			SCHOOL ZONE 40 8-9 ³⁰ 2 ³⁰ -4 _{FM} SCHOOL DAYS
NEXT Image: Constraint of the second se	QLD ONLYTC1195A750TC1195B900TC1195C1200	QLD ONLY TC9265A 180 x 1200	QLD ONLY R4-Q01A 450 x 1400 R4-Q01B 600 x 1900 R4-Q01C 900 x 2800



PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

LINEAR PARKING CONTROL PANELS


TYPE OF CONTR	SIGN NUMBER			
PARKING				
Whole Hours:	1P	R5-1		
	2P	R5-2		
	3P	R5-3		
	4P	R5-4		
	5P	R5-5		
	6P	R5-6		
	7P	R5-7		
	8P	R5-8		
	P No Duration Stated	R5-10		
Part of Hours:	P2 Minute	R5-12		
	P5 Minute	R5-13		
	P10 Minute	R5-14		
	1⁄4 P	R5-15		
	1⁄2 P	R5-16		
	11/2 P	R5-17		
ZONE	Bus Zone	R5-20		
	Taxi Zone	R5-21		
	Permit Zone	R5-22		
	Loading Zone	R5-23		
	Truck Zone	R5-24		
	Works Zone	R5-25		
	Mail Zone	R5-26		
NO-STOPPING	No - Stopping (At any time)	R5-35		
	No - Stopping (Specific times of operation)	R5-36		
NO-PARKING	No - Parking (At any time)	R5-40		
	No - Parking (Specific times of operation)	R5-41		
CLEARWAY	Clearway (At all times)	R5-45		
	Clearway (Specific times of operation)	R5-46		







Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PANEL ARRANGEMENTS ON SIGNS





Examples of Panel Arrangement Layouts



Sizes Available: S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.

1P	Ρ	BUS ZONE	TAXI ZONE	PERMIT ZONE
8 _{AM} -5 _{PM}	ONLY			
				\longleftrightarrow
R5-1	R5-10DOAL	R5-20	R5-21	R5-22



Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple





R5-26

-6_{PM}

MON - FRI

R5-46





R5-39A 600 x 225 **R5-39B** 900 x 337



R5-40



R5-50A 600 x 800

R5-50B 900 x 1200



R5-51A 600 x 600

R5-51B 900 x 900



R5-61A 600 x 900 **R5-61B** 900 x 1350



R5-62A 450 x 800

R5-62B 600 x 1065

END 2P AREA

R5-63A 600 x 600

R5-63B 900 x 900



R5-65A 450 x 300 **R5-65B** 600 x 400



R5-71A 600 x 800 **R5-71B** 900 x 1200



R5-72A 450 x 900 **R5-72B** 600 x 1065





Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PARKING SIGNS

Left, Right & Double Arrows available.

END S AREA	1 HOUR ↓ HOUR ↓ HOUR	2 HOUR 2 HOUR ACT ONLY	3P 3 HOUR ←→	BUS ZONE
R5-73A 450 x 600 R5-73B 600 x 800	ACTR5-1 300 x 450 CL100 (Class 2)	ACTR5-2 300 x 450 CL100 (Class 2)	ACTR5-3 300 x 450 CL100 (Class 2)	ACTR5-20 300 x 450 CL100 (Class 2)
	LOADING ZONE	NO STOPPING ACT ONLY	N STOP	0
ACTR5-22/1 300 x 450 CL100 (Class 2) NO PARKING NO PARKING ACT ONLY ACTR5-40 300 x 450 CL100 (Class 2)	ACTR5-23 300 x 450 CL100 (Class 2)	ACTR5-35 300 x 450 CL100 (Class 2)		

WARNING SIGNS S2



1300 88 SIGN

WARNING SIGNS S2

WARNING SIGNS ARE USED TO WARN TRAFFIC OF POTENTIALLY HAZARDOUS CONDITIONS ON OR ADJACENT TO THE ROAD. WARNING SIGNS ADVISE OF CONDITIONS WHICH REQUIRE CAUTION ON THE PART OF THE DRIVER AND MAY CALL FOR A REDUCTION IN SPEED IN THE INTEREST OF THE SAFETY OF THE DRIVER AND OF OTHER ROAD USERS.

In general, warning signs are diamond shaped (square with one diagonal vertical) with a black legend or symbol, or both, and a black border on a yellow reflectorised background.

The W8 series signs are used in conjunction with other signs in the Warning Series to supplement and clarify the message conveyed and are generally rectangular.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
W1	Alignment series
W2	Intersection and junction series
W3	Advance warning of traffic control device series
W4	Road width, low and narrow clearance signs
W5	Road obstacle series
W6	Pedestrian, bicycle and school series
W7	Railway level crossing series
W8	Supplementary plate series
W9	Modified intersection series

1300 88 SIGN



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials

SIZE	DIMENSIONS (mm)
А	600 x 600
В	750 x 750
С	900 x 900
D	1200 x 1200







REVERSE TURN W1-2A W1-2B W1-2C (L or R)

HAIRPIN BEND

W1-7A

W1-7B

W1-7C

(L or R)

TJUCTION

W2-3A

W2-3B

W2-3C



CURVE W1-3A W1-3B W1-3C (L or R)



TILTING TRUCK W1-8B 1500 x 3000 (L or R)



REVERSE CURVE W1-4A W1-4B W1-4C (L or R)



W1-9-1 1400 x 1800



WINDING ROAD W1-5A W1-5B W1-5C (L or R)



CROSS ROAD W2-1A W2-1B W2-1C




SIDE ROAD JUNCTION W2-4A W2-4B W2-4C (L or R)



ROUNDABOUT W2-7A W2-7B W2-7C


~

All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials






All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 19

~


All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



P 20 1300 88 SIGN




All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials





All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials





All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



UNDER SNOW

W8-9A600 x 400W8-9B750 x 500W8-9C900 x 600



PLAYGROUND

W8-I3A600 x 400W8-I3B750 x 500W8-I3C900 x 600



 SCHOOL

 W8-14A
 600 x 200

 W8-14B
 750 x 250

 W8-14C
 900 x 300



MERGE W8-15B 750 x 500 W8-15C 900 x 600 W8-15D 1200 x 800 (L or R)



 ONE LANE

 W8-16A
 600 x 400

 W8-16B
 750 x 500

 W8-16C
 900 x 600



 NEXT ...km

 W8-17-1A
 600 x 400

 W8-17-1B
 750 x 500

 W8-17-1C
 900 x 600

 W8-17-1D
 1200 x 800



 NEXT ...m

 W8-17-2A
 600 x 400

 W8-17-2B
 750 x 500

 W8-17-2C
 900 x 600



AGED				
W8-18A	600 x 200			
W8-18B	750 x 250			
W8-18C	900 x 300			



 CROSSING AHEAD

 W8-22A
 600 x 400

 W8-22B
 750 x 500

 W8-22C
 900 x 600



 ADDED LANE

 W8-26A
 600 x 400

 W8-26B
 750 x 500

 W8-26C
 900 x 600

 W8-26D
 1200 x 800

BLIND

BLIND				
W8-19A	600 x 200			
W8-19B	750 x 250			
W8-19C	900 x 300			



CROSSING ARROWS W8-23A 600 x 200

W8-23A 600 x 200 **W8-23B** 750 x 250

DISABLED

DISABLED W8-20A 600 x 200 **W8-20B** 750 x 250 **W8-20C** 900 x 300



 PRESCHOOL

 W8-24A
 600 x 200

 W8-24B
 750 x 250

 W8-24C
 900 x 300



 BOGGY WHEN WET

 W8-21A
 600 x 400

 W8-21B
 750 x 500

 W8-21C
 900 x 600



 REFUGE ISLAND

 W8-25A
 600 x 400

 W8-25B
 750 x 500

 W8-25C
 900 x 600



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



 PREPARE TO STOP

 W8-27B
 750 x 375

 W8-27C
 900 x 450

 W8-27D
 1200 x 600



W9-1A W9-1B W9-1C (L or R)



SCHOOL QLD ONLY

TC1192A750 x 750TC1192B900 x 900TC1192C1200 x 1200



WA ONLY MR-WDAD-3

CROSSING RAMP

 CROSSING RAMP

 W8-28B
 750 x 500

 W8-28C
 900 x 600

 W8-28D
 1200 x 800



W9-2A W9-2B W9-2C (L or R)

CHILDREN

QLD ONLY

TC1193A 750 x 750

TC1193B 900 x 900

TC1193C 1200 x 1200

WA ONLY

MR-WDAD-6



VIC ONLY

 W8-V113A
 600 x 480

 W8-V113B
 750 x 600

 W8-V113C
 900 x 720



W9-3A W9-3B W9-3C (L or R)



SCHOOL CROSSING AHEAD QLD ONLY

TC1194A750 x 750TC1194B900 x 900TC1194C1200 x 1200



WA ONLY MR-WDAD-7



VIC ONLY W8-V115 900 x 600



W9-4A W9-4B W9-4C (L or R)



WA ONLY MR-WDAD-2



WA ONLY MR-WDAD-8



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



MR-WDAD-9



WA ONLY MR-WDAD-10



WA ONLY MR-WDAD-11



WA ONLY MR-WDAD-12



WA ONLY MR-WDAD-13



WA ONLY MR-WDAD-14



WA ONLY MR-WDAD-15



WA ONLY MR-WDAD-16



WA ONLY MR-WDAD-17



W5-73A 900 x 1200



WA ONLY MR-WDAD-18

W3-V109A 1445 x 1000

W3-V109B 1645 x 1200

W3-V109C 1945 x 1500



WA ONLY MR-WDAD-19



 W5-V116A
 1875 x 1000

 W5-V116B
 2201 x 1200

 W5-V116C
 2638 x 1500



WA ONLY MR-WDAD-20



RX11A1770 x 1000**RX11B**2075 x 1200





1300 88 SIGN

GUIDE SIGNS S3

GUIDE SIGNS INFORM AND ADVISE ROAD USERS ABOUT THE ROUTE THEY ARE FOLLOWING AND GIVE DIRECTIONS AND DISTANCES TO DESTINATIONS ON THE ROUTE OR ALONG OTHER ROADS WHICH INTERSECT THE ROUTE. THEY ALSO SUPPLY INFORMATION TO IDENTIFY POINTS OF GEOGRAPHICAL OR HISTORICAL INTEREST AND GIVE DIRECTIONS TO MOTORISTS' SERVICES AND TOURIST FACILITIES AND ATTRACTIONS.

Guide signs are generally rectangular. Where practicable, they should be designed with the long axis horizontal. Exceptions to this are route markers and kilometre plates that are normally on a shield or background of distinctive shape.

The background colour of guide signs is coded to allow road users to recognize them as belonging to a particular category.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES NO.	CLASSIFICATION
G1	Advance direction series
G2	Intersection direction series
G3	Finger Boards
G4	Reassurance direction series
G5	Street name & pedestrian direction series
G6	Geographical feature series
G7	Service series
G8	Route marker series
G9	Traffic instruction series
G10	Kilometre posts
G11	Tourist series
GE	Freeway guide series
Note:	The prefix S is used to identify symbols for use on G7 series signs.

These Categories are:

a. A black legend on a white background signifies general information signs, national route markers and street name signs.

b. A white legend on a green background is used for signs such as advance direction signs, finger boards, intersection and special direction signs, advance exit and exit direction signs on freeways, reassurance direction signs and kilometre posts.


c. A white legend on blue background indicates roadside facilities, services and service areas (including rest and camping areas), state route markers, bicycle route markers, and bicycle and pedestrian route information and direction signs.

 d. A black legend on a yellow background is used for exit speed signs and special instruction (e.g. ONLY) panels within certain direction signs.

e. A white legend on a red background is used for signs which indicate to a driver the need to stop or reduce speed considerably and signs indicating wrong-way movements.

 A white legend on a brown background is used for tourist signs and tourist route markers.

1300 88 SIGN




G1-3

G1-6



G2 - INTERSECTION DIRECTION SERIES



TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 27

GUIDE SIGNS



G6 - GEOGRAPHICAL FEATURE SERIES




>>		GUI	de signs
 S1 S2 S3 S4	4 S5 S6 S7	Image: S8 S9 S10	P S 11 S 12 S 13
P 15 516 510	6A S18 19 52	20 521 522 523	Police 524 525 526
G8 - ROUTE MARKER SERIES			2
95		-	
G8-1-1A 310 x 360 G8-1-20 G8-1-1B 413 x 480 G8-1-20		310 x 200 G8-2-2A 310 x 200 410 x 265 G8-2-2B 410 x 265	
	• → EN	D ALT	
	A 310 x 200 G8-2-6A 31 iB 410 x 265 G8-2-6B 41		G8-3-1A 310 x 200 G8-3-1B 410 x 265
		$\begin{array}{c} D_{R/V_{\mathcal{E}}} \\ 1 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0$	TOURIST DRIVE END 5
	A 375 x 360 G8-9-1 36 B 500 x 480	G8-9-2 360 x 360	G8-9-3 360 x 360
G9 - TRAFFIC INSTRUCTION SERIE	S		
LOW BRIDGE AHEAD . m HIGH VEHICLES DETOUR	LOAD LIMIT t ON BRIDGE GROSS HEAVY VEHICLES HEAVY DETOUR	DETOUR FOR HIGH VEHICLES	DETOUR FOR HEAVY VEHICLES
G9-3 1700 x 900 (L or R)	G9-4 1700 x 900 (L or R)	G9-5-1 1300 x 350 (L or R)	G9-5-2 1400 x 350 (L or R)

TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 29

GUIDE SIGNS

G9 - TRAFFIC INSTRUCTION SERIES







SAFETY RAMP m ON RIGHT	RAILWAY	CROSSING	OVERTAKING LANE m AHEAD
G9-26 2200 x 1100	G9-32 2100 x 450	G9-33 2100 x 450	G9-37 2600 x 1300
OVERTAKING LANE km AHEAD G9-38 2600 x 1300	LOCAL TRAFFIC ONLY G9-40-1A 900 x 600	LOOK FOR TRAINS G9-48A 600 x 600 G9-48B 750 x 750 G9-48C 900 x 900	WATCH FOR 69-57A 900 x 800 69-57B 1200 x 1100
G9-58A 450 x 450 G9-58B 600 x 600	G9-60A 450 x 600 G9-60B 600 x 800	CROSS HERE WITH CARE G9-63A 900 x 900 (L or R)	USE LEFT SHOULDER G9-64A 750 x 600
G9-65A 600 x 1200	WRONG WAY GO BACK G9-69 2300 x 1500 G9-69 2300 x 1500 G9-78A 600 x 200 G9-78B 900 x 300 G9-78B 900 x 300	MERGE RIGHT 	G9-79A 450 x 750 G9-79B 600 x 1000 G9-79C 800 x 1350

G9-78C 1200 x 400

GUIDE SIGNS		~~
G10 - KILOMETRE POSTS	G11 - TOURIST SERIES	
G10-3A 450 x 450	SCENIC LOOKOUT 300 m ON LEFT GII-1	C ² SILVERBAND FALLS GII-4
GE - FREEWAY GUIDE SERIES		
A36 OUEENSTOWN ROAD Heathmont EXIT 1km 2 LEFT LANES GEI-6	Monash Hawker A25 2 km GEI-11	GREENS ROAD Monash Hawker EXIT GE2-1-1
B205 HOLLEY STREET LEFT LANE GEI-13	G	M79 Keilor/Bendigo M79 Keilor/Bendigo El-14
EXIT K GE2-3 1800 x 1600	EMERGENCY ONLY ONLY GE7-6A 600 x 700 GE7-6B 900 x 1050	600 m 667-9 200 x 100
WRONG WAY GE9-15AA 450 x 300 GE9-15A 600 x 400 GE9-15B 750 x 500 P 32 1300 88 SIGN	REDUCE SPEED NOW	LANE ENDS MERGE RIGHT GE9-V22-1B 1800 x 1100 GE9-V22-1C 2400 x 1470 GE9-V22-1D 3200 x 1960

GUIDE SIGNS



G5 - STREET NAME SERIES

Guide signs are generally rectangular. Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- a) That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- b) They should be made using a retro-reflective material as a background which in the least meets the requirements of Class 1 material as specified.
- c) Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

Notes:

- 1. Legend shall be non-reflectorised.
- 2. Not suitable for street name. May be used for local government name or logo.
- 3. Inadequate contrast between colours.
- 4. Sign will not be sufficiently conspicuous.

- 5. Background shall be reflectorised
- Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source:	AS1742.5:2.7	- 1997
---------	--------------	--------

ABBREVIATIONS					
Arcade ARC	Drive DR	Place, Plaza PL			
Avenue AV	Esplanade ESP	Promenade PRM			
Boulevard BVD	Expressway EXP	Quay QY			
Brace, Brae BR	Freeway FWY	Road RD			
Chase CH	Gardens GDN	Square SQ			
Circuit CCT	Grove GR	Street ST			
Circle, Circlet, Circus CIR	Highway HWY	Terrace TCE			
Close CL	Junction JNC	Walk WK			
Corner CNR	Lane LA	Way (Not usually abbreviated) WY			
Court CT	Parade PDE				
Crescent CR	Parkway PWY				

Source: AS1742.55:2.5 - 1997

Note: Some councils use abbreviations different to the above

GUIDE SIGNS





LEEDS ST



HAZARD MARKERS S4



HAZARD MARKERS S4

HAZARD SIGNS ARE USED TO HIGHLIGHT TO APPROACHING TRAFFIC A MARKED CHANGE IN THE DIRECTION OF TRAVEL AND THE PRESENCE AND WIDTH OF AN OBSTRUCTION.

Guide signs are generally rectangular. Hazard signs are rectangular and generally consist of a series of alternate black and white bands. The white portion is always reflectorized, but the reflective material may cover only the central portion of each white band to achieve a balance between the areas of black and white under headlight illumination. The bands may consist of either diagonal strips where only a target is required, or of chevrons where directional, as well as target, properties are desirable.

Typically, there are 4 types of hazard marker:

- a. Uni-directional Hazard Marker used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.
- b. Bi-directional Hazard Marker used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.
- c. Width Marker normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.
- d. Obstruction Marker used to delineate obstructions such as road closures or obstructions above the road.

HAZARD MARKERS



LEGEND

UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.

BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.

WIDTH MARKER

Normally erected in pairs, one or either side of a vertical obstruction facing in the direction of traffic flow.







OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.

HAZARD MARKERS



UNI-DIRECTIONAL HAZARD MARKER D4-1-1A 1600 x 400 D4-1-1B 3200 x 800



UNI-DIRECTIONAL HAZARD MARKER D4-1-2A 450 x 450 D4-1-2B 600 x 600



BI-DIRECTIONAL HAZARD MARKER

VIC ONLY

D4-V1031800 x 600D4-V1081000 x 500





QLD ONLY

D4-2-2A 300 x 750



UNI-DIRECTIONAL HAZARD MARKER D4-1-3C 1800 x 300 VIC ONLY D4-V102 1800 x 600 BI-DIRECTIONAL BI-D HAZARD MARKER HAZ/

Κ 🗲

TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 35

HAZARD MARKERS





 BI-DIRECTIONAL

 HAZARD
 MARKER

 D4-2-3A
 1600 X 400

 D4-2-3B
 3200 X 800



 WIDTH MARKER

 (L or R)

 D4-3A
 225 x 450

 D4-3B
 450 x 900



OBSTRUCTION MARKER D4-5A 1800 x 400



 CHEVRON

 ALIGNMENT MARKER

 D4-6A
 600 x 750

 D4-6B
 750 x 900

 D4-6C
 900 x 1125



 WIDTH MARKER

 VIC ONLY

 D4-V105A
 450 x 300

 D4-V105B
 600 x 400



WA ONLY MR-HM1 2400 x 400



WA ONLY MR-HM2 2400 x 400



WA ONLY MR-HM3 2400 x 400



WA ONLY MR-HM4 2400 x 400



WA ONLY MR-HM5 2400 x 400



NSW ONLY G9-257 700 x 390 (L or R) (Self Adhesive)



WA ONLY MR-HM6 2400 x 400

HAZARD MARKERS





WA ONLY MR-HM7 2400 x 400



WA ONLY MR-HM8 4800 x 800



WA ONLY MR-HM9 4800 x 800



WA ONLY MR-HM10 4800 x 800



WA ONLY MR-HM11 230 x 230



WA ONLY MR-HM12 450 x 600

QLD ONLY

D4-2-2-QO1A450 x 600D4-2-2-QO1B900 x 1200



 WA ONLY

 MR-HM16A
 360 x 1300

 MR-HM16B
 480 x 1340

 MR-HM16C
 600 x 1460





TEMPORARY SIGNS ARE MOSTLY USED FOR WORKS ON ROADS AND FOOTPATHS TO WARN USERS OF TEMPORARY HAZARDOUS CONDITIONS WHICH COULD ENDANGER THEMSELVES OR THOSE WORKING ON THE ROAD. THEY ALSO INDICATE THE TRAVEL PATH THROUGH, AROUND OR PAST WORK SITES, AND IN THIS WAY, CONTRIBUTE TOWARDS THE PROTECTION OF PARTIALLY COMPLETED WORKS FROM DAMAGE.

Guide signs are generally rectangular. Other signs in this classification are used to warn of temporary hazardous conditions which are not related to road works, e.g. sign T1-11, TRAFFIC ACCIDENT AHEAD.

Temporary signs are generally rectangular with the long axis horizontal for ease of mounting.

The colour codings used for temporary signs are as follows:

- a. General temporary signs

 a yellow retro-reflective
 background, black border and
 symbol or legend.
- b. Signs warning of workers a combination of fluorescent/ reflective red or orange background, black symbol and border.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

c.	Signs warning of blasting
	operations – red background,
	white legend.

SERIES No.	CLASSIFICATION	
TI	Advance series	
T2	Position series	
Т3	Road condition series	
T4	Special hazard series	
Т5	Traffic diversion series	
Т6	Vehicle mounted series	
T7	Hand banner series	
Т8	Pedestrian series	



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials





All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



T1-24A 1800 x 600 **T1-24B** 2400 x 900



T1-25A 1800 x 600 **T1-25B** 2400 x 900



T1-27 1800 x 600

BRIDGEWORK

🗍 km AHEAD

T1-29A 1800 x 600

T1-29B 2400 x 900



T1-28A 600 x 600 **T1-28B** 900 x 900



T1-30A 900 x 600 **T1-30B** 1200 x 900



T1-31 900 x 1200



 T1-34A
 900 x 600

 T1-34B
 1200 x 900

 T1-34C
 1800 x 1200

 Fluoro Orange

ROAD CLOSED

T2-4A 1800 x 300



T2-5A 1500 x 600



T2-6-MAGARR 400 x 610 (Available in various arrow combinations)





T2-6-1 1200 x 900



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



T2-6-2 1800 x 900



T2-13A 900 x 600 **T2-13B** 1200 x 900



T2-16A 1800 x 600



END DETOUR

T2-17A 900 x 1200

T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-3A 900 x 600 **T3-3B** 1500 x 900

T3-6A 900 x 600

T3-7A 900 x 600 **T3-7B** 1500 x 750 **T3-9A** 900 x 600 **T3-9B** 1500 x 900



T3-11 1500 x 900


T3-12A 1500 x 900



T3-14A 900 x 600 **T3-14B** 1500 x 900



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials





CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.





CT284-24H 600 x 600 **QLD ONLY - TC1217**



CT284-26H 600 x 600 OLD ONLY - TC1217



CT284-50KH 600 x 600 **QLD ONLY - TC1217**

CT284-57H 600 x 600

OLD ONLY - TC1217



CT284-25H 600 x 600 **QLD ONLY - TC1217**

CT284-39H 600 x 600

OLD ONLY - TC1217







OLD ONLY - TC1217



CT284-27H 600 x 600



CT284-28H 600 x 600 OLD ONLY - TC1172



CT284-40FR 600 x 600 OLD ONLY- TC1332





CT284-29H 600 x 600 CT284-29-12X3H 1200 x 300 QLD ONLY - TC1170



CT284-32H 600 x 600 QLD ONLY - TC1218



CT284-33H 600 x 600 QLD ONLY - TC1219



CT284-42H 600 x 600 QLD ONLY - TC1169



TM1-V3 600 x 600



CT284-43H 600 x 600



CT284-44H 600 x 600

LOCAL

TRAFFIC

ONLY



CT284-52H 600 x 600



CT284-FCH 600 x 600



CT284-LTOHW 600 x 600





CT284-PRCH 600 x 600



CT284-R2-4H 600 x 600



CT284-R2-6LH 600 x 600



CT284-R2-6RH 600 x 600





CT284-T1-6H 600 x 600



CT284-T1-10H 600 x 600



CT284-T1-200-DG 600 x 600



CT284-T2-13H 600 x 600



CT284-T2-23H 600 x 600



CT284-T2-25CH 600 x 600



CT284-T3-7H 600 x 600



CT284-T8-1H 600 x 600



CT284-RC-AH 600 x 600



CT284-SDH 600 x 600



CT284-W3-3H 600 x 600



CT284-6X6HY 600X600



GM9-V79-40 600 x 900



GM9-V79-60 600 x 900



GM9-V79-80 600 x 900



CT284-42-6X9H 600 x 900



DO NOT OVERTAKE

CT284-12H 1200X300 QLD ONLY - TC1174



CT284-13H 1200X300

PREPARE TO STOP

CT284-15H 1200 x 300 CT284-156X6H 600 x 600 QLD ONLY - TC1362

MERGE LEFT

CT284-17H 1200X300

ROADWORK AHEAD

CT284-20H 1200 x 300

ON SIDE ROAD

CT284-37-12X3H 1200X300 CT284-37H 600 x 600 QLD ONLY - TC1325



CT284-16H 1200X300

DRIVE SAFELY

CT284-18H 1200X300 QLD ONLY - TC1177



CT284-36H 1200X300



CT284-38-12X3H 1200X300

P 46 1300 88 SIGN



ROAD CLOSED

CT284-49H 1200X300 CT284-56H 600X600 CT284-56-12x6H 1200X600

DETOUR

CT284-T5-IRH 1200X300



CT284-T5-ILH 1200X300



CT284-T1-6UPH 1200X300



CT284-T1-612X3H 1200X300



CT284-T8-1LH 1200X300



CT284-T8-1RH 1200X300



CT284-ARROW3X6H 300X600 CT284-ARROWH 600X600



CT284-TONLYH 300X600

REDUCE SPEED

CT284-REDUCESP 1200X300

CT284-12X3HY 1200X300

CT284-12X6HY 1200X600



STANDS



 QUADRAPED
 STAND
 ONLY

 QST6x6
 600 x 600

 QST9x6
 900 x 600

 QST12x9
 1200 x 900


QUADRAPED SIGN ONLY QSTI-5AALFR9x6 900 x 600



WLM STAND WLM600 600 x 600 WLM900 900 x 600 STAND ONLY



AD BASE BOARD ADBTI-5FR 600 x 900 ADBASE BASE ONLY



QUAD STAND QST12X6 - 1200 x 600 TAS ONLY



BI-POD-SOLID BIPODS 1200mm (Spread)

PREPARE TO STOP

MULTI MESSAGE

SIGN FRAME

MMSF

FRAME ONLY

BIPOD-Y-HOLLOW BIPODSY-YELL

• •

STAR PICKET & DRIVER

STARPICKET

STARPICKETDRIVE



1200mm (Spread)



MULTI MESSAGE FRAME ONLY MMSF-6X9





COLLAPSIBLE CHEVRON DELINEATOR T5-Q02 250 x 1200

P 48 1300 88 SIGN

FOLDING BI-POD

MMBL








HEAVY VEHICLE MARKER PLATES

AS 4001.2: CL400 on Aluminium or Pressure Sensitive Decal





HAZARDOUS GOODS SIGNS



EXP1M250 STEEL 250 x 250 EXP1P250 DECAL 250 x 250



FS4M250 STEEL 250 x 250 FS4P250 STEEL 250 x 250



NFNTGM250 STEEL 250 x 250 NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250 OA5P250 DECAL 250 x 250

INFECTIOUS

IS6M250 STEEL 250 x 250 IS6P250 DECAL 250 x 250



EXP14M250 STEEL 250 x 250 EXP14P250 DECAL 250 x 250



FG2M250 STEEL 250 x 250 FG2P250 DECAL 250 x 250



DGM250 STEEL 250 x 250 DGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250 OA5P250 DECAL 250 x 250



T6M250 STEEL 250 x 250 **T6P250 DECAL** 250 x 250



EXP15M250 STEEL 250 x 250 EXP15P250 DECAL 250 x 250



F3M250 STEEL 250 x 250 F3P250 DECAL 250 x 250



C8M250 STEEL 250 x 250 **C8P250 DECAL** 250 x 250



OP5M250 STEEL 250 x 250 OP5P250 DECAL

250 x 250



TGM250 STEEL 250 x 250 TGP250 DECAL 250 x 250



EXP16M250 STEEL 250 x 250 EXP16P250 DECAL 250 x 250



FC4M250 STEEL 250 x 250 FC4P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250 DWWP250 DECAL 250 x 250



R7M250 STEEL 250 x 250 R7P250 DECAL

250 x 250



MDGM250 STEEL 250 x 250 MDGP250 DECAL 250 x 250

P 50 1300 88 SIGN











HAZCHEM6X3600 x 300

HAZ 600 x 120

HAZ-2WE 600 x 150

Sample Layout TANK 800 X 400 TRUCK 800 X 600







CLASSIFICATION

A full range of oversize plates are available to meet the Australian Transport Commission Regulations

OPTIONS

- Aluminium Plates
- Pressure Sensitive Decals
- Fabric Banners with Eyelets
- Double Sided Plates

- Two Piece Plates
- Hinged Plates
- Two Piece Hinged
- Multiple Hinged Plates

RETRO-REFLECTIVE SIGNS: HINGED, STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER CL100 & CL400



OSZSS STEEL 1200 X 450 (Single/Sided) OSALS ALUM 1200 X 450 (Single/Sided) OSALSHI 1200 X 450 (Single/Sided) Hi-Intensity



OSALS-VERHINGED 1200 X 450 (Alum. Vert. Hinged)



OSLAALD ALUM 1200 X 600 (Double Sided) OSLAZSD STEEL 1200 X 600 (Double Sided)



OSALD ALUM 1200 X 450 (Double Sided)



OSFACES 1200 X 450 (Reflective Decal)



OSBR FABRIC BANNER 1200 X 450 (Reflective)



OSALS-HINGED 1200 X 450 (Alum. Horizontal Hinged)

OVERSIZE

LOAD AHEAD

OSAALS ALUM

1200 X 600 (Single Sided)



OS-2PIECE-AL-HI 1200 X 450 (in 2 pieces Over and Size)



OSLABR BANNER 1200 X 600 (Reflective)

DO NOT OVERTAKE TURNING VEHICLE

1800 DECAL 1675 X 75 Also Available 1225 X 70

ALL THE ABOVE SIGNS ARE AVAILABLE IN OTHER SIZES UPON REQUEST



1200 X 300 (Fabric Banner)



LONGVHH 1200 X 300 (Single Sided) (Alum. Horizontal Hinged)



RTLV12X3 1200 X 300 - 1 PIECE (Alum. Horizontal Hinged) LONG VEHICLE & ROAD TRAIN



RTLV510X250 510 X 250 - 2 PIECES (Alum. Horizontal Hinged) **ROAD TRAIN & LONG VEHICLE**



RT12250AL ALUM 1200 X 250 (Single Sided)



RT12250ALVH 1200 X 250 (Alum. Vertical Hinged)





RT12250AL-2 600 X 250 (Alum. Train Only)



RT510250-2PS 510 X 250 (Decal Train Only)

TRAIN



ROAD

RT510250-2 510 X 250 (Alum. Train Only)

TRAIN

ALSO AVAILABLE AS A KIT RT510250KIT

510 X 250 (Decal Road Only)

ALL THE ABOVE SIGNS ARE AVAILABLE IN OTHER SIZES UPON REQUEST LONG VEHICLE

LONGVHCLE12X3 1200 X 300 (Alum. Vert. Hinged)





LONGVEH60X25 600 X 245 (Alum. in 2 pieces Long and Vehicle) LONGVEH6X3

600 X 300 (Alum. in 2 pieces Long and Vehicle)

LONG VEHICLE

LONGVHCLE 1200 X 300 (Alum)



LVRT510X250 510 X 250 - 2 PIECES (Alum. Horizontal Hinged) LONG VEHICLE & ROAD TRAIN



RT12250 BANNER 1200 X 250

ROAD TRAIN

RT12250ALHH 1200 X 250

(Alum. Horizontal Hinged)

TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 53



R4 SERIES 100KM/H SPEED LIMITED STEEL, PRESSURE SENSITIVE, PVC, CL100 & CL400





HI-VISIBILITY VESTS Reflective - Day And Night Logo Can Be Printed On Request



450 x 450 (Cloth) (Dowel Flag)





FFL 400 X 400 FFL 300 300 X 300 (Vinyl)

FIRE EXTINGUISHER



DRIVER UNDER INSTRUCTION



525 x 250





350 x 350 DECAL

FIRST AID KIT



BREAKDOWN TRIANGLE BREAKT Set of 3



FLASHING WARNING LIGHT




FWL

P 54 1300 88 SIGN



FIRE SAFETY SIGNS CORFLUTE, ALUMINIUM, STEEL, POLYPROPYLENE, SELF-ADHESIVE

FULL RANGE AVAILABLE UPON REQUEST



CONSPICUITY & FLEET TAPES

Reflective contour markings on trucks make detection easy, giving drivers time to see a vehicle, react and avoid a collision.

V-6700B - Rigid Surfaces


Available in the European and Asia-Pacific markets only, V-6700B tape is ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. Designed for use on trucks and trailers with rigid surfaces, V-6700B provides superior reflectivity and enhanced night-time safety. It is a high quality, durable, microprismatic retroreflective material with a pressure sensitive adhesive and a single layer construction that does not require edge sealing.

V-6790 - Flexible Surfaces

Another product available in the European and Asia-Pacific markets only, V-6790 tape is also ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. It provides the same superior nighttime visibility performance as the V-6700B tape, but is designed for use on trucks and trailers with flexible surfaces.








WORK ZONE PRODUCTS S7



WORK ZONE PRODUCTS S7



SIGN ACCESSORIES S8



SB SIGN Accessories



WORK ZONE PRODUCTS

HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 300	300mm	Plain With Class 1 Collar	X	300 300HCS
TRAFFIC CONE 450	450mm	Plain With Class 1 Collar	X	450 450HCS
TRAFFIC CONE 700	700mm	Plain With Class 1 Collar	X	700 700HCS
TRAFFIC CONE 900	900mm	Plain With Class 1 Collar	X	900 900HCS

WORK ZONE PRODUCTS



HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
STACKABLE T-TOP BOLLARD	1m Stem	Class 1 Reflective Band 8kg base		TTOPSTEMAS TTOPBASE8
HBAS BOLLARD	1M Stem	Class 1 Reflective Band 8kg Base		HBASSTEM HBBASE8

WHEEL STOP & SPEED HUMPS





VRSV




FLASHING LAMPS & BATTERIES (Sold Separately) FLASHING LAMP - FA BATTERY - BATT



WORK ZONE PRODUCTS

BARRIERS/SAFETY FENCING & TAPES



WORK ZONE PRODUCTS




DELINEATORS & ACCESSORIES



CH3 DELINEATOR

CH3





CL1100 DECAL DEL - 50 x 200-3990 (White) DEL - 50 x 200-3992 (Red) (Pressure Sensitive)



STAR PICKET COVER STARCOVYCAP (Yellow Cap)





TEMPORARY REFLECTIVE ROAD FLAP

TRF - White TRFR - Red TRFY - Yellow



HAND GUN FOR 600MM **TWIN PACK MEGAPOXY** AHG - Gun



A & B MEGAPOXY 36 MEGATT - 600grams



A & B MEGAPOXY MEGA4L - 4 Litre Mega 4L



PLASTIC LINE-O-DOT LINODOTWHITE



1 WAY REFLECTIVE PAVEMENT MARKERS 80B SERIES - Standard



2 WAY REFLECTIVE PAVEMENT MARKERS 80A SERIES - Standard



SPOT PAINT - 350grams

WSPAINT	- White
BLSPAINT	- Blue
PSPAINT	- Pink
YSPAINT	- Yellow
BSPAINT	- Black



WORK ZONE PRODUCTS



LINEMARKING PAINT CANS (500gm) 12 PER BOX WTPAINT - White YTPAINT - Yellow GTPAINT - Green BTPAINT - Black



LINEMARKING MACHINE LMMACH



BLOCKS OF BITUMEN ADHESIVE BIT-6.25KG BLOCK BITACT-1KG BLOCK



AMP BITUMINOUS PAD 6903AMP



CRAK-BAK DELINEATOR RHCB - 50 x 100 WHCB - 50 x 100



NSW ONLY PEDESTRIAN BOLLARD REFBOL1 - 600 x 400



NSW ONLY RUMBLE BARS RUMBLEBARWHI - White RUMBLEBARYEL - Yellow



TRAFFIC WAND TWAND


GUIDE POSTS & DRIVERS



STEEL STEELGP STEELGPDRIVER - Driver



FLEXIBLE PVCPOST - 1400 x 100 x 4 PVCPOSTDRIVER - Driver





WORK ZONE PRODUCTS



LANE SEPARATORS

PRODUCT CODE	DESCRIPTION	SIZE	PRODUCT IMAGE
DNLS-C	LANE SEPARATOR CENTRE	1000 X 270 X 90MM	
DNLS-F	LANE SEPARATOR FEMALE END	440 X 270 X 90MM	~
DNLS-M	LANE SEPARATOR MALE END	480 X 270 X 90MM	
DNLSP-SSL	LANE SEPARATOR PADDLE LEFT BLACK/YELLOW CL400	200 X 900MM	
DNLSP-SSR	LANE SEPARATOR PADDLE RIGHT BLACK/YELLOW CL400	200 X 900MM	
• 62 1300 E			222





S8 SIGN Accessories



BRACKETS

UNBRACED SIGNS



TD1 Single Sided 60mm OD

TD1 (Hex Head Bolt)

TD3 (Anti-Vandal Bolt)

BRACED SIGNS



UNISTRUT BRACKETS Single P2041 60mm OD P2046 76mm OD P2050 89mm OD P2054 102mm OD P2058 114mm OD

P2066 140mm OD



TD2 Double Sided 60mm OD TD2 (Hex Head Bolt) TD4 (Anti-Vandal Bolt)



FRISBEE FBEE 2 piece Single/Double Sided 60mm OD Post



TRILOBULAR KEY (TD3 Key)



SECURITY SPANNER SPAN Suits Trilobular



CAM BRACKETS CAMBKTDS - Alum Rib CAMBKTDS - Uni - Unistrut



UNISTRUT BRACKETS CB2-TT

Double Sided 60mm OD



SADDLE BRACKET Single Sided UN15-60 60mm OD UN15-76 76mm OD UN15-89 89mm OD UN15-102 102mm OD UN15-114 114mm OD UN15-140 140mm OD



ARC BRACKET ARC060 60mm OD ARC076 76mm OD ARC089 89mm OD ARC102 102mm OD ARC114 114mm OD

CB1 Single Sided CB1



DN 250



CB2 Double Sided CB2



UCC BRACKET UCC002

BACK TO BACK CLIP

BBC060

BBC076 BBC089



RSJ CLAMP RSJCLAMP



TIMBER FRANGIBLE BRACKET FRANGBKT



RHS BRACKET RHSBRACKET

STREET NAME SIGNS



STREET BLADE (1 Way) **AL16** 150mm **AL18** 200mm



STREET BLADE (2 Way) **AL26** 150mm **AL28** 200mm



STREET BLADE (3 Way) **AL36** 150mm **AL38** 200mm



B.S.CAP BSCAP



//

B.S.JOINING SET BSJS





ML1

ML2



BSL BRACKET

BS CROSS BRACKET

STREET BLADE TIMBER POST ALT6 150mm

ALT6 150mm ALT8 200mm



SLOTTED BRACKET ALT6B/ALT8B



FOLDED BRACKETS ALT6B-F ALT8B-F



SUSPENSION BRACKET CODE SB 1.6 AL PLATE ONLY



TD BOLT TDBOLT



ANTI-VANDAL BOLT TDTRIBOLT

BAND-IT RANGE



STR19 19mm



STAINLESS STEEL BANDING BRACKET BAND ROLLS (30MT) UR251 (13mm Band) UR251 (16 & 19mm Band) STR13 13mm



BANDIT BUCKLE BBUC13 13mm BBUC19 19mm



BANDING TOOL BTOOL

NSW PARKING SIGN BRACKETS SINGLE/DOUBLE RTA-SPB RTA-DPB













LOC-SOCKET LSOCKETORIG 370mm


LOC-SOCKET SPIKE LSOCSPI450 450mm LSOCSPI600

600mm

LOC-SOCKET **DRIVING TOOL** LSOCDRIV

LOC-SOCKET WEDGE LSWEDGE

STB SLEEVE **STB** 400mm STB550 550mm c/w Anti Twist Bar











ROSTA SLEEVE RS 540mm Long (With Anti Twist Bar)



GIBB/ROSTA KEY RK

ROADSIDE WEDGE WEDGE


VLOC VLOC-CON VLOC-SOIL



VLOC WEDGE VLOCWEDGE



LOC-SOCKET ALUMINIUM (Signfix Version) ALUM-SOC 300 ALUM-SOC 450



BASE PLATE BASE PLATE 150 150 X 150mm **BASE PLATE 200** 200 x 200mm



POSTCAPS PCAP - Aluminium PCAPGAL - Steel Galvanised

POSTS

- All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2800, 3200, 3600, 3900, 4200 & 6500mm.


POST DIMENSIONS							
Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1

~






- Manufactured from Marine Grade alloy
- Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).









SAFETY SIGNS S9







DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	В	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	Р
450 x 300	В	Polypropylene	Р
600 x 450	C	Polypropylene	Р
450 x 300	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.



EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	А	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT



HOSEREEL



AS473



FIREREEL



AS471



CUSTOM



AS472

SAFETY SIGNS



HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT







SIZE (mm)	CODE		CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS 421



AS 422





SAFETY SIGNS



PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F



Note: Steel & aluminium only available in NT

AS402



SAFETY TAGS

		COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	STIO-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100











82 x 140

82 x 140

82 x 140

82 x 140

CUSTOM





Available in red or green Scotchlite letters on a white Scotchlite background.









FH-A 150 x 100mm

umm H


HP-A 150 x 100mm

SV-A 150 x 100mm

H 75 x 125mm



HP-B 75 x 250mm



FH-B 75 x 250mm



HR 75 x 250mm



SV-B 75 x 250mm

FIRE SIGNS





RECREATIONAL SIGNS ARE USED PRIMARILY FOR THREE PURPOSES: TO INFORM THE PUBLIC OF RULES AND REGULATIONS IN A PARTICULAR AREA, TO ALERT THEM TO POTENTIAL HAZARDS AND LASTLY TO DIRECT THEM TO PARTICULAR FACILITIES.



The three types of recreational signs are:

- Advisory
- Regulatory/Prohibition
- Warning

Multiple Message Signs also fall into this category.

RECREATIONAL SIGNS S10





RECREATIONAL SIGNS

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm All Pictograms – Available in Circular or Square Plates.



TOILETS A1



PICNIC AREA A6



PARKING A11



DIRECTIONAL ARROW (2) A16



HORSE RIDING A21



WOMENS TOILETS A2



PICNIC SHELTER A7



INFORMATION A12



FAMILY WALK A17



FISHING AREA A22



MENS TOILETS A3



CAMPING AREA A8



TELEPHONE A13



SELF-GUIDED WALK A18



SWIMMING AREA A23



DISABLED TOILETS A4



PLAYGROUND A9



FIRST AID A14



HIKING A19



CANOEING A24



FIREPLACES A5



DRINKING WATER A10



DIRECTIONAL ARROW (1) A15



CYCLING A20



DIVING A25

RECREATIONAL SIGNS



REGULATORY/PROHIBITION

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm All Pictograms – Available in Circular or Square Plates.



FIRES PROHIBITED P4



BICYCLES PROHIBITED P8



PICKING OF PLANTS PROHIBITED P12



CUSTOM






RECREATIONAL SIGNS

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M) Totem Colour: Black, Grey, Green & Blue











LARGE CONE WHITE



LARGE CONE YELLOW



LARGE CONE WHITE & RED



LARGE CONE WHITE



LARGE CONE YELLOW



LARGE CONE WHITE & RED



MINI CONE WHITE & SILVER



MINI CONE YELLOW & BLUE



TRIANGLE REFLECTOR YELLOW & BLUE



1500mm GABLE WHITE 3000mm GABLE WHITE



1500mm GABLE YELLOW 3000mm GABLE YELLOW

AIRPORT LIGHTS



AV15



AV23



AV70 RED



~

AV70 BLUE



AV125

AV200



AV10

STANDS



MALL STAND A1 & A2



MALL STAND A3 ECONOMY



A FRAME STRUT



ROLL UP BANNERS

 ROLLUP-A
 594 x 1188

 ROLLUP-B
 840 x 2185

 ROLLUP-C
 1000 x 2185

 ROLLUP-D
 1200 x 2185



TOTAL FIRE BAN TODAY TFBT

2400 x 2400

OTHER PRODUCTS

WIDTH	SIZE (mm)
W	600
W	900
W	1200



BRAILLETACTILE

BRAILLE TACTILE SIGNS

DeNeefe Signs offer Braille Tactile Signs that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia.

These Quality Signs feature a Continuous Surface and Fully Encapsulated Polycarbonate Membrane, Ensuring Durability and allowing them to be kept Hygienically Clean.

Choose from our extensive Standard Range in 'White on Blue' or 'Black on Silver', supplied on a full backing of self-adhesive, ensure an easy installation to flat or curved surfaces.

Our Standard Range is available in multiple colour and material options (including aluminium), or you may choose to customise colours, backings and sizes to suit your requirements.

Looking for something fully custom, no worries, and we can assist you with your specific requirements from design through to manufacture and supply.


BRAILLE TACTILE SIGNS

DeNeefe Signs proudly distribute the Braille Tactile Signs (Aust)[®] product that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia.

Norsign NT is the official distributor for the NT







P 82 | 1300 88 SIGN



Unisex Toilet LH	Unisex Toilet RH	Unisex Toilet LH & Baby Change	Unisex Toilet RH & Baby Change	Unisex Toilet LH & Shower
BTS11LHN-SLV	BTS11RHN-SLV	BTS33LHN-SLV	BTS33RHN-SLV	BTS35LHN-SLV
Unisex Toilet LH	Unisex Toilet RH	Unisex Toilet LH & Baby Change	Unisex Toilet RH & Baby Change	Unisex Toilet LH & Shower
BTS11LHN-BLU	BTS11RHN-BLU	BTS33LHN-BLU	BTS33RHN-BLU	BTS35LHN-BLU
Unisex Toiler RH & Shower	• but for the second se	Toilets	Baby Change	Toilets
BTS35RHN-SLV	BTS63-SLV	BTS68-SLV	BTS72-SLV	BTS207-SLV
Unisex Toilet RH & Shower	Shower	Toilets	Baby Change	Toilets
BTS35RHN-BLU	BTS63-BLU	BTS68-BLU	BTS72-BLU	BTS207-BLU
Female Ambulant Toilet	Male Ambulant Toilet	Unisex Ambulant Toilet	Female Toilets	Female Toilets
BTS222N-SLV	BTS223N-SLV	BTS224N-SLV	BTS235-SLV	BTS235-AL-SLV
Female Ambulant Toilet	Male Ambulant Toilet	Unisex Ambulant Toilet	Female Toilets	Female Toilets
BTS222N-BLU	BTS223N-BLU	BTS224N-BLU	BTS235-BLU	BTS235-AL-BLU

TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 1300 88 SIGN P 83



Male Toilets BTS236-AL-SLV	Male Toilets BTS236-SLV	Exit Leevel 1 BTS270-SLV	Entry BTS287-SLV	Trailets Unisex Toilets BTS308-AIRLOCK-SLV
Male Toilets BTS236-AL-BLU	Male Toilets BTS236-BLU	Exit Level 1 contract Vor Foot 2 BTS270-BLU	Entry BTS287-BLU	Unisex Toilets BTS308- AIRLOCK-BLU
Unisex Toilets BTS308-SLV	Hearing Loop BTS350-SLV	All Gender Toilet LH BTS379LH-SLV	All Gender Toilet RH BTS379RH-SLV	Toilets BTS407-AL-SLV
Unisex Toilets BTS308-BLU	Hearing Loop	All Gender All Gender LH Mission Care	All Gender Toilet RH BTS379RH-BLU	Toilets BTS407-BLU

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom **braille**tactile[™] signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **braille**tactile[™] signs are priced on application.



SPECIAL ORDER ELECTRONIC SIGNAGE



ELECTRONIC SPEED LIMIT SIGNS (ESLS)



These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 1300 88 SIGN to find more information on the electronic signage options available.



COMMERCIAL GRAPHICS S12



COMMERCIAL GRAPHICS S12

DENEEFE SIGNS IS ONE OF THE LARGEST SIGN MANUFACTURERS IN AUSTRALIA. OUR SPECIALISED DEPARTMENTS ARE ABLE TO CARRY OUT A WIDE RANGE OF PROJECTS INCLUDING VEHICLE MARKINGS, BUILDING GRAPHICS, INDOOR AND OUTDOOR SIGNAGE AND PRESSURE SENSITIVE DECALS.

Screen printing

4 colour process and line art

Graphics

Digital printing and graphic design

Converting

 Computer cut lettering, anti graffiti films and sign lay up

Metal

 Plate manufacture, fabrication of specialist sign frames, stands, light boxes and freeway structures, flat bed router and engraving, fully automatic and hand held spray booths capable of baked enamel, acrathane, automotive and anti graffiti finishes.


Stores/Despatch

- A Nationwide network of couriers and freight companies able to transport any size sign or complete project.
- Put all of the above together with our ISO9002 accredited quality system and over 75 years of sign manufacturing experience, and we can ensure unsurpassed quality and customer satisfaction. DeNeefe Signs can formulate you a complete sign package from beginning to end.





COMMERCIAL GRAPHICS




COMMERCIAL GRAPHICS







COMMERCIAL GRAPHICS



3M SIGN WARRANTY

DeNeefe Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeefe have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs. This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING			APPLICABLE EXTENDED WARRANTY	
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m²Percentile)*
CLASS 1100	3M Diamond Grade" DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M™ Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade" DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M" Electrocut" Film Series 1170	10 years‡	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade [™] DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut™ Film Series 1170	3 years	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrocut [™] Film Series 1170	12 years	80%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrocut [™] Film Series 1170	10 years	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 400	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M Electrocut [™] Film Series 1170	10 years	50%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 100	3M Engineer Grade" 3200 Beaded Series	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
		3M Screen Process Colours Series 990 for series 3200 only		

*Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

** Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Obsevation Angle 0.2* and Entrance Angle 4* defined in relevant tables inluded in AS/NZS 1906.12017

† If 3M[®] Scotchcal[®] Electrocut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

13M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 160 Anti Graffiti Film and 180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 180 maintains anti dew properties for up to 5 years.



Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

	-	
Sign Manufacturer: Application: Substrate: Films:	De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095 Permanent Traffic Signs to Government Agencies in Australia Conditioned aluminium as per AS/NZS1906.1:2007 The complete range of Avery Dennison Reflective Traffic Products	
Warranty Period:	T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film	
	T-6500 Prismatic Class 1/1W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film	
	T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film	

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials.** This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.

SIGN STORAGE AND HANDLING

THIS GUIDE SERVES TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING

GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.



NORSIGN NT

7 Brooker St, Winnellie, 0820 PO Box 39944 Winnellie NT 0820

P: 08 8947 0733 F: 08 8947 0713 E: sales@norsign.com.au www.norsign.com.au

WA

SUNNY SIGN COMPANY 30 Emerald Rd.

Maddington, 6109 P: 08 9248 1002 F: 08 9209 2288

VIC

DENEEFE SIGNS

25 Brisbane St, Eltham, 3095 P: 03 9430 0266 F: 03 9430 0277

QLD DENEEFE SIGNS

84 Bluestone Circuit, Seventeen Mile Rocks, 4073 P: 07 3184 2000 F: 07 3266 2244 _____ ACT DENEEFE SIGNS

61 Aurora Ave, Queanbeyan, 2620 P: 02 6299 7922 F: 02 6299 7977

SA

DENEEFE SIGNS P: 03 9430 0266 F: 03 9430 0277

 TAS

 DENEEFE SIGNS

 Unit 4/ 18A Hull St,

 Glenorchy, 7010

 P: 03 6273 1177

 F: 03 6273 1759

NSW

DENEEFE SIGNS

12-14 Leeds St, Rhodes, 2073 P: 02 9701 9999 F: 02 9736 3391



FOR ORDERS AND ENQUIRIES PHONE 08 8947 0733

Catalogue No: 008