

PRODUCT CATALOGUE



FOR ORDERS & ENQUIRIES PHONE 08 9248 1002

APPROVALS AND CERTIFICATES









GOVERNMENT OF WESTERN AUSTRALIA













Sunny signs is part of Traffic Technologies, a publicly listed company operating in every state of Australia. It's WA manufacturing plant is located in Malaga.

As part of Traffic Technologies, we are able to offer access to other parts of our group which include Traffic Signals, Street Lighting and associated products, Portable Roadside Technology, Smart City Solutions and Emergency Phones. All of these services can be utilised in a mine site or many other infrastructure environments.

As a sign manufacturing company, Sunny Signs is able to offer the full gamut of signs that may be required from Road and Traffic Signage to any Standard or Custom Safety Sign.

We have a fully equipped Graphics Department who are able to receive a file with your design and interpret your specifications to produce print ready artwork for your approval.

As a 3M preferred supplier, signs that we produce are covered by the 3M Diamond Warranty Program whose duration is governed by the class of material chosen for a specific sign. As a preferred supplier, the company is audited by 3M to ensure that all our systems and procedures are being performed as per their requirements. The 3M warranty information is contained further in this catalogue.

By utilising Sunny Signs you have the assurance of dealing with a Quality Assured company that is backed by a National Structure who uses reflective materials sourced from an internationally renowned provider of vinyl products.

WALGA is pleased to confirm that Sunny Signs is a Preferred Supplier as part of the WALGA Preferred Supplier Panel for the Provision of Signage to the Local Government Sector in Western Australia.

The Sunny Signs appointment followed a robust public process (Tender) conducted by WALGA to establish a Preferred Supply panel in this category area at the request of our Member councils to facilitate direct access to endorsed suppliers for the sector's significant spend in the area of Signage.

WALGA looks forward to a long and successful partnership with Sunny Signs as a Preferred Supplier. Should you have any queries please do not hesitate to contact us at <u>purchasing@walga.asn.au</u>.

Paul Davies General Manager

3M Traffic Safety Systems Road Safety Solutions

There's reflective sheeting for signs, then there is 3M™ Diamond Grade™ DG3



3M[™] Diamond Grade[™] DG3 high performance Reflective Sheeting delivers outstanding sign visibility from all angles for all drivers, in all types of compromised conditions for minimal difference in cost.

Delivers outstanding sign visibility for aged drivers and all vehicles - cars, 4WDs, trucks.

Wide angle reflectivity for disadvantaged sign positions (overhead gantries, right-hand mounted signs, street names, sharp corners).

Meets relevant standards - the new RTA NSW Class 1X & DTMR OLD Class 1X, and AS/NZS 1906.1 Class 1W.

Ideal for dangerous sections of road and black spot zones.

Guaranteed performance and durability through our 3M Diamond Warranty Programme.

Available in a range of standard and fluorescent colours.

FOR MORE INFORMATION, Contact your local 3M Traffic Safety Systems Representative or 3M on 136 136 3M Reflective Sheeting has unique patterns. Make sure you're able to identify your signs.





3M[™] Diamond Grade[™] DG' Series 4000 Meets AS/NZS 1906.1 Class 1W, RTA NSW Class 1X & DTMR QLD Class 1X



TABLE OF CONTENTS





ROAD AND TRAFFIC SIGNS



W1-3 (L)



W1-7 (L)



W1-8 (L or R) HAIRPIN BEND



W2-7



W2-8 (L)

W1-3 (R)

W1-7 (R)

W2-1




W2-11 (L)



W3-1



W4-4









W1-4 (L)



W1-8 (L or R) TURN



W2-3

W2-8 (R)

W2-11 (R)

W2-14 (R)

W3-2



W2-4 (L)

W2-9 (L)

W1-8 (L or R)

W1-1 (R)

W1-4 (R)

REVERSE TURN



20

W1-8 (L or R)

CURVE

W1-2 (L)

W1-5 (L)

W1-8 (L or R)

REVERSE CURVE

W1-2 (R)

W1-5 (R)

W2-5

W2-13 (L)

W2-16 (L)

W4-1

W2-10 (L)

W2-10 (R)

W2-13 (R)

W2-16 (R)

W2-14 (L)



W4-3





P 7



W2-12 (L)

W2-15 (L)

W3-3

W2-12 (R)

W2-15 (R)

W3-4



















*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)




*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)






*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)





*A SIZE (600mm), 8 SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



MR-WAW-1



MR-WAW-8



MR-WAW-3



10



MR-WAW-10

PREPARE

TO STOP

MR-WAW-6





PREPARE

TO STOP

MR-WAW-7

MR-WAW-11



MR-WSP-17 (A) 1250 x 1900



(A) 900 x 1650 (B) 1100 x 1600 (C) 1350 x 2000 (D) 1800 x 2700

MR-WSP-18 (A) 3000 X 3500



MR-WSP-21 (A) 2600 X 3120





R1-1 (A) 600 X 600 (B) 750 X 750 (C) 900 X 900



R2-3(R) (A) 450 X 600 (B) 600 X 800



R2-8 (A) 450 X 600 (B) 600 X 800



R2-13 (A) 1100 X 1100



R2-18 (A) 1400 X 1400



R1-2 (A) 750 HIGH (B) 900 HIGH (C) 1200 HIGH



R2-4 (A) 450 X 450 (B) 600 X 600 (C) 750 X 750 (D) 900 X 900



R2-9(L) (A) 450 X 750 (B) 600 X 1000



R2-14(L) (A) 600 X 800 (B) 900 X 1200



R2-19 (A) 800 X 1200



R1-3 (A) 750 HIGH (B) 900 HIGH (C) 1200 HIGH



R2-5 (A) 450 X 450 (B) 600 X 600 (C) 750 X 750 (D) 900 X 900



R2-9(R) (A) 450 X 750 (B) 600 X 1000



R2-14(R) (A) 600 X 800 (B) 900 X 1200



R2-20 (A) 450 X 800



R2-2(L) (A) 450 X 600 (B) 600 X 800



R2-6(L) (A) 450 X 450 (B) 600 X 600 (C) 750 X 750 (D) 900 X 900



R2-10 (A) 600 X 600



R2-15 (A) 450 X 600 (B) 600 X 800



R3-1 (A) 600 DIA (B) 750 DIA (C) 900 DIA



R2-2(R) (A) 450 X 600 (B) 600 X 800



R2-3(L) (A) 450 X 600 (B) 600 X 800



R2-6(R) (A) 450 X 450 (B) 600 X 600 (C) 750 X 750 (D) 900 X 900



R2-11 (A) 450 X 600 (B) 600 X 800



R2-16 (A) 750 X 600



R4-1 (A) 450 X 600 (B) 600 X 800 (C) 900 X 1200 (D) 1200 X 1600



ONLY

R2-7 (A) 450 X 600 (B) 600 X 800



R2-17 (A) 450 X 800 (B) 600 X 1050 (C) 900 X 1600



R4-2 (B) 600 X 800 (C) 900 X 1200





R4-3 (A) 450 X 300 (B) 600 X 400 (ć) 900 X 600



R4-4 (A) 450 X 750



R4-5 (A) 450 X 750

1P



R4-8 (A) 450 X 300 (B) 600 X 400

2P

R5-2

(A) 225 X 300

(B) 225 X 450

(C) 300 X 450

1/2 P

R5-16

(A) 225 X 300

(B) 225 X 450

(C) 300 X 450

EMERGENCY

R5-58(L)

(A) 1500 X 1100

STOPPING

LANE

ONLY



R4-9 (A) 450 X 450 (B) 600 X 600



R4-10 (A) 450 X 750 (B) 600 X 1000

Ρ E ONL

R5-10

(B) 225 X 450

(C) 300 X 450

ZONE



R4-11 (A) 450 X 750 (B) 600 X 1000



R5-13 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R5-35 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R6-2 (A) 750 X 900 (B) 1200 X 1440

P 14

R4-12/MR-RS-21

END

(A) 600 X 800 (B) 900 X 1200



R5-14 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R5-40 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R6-3 (A) 600 X 900 (B) 900 X 1350

08 9248 1002

(B) 225 X 450 (C) 300 X 450 ₽⊿

R5-1

(A) 225 X 300



R5-15 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R5-46 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R6-4 (A) 600 X 900 (B) 900 X 1350

END .0AD IMI.

R6-5 (A) 600 X 800 (B) 900 X 1200



R6-6 (A) 450 X 750 (B) 675 X 1125



R5-3 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450

BUS ZONE

R5-4 (A) 225 X 300 (B) 225 X 450 (C) 300 X 450



R5-21

R5-20 (A) 225 X 300 (A) 225 X 300 (B) 225 X 450 (B) 225 X 450 (C) 300 X 450 (C) 300 X 450

R5-23 (A) 225 X 300 (B) 225 X 450

(C) 300 X 450

NO OVERTAKING OR PASSING

R6-1 (A) 750 X 900 (B) 1200 X 1440



R6-8/T7-1 (A) 600 DIA





STOPPING LANE ONLY

(A) 1500 X 1100

EMERGENCY

STOP





R6-9 (A) 450 X 600



R6-10-1 (A) 600 X 600 (B) 900 X 900

NO

PEDESTRIANS

BICYCLES

ANIMALS.

BEYOND THIS

POINT

R6-13

(A) 1200 X 1500

END

R6-21

(A) 900 X 450

(B) 1800 X 900

FREEWA



R6-12 (A) 1500 X 600



R6-20 (A) 1200 X 600 (B) 1800 X 900



R6-25 (A) 1200 X 800 (B) 1350 X 900



R6-28 (A) 900 X 900 (B) 1200 X 1200 (C) 1800 X 1800



R6-10-2 (A) 600 X 600 (B) 900 X 900



R6-14 (A) 450 X 750 (B) 675 X 1125

TRUCKS

& BUSES

MUST USE

LOW GEAR

R6-22

(A) 1200 X 1000

(B) 1440 X 1200

(C) 1800 X 1500



R6-10-3 (A) 450 X 450 (B) 600 X 600 (C) 750 X 750



R6-15 (A) 450 X 450 (B) 600 X 600 (C) 750 X 750



R6-23 (A) 1000 X 800 (B) 1500 X 1200

WAY

R6-31

(A) 350 X 350



R7-1-3 (C) 600 X 800 (D) 900 X 1200 (E) 1200 X 1600



R7-5 (B) 450 X 150 (C) 600 X 200 (D) 900 X 600 (E) 1200 X 800



R7-1-4 (B) 450 X 600 (C) 600 X 800 (D) 900 X 1200



AHEAD

R7-2

(B) 450 X 150

(C) 600 X 200

(D) 900 X 300

(E) 1200 X 400



KEEP LEFT

UNLESS

OVERTAKING

R6-29

(A) 1200 X 600

(B) 1800 X 900

(C) 2400 X 1200

R7-3(L) (B) 450 X 300 (C) 600 X 400 (D) 900 X 600 (F) 1200 X 800



R7-3(R) (B) 450 X 300 (C) 600 X 400 (D) 900 X 600 (F) 1200 X 800



LOW CLEARANCE

2.3 m



R6-19 (A) 1200 X 600 (B) 1800 X 900



R6-24 (A) 1350 LENGTH (B) 1800 LENGTH



END

R7-4

(A) 300 X 100

(B) 450 X 150

(C) 600 X 200

(D) 900 X 300


(E) 1200 X 400



R7-1-1 (C) 600 X 800 (D) 900 X 1200 (E) 1200 X 1600







MR-RS-17 FLOURO ORANGE (B) 600 X 440





MR-RS-20 (A) 450 X 450 (B) 600 X 600



MR-RS-21 (A) 450 X 600 (B) 600 X 800 (C) 900 X 1200



MR-RS-23 (A) 600 X 600 VARIABLE SPEED LIMIT SIGN



MR-RPK-17 (A) 225 X 450



MR-RPK-18 (A) 225 X 450

LEFT

LANES

MUST

EXIT

MR-RV-3

(B) 900 X 1200



MR-RPK-19 (A) 1500 X 1100



CLEARWAY

ſ

730-9

415 - 6.

MR-RPK-22 (A) 600 X 800



MR-RM-21 (B) 1200 X 2000

LANE

ENDS

MERGE

RIGHT

MR-GT-4

(A) 1400 X 1800

(B) 2350 X 3150



MR-RE-4 (A) 450 X 600

CARS

ONLY

MR-GT-15

(A) 450 X 600

(B) 600 X 800

(C) 750 X 900 (D) 900 X 1200





MR-GT-20 (A) 350 X 300 (B) 700 X 600



MR-RV-4 (8) 900 X 1200



MR-GT-2 (A) 1400 X 1800 (B) 2350 X 3150



MR-GT-31 2400 X 1800




MR-GT-32 (D) 900 X 1200



MR-GT-33 (D) 900 X 1200


RAILWAY ASSEMBLIES
















RX-5






RX-7L



RX-7R



GUIDE SIGNS

↑ Perth Malaga Bayswater		atharra 😨 eraldton Leinster →	Kalgoorlie & Nor Toodyay	tham 4	EGAREST HAY Bunbury andurah →
G1-1 (A) 3265 X 1500	(A)	G1-2 2172 X 1470	G1-3 (A) 2658 X 1	1650 (/	G1-4 4) 2400 X 1200
Canningvale Bull Creek Willetton	landakot Ma	ddington 🔪	K VICTORIA RD	REID	HWY
G1-5 (A) 3730 X 1800	0 (A	G2-1) 1893 × 470	G2-2 (A) 1878 X 470 (B) 1893 X 400		52-3 TS X 200
🗶 Carnama	nh 🚺 Minger	iew 🔊 🔳	ONKIN HIGHW	TAYL	ORS RD
c	G2-4 A) 4170 X 550		G3-4 (A) 1550 X 200		G3-5 364 X 200
Mt. Barker 7 Albany 12		ARD 57	ద P 🔊	th Town ₹	PARK TCE LLOYD ST VIA SERVICE ROAD
G4-1 (A) 2264 X 1140	G5-: (A) LTS : (B) LTS :	(150 (/	65-7 1) 832 X 250	G5-8 (A) 669 X 250	G5-11 (A) 1050 X 900
UN	MAP 300 m N LEFT	300 m ON RIGHT	(X % 1	X)	\$• •• ¥
(A) 800 X 1200 (A)	G7-1-2 990 X 990 1485 X 1485	G7-2-3 (A) 1480 X 990 (B) 2220 X 1485	G7-4-3 (A) 1990 X 570 (B) 2985 X 855		G7-4-4 2480 X 570 3720 X 855
		N RIGHT	1	N0 MEXT 44km	31
(A) 600 X 600 (A) 80	00 X 1200 (A)) 780 X 990 (A) 90	7-10-1 G8-1-1 00 X 1200 (A) 310 X 50 X 1800 (B) 413 X	360 (A) 310 X 360
(A) 310 X 200 (A)	310 X 200 (A) 3	5-2-3 10 X 200 10 X 265 (A) 310 (B) 410	X 200 (A) 310 X 2	200 (A) 310 X 200	G8-2-7 (A) 310 X 200 (B) 410 X 265

GUIDE SIGNS





(A) 310 X 200

68-3-1



G8-4-1 (A) 310 X 200

G8-8-1 (A) 375 X 360

G8-8-2 (A) 500 X 480



68-9-1

(A) 360 X 360



15 t

68-9-2

(A) 360 X 360



68-9-3 (A) 360 X 360

TOURIST DRIVE TURN LEFT 300 m

68-9-4 (A) 1730 X 900



(A) 2010 X 600

2.3 m HIGH VEHICLES DETOUR 69-3

(A) 1700 X 900

SLOW

VEHICLE

LANE

AHEAD

THROUGH

ROAD

G9-19

(A) 600 X 200



69-4 (A) 1700 X 900



DETOUR FOR

HIGH VEHICLES

FORM 1 ANE

DETOUR FOR HEAVY VEHICLES

G9-5-2 (A) 1400 X 350



G9-9

(A) 1500 X 750

(B) 1800 X 900

G9-10 (A) 900 X 900 (C) 2400 X 2400

NC

1 km AHEAD G9-11 (A) 900 X 1100 (B) 2400 X 2950

ROAD

CLOSED

G9-20

(A) 900 X 600

SLOW

VEHICLE

LANE

G9-12 (A) 950 X 1100 (B) 2550 X 2950

SLOW

VEHICLES

USE

LEFT

LANE

G9-15 (A) 600 X 800 (B) 900 X 1200 (C) 1200 X 1600



G9-16 (A) 600 X 800 (B) 900 X 1200 (C) 1200 X 1600

m

4

3.4

5.4

3

G9-22-2

m 2

ur,

lia.

1

6.8

G9-22-1



G9-18 (A) 600 X 400 (B) 900 X 600

m

6

....

5

G9-22-3

(A) 200 X 2350



G9-23 (A) 800 X 600 (B) 1000 X 750

SAFET

G9-27

(A) 2000 X 750

(B) 3000 X 1125



SAFETY RAMP

1 km

RAMP

G9-28

(A) 1650 X 750

(B) 2400 X 1125



SAFETY RAMP

500 m

G9-25

G9-26 (A) 2200 X 1100

ROAD SUBJECT TO

FLOODING

G9-21

(A) 2150 X 800

SAFETY RAMP

500 m

ON RIGHT

NDICATORS SHOW DEPTH



G9-29 (A) 1600 X 500



G9-30 (A) 1600 X 850



G9-37 (A) 2600 X 1200

LANE

G9-31 (A) 2050 X 650

TICK OUARANTINE GATE

AHEAD

PLEASE DRIVE SLOWLY

(A) 200 X 2350 (A) 200 X 2350

G9-32 (A) 2100 X 450

RAILWAY

69-33 (A) 2100 X 450

G9-36 (A) 4500 X 750



GUIDE SIGNS

OVERTAKING LANE 5km AHEAD	TRAFFIC	NSUITABLE FOR LARGE VEHICLES	LOOK FOR TRAINS	ALL BICYCLES	RAILWAY CROSSING NOT IN USE
G9-38 (A) 2600 X 1200) 600 X 400 (L		G9-60 (A) 450 X 600 (B) 600 X 800	G9-74 750 X 600
	F 300 m 0N LEFT	WINERY TURN RIGHT 300 m	EXIT K	PROHEBITED ON FREEWAY PREEWAY PREEMAN PREEMAN PREEMAN PROHEBITED PROHEBITED CONTROL PROHEBITED PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED CONTROL PROHEBITED PROHEBITED CONTROL CONTROL PROHEBITED CONTROL CONTRO	NEXT EXIT 15km
G9-73 900 X 900 (A)	G10-3 G11-1 450 X 450 (A) 1930 X 900 (B) 2575 X 1200	G11-8 (A) 1350 X 900 (B) 1800 X 1200	GE2-3 (A) 1800 X 1600	GE6-2 (A) 1200 X 1500	GE6-4 (A) 2500 X 1110
	RAMP SPEED 65 km/h	REDU SPE NO		RONG NAY	WRONG WAY GO BACK
GE7-6 (A) 600 X 700 (B) 900 X 1050	GE9-1 GE9-2 (A) 1400 X 1800 (A) 1400 X		3 (8) X 2000 GI	600 X 400 750 X 500 89-15AA 50 X 300	2300 X 1500
LANE ENDS MERGE RIGHT		TO 2 Fwy	TO 2 Fwy 4	(TO	2 Fwy
	GE9-22-2 GE9-23 A) 1750 X 1500 (A) 450 X 450 B) 2350 X 2015	MR-GE-5 (A) 900 X 1600	MR-GE-6 (A) 900 X 1600 L OR R	(A)	4R-GE-7 2600 X 750 L OR R
START OF	END OF FREEWAY		Perth 2 Fwy		
MR-GE-22 (A) 600 X 300 (B) 900 X 450	MR-GE-23 (A) 600 X 300 (B) 900 X 450 (D) 1800 X 800	(A) 320	GE-24 10 X 1200 OR R		GE-27 10 X 1800
↑ ¦ ⇔ ⊖ ¦ ↓ KEEP LEFT	KEEP LEFT Londised sputhe 8.8 m M	MR-G	ERAS USE SM-49 0 X 450		
MR-GT-32 (A) 900 X 1200	MR-GT-33 (A) 900 X 1200				

SERVICE SIGNS





MR-SM-1 (A) 600 X 600



MR-SM-6 (A) 600 X 600



MR-SM-12 (A) 600 X 600



MR-SM-19 (A) 600 X 600



MR-SM-24 (A) 600 X 600



MR-SM-30 (A) 600 X 600



MR-SMAX-3 (A) 600 X 360



MR-SM-2 (A) 600 X 600



MR-SM-7 (A) 600 X 600



MR-SM-13 (A) 600 X 600



MR-SM-20 (A) 600 X 600



MR-SM-25 (A) 600 X 600



MR-SM-31 (A) 600 X 600



MR-SMAX-4 (A) 600 X 360



MR-SM-3 (A) 600 X 600



MR-SM-8 (A) 600 X 600



MR-SM-14 (A) 600 X 600



MR-SM-21 (A) 600 X 600



MR-SM-26 (A) 600 X 600

MR-SM-32

(A) 600 X 600

MR-SMAX-5

(A) 600 X 200



MR-SM-33 (A) 600 X 600



MR-SMAX-6 (A) 600 X 200



MR-SM-4 (A) 600 X 600



MR-SM-9 (A) 600 X 600



MR-SM-16 (A) 600 X 600



MR-SM-22 (A) 600 X 600



MR-SM-28 (A) 600 X 600



MR-SMAX-1 (A) 600 X 200



MR-SMAX-7 (A) 600 X 300



MR-SM-5 (A) 600 X 600



MR-SM-11 (A) 600 X 600



MR-SM-18 (A) 600 X 600



MR-SM-23 (A) 600 X 600



MR-SM-29 (A) 600 X 600




MR-SMAX-2 (A) 600 X 200



MR-SMAX-8 (A) 600 X 300



SERVICE SIGNS





TOURIST SIGNS





MR-VM-1 (A) 600 X 600



MR-VM-5 (B) 600 X 840



MR-VMAX-3 (A) 600 X 460



MR-VMAX-8 (A) 600 X 300



MR-VM-2 (A) 600 X 600

FLORA

ROAL

MR-VM-6

(A) 600 X 600

NEX1

20 km

MR-VMAX-4

(A) 600 X 460



MR-VM-7 (A) 600 X 600



MR-VM-3

(A) 600 X 600

MR-VM-8 (A) 600 X 600



MR-VMAX-5 (A) 600 X 200



MR-VMAX-9 (A) VARIES X 150 (B) VARIES X 220



MR-VM-4 (A) 600 X 600

2 km

MR-VMAX-1

(A) 600 X 200



MR-VM-5 (A) 600 X 830



MR-VMAX-2 (A) 600 X 200





MR-VMAX-6 (A) 600 X 200





MR-VMAX-10 (A) VARIES X 150 (B) VARIES X 220



BICYCLE ROUTE MARKERS

	ALL BICYCLES MR-GC-2) 450 X 600	SHARE THE SEAD MR-GC-14 (A) 450 X 750	MR-GC-10 (A) 450 X 150	MR-GC-11 (A) 450 X 150
	MR-GC-13 1) 450 X 225	MR-GC-16 (A) 600 X 450	PERTH CITY 8 → MR-GC-17 (A) 600 X 120	4.5 PERTH CITY 24 JOONDALUP MR-GC-17 (8) 600 X 200
← 2.5 PERTH CITY JOONDALUP 26 → MR-GC-18 (A) 600 X 225	LEEDERV NORTHBRIDG PERTH CITY MR-GC- (8) 600 X	^{E 2} 3		MINDARIE 11 1 1 EDITH COWAN UN 1 TAFE 2 JOONDALUP 2 OCEAN REEF MR-GC-18 (D) 600 X 450
CURRAMBINE 0J STATION JOONALUP 3 PERTH 30 NECRABUP + 30 YANCHEP	NE 27	5 NE 27	VINCENT ST	
MR-GC-18 (E) 600 X 600	MR-GC-19 (A) 200 X 250	MR-GC-20 (B) 600 X 200	MR-GS-11 (A) 600 X 80	

FEDERALLY FUNDED SERIES



Project Name	Project			Enclosed Frequence
MR-GZ-42 (A) 2000 X 1400 (B) 3000 X 1600		MR-GZ-43 A) 2000 X 1400 B) 3000 X 1600	roads to recovery MR-GZ-44 (A) 600 X 900 (B) 900 X 1200	MR-GZ-45 (A) 660 X 900 (B) 900 X 1200
PROJECT WANAGE BY		Heavy Vehicle Safety and Productivity Productivity	Essential Bridges Renewal Program	Concession National Stronger Regions Fund
MR-GZ-46 (A) 600 X 170 (B) 900 X 250		MR-GZ-47 900 X 1200	MR-GZ-48 900 X 1200	MR-GZ-49 900 X 1200
Com	munity lopmont rant	Community Development Grant	Conception of the second secon	
	-GZ-50 3 X 1200	MR-GZ-51 900 X 1200	MR-GZ-60 (A) 600 X 900 (B) 900 X 1200	
A State Government	Project	<u>181</u>	131	<u>6</u>
PROJECT NAME Sub	First Aesa Tirst Aesa et questos Inte un	ECOSTINE CONCERTION BESTINE CONCERTION Project Name Area Project Name Area Intertant	BOOSTING JOES INFRANTING LAFETY Project Hame Area Bolitetims	BOOSTINE JOH COMMENTING COMMUNITY Project Name Area Project Name Area Int fut low
MR-GZ-52 2400 X 1200	3	MR-GZ-53 900 X 1200	MR-GZ-54 900 X 1200	MR-GZ-55 900 X 1200

HAZARD MARKERS



D4-1-1 (A) 1600 X 400

D4-1-3 (A) 1800 X 300



D4-2-1 (A) 1800 X 300





D4-2-2 (A) 400 X 1000

D4-3 (L) (A) 225 X 450 (B) 450 X 900



(A) 225 X 450 (B) 450 X 900



D4-2-3

D4-4 (A) 4000 X 400 (B) 6000 X 600



D4-5 (A) 1800 X 450









MR-HM-2 (A) 2400 X 400



MR-HM-3 (A) 2400 X 400




MR-HM-4 (A) 2400 X 400



MR-HM-5 (A) 2400 X 400



MR-HM-6 (A) 2400 X 400



MR-HM-7

(A) 2400 X 400



MR-HM-8 (A) 4800 X 800



MR-HM-9 (A) 4800 X 800



MR-HM-10 (A) 4800 X 800

MR-HM-11 (A) 230 X 230

MR-HM-12 (A) 450 X 600





D4-3 (R)



STREET NAME TAGS



LOCAL TRAFFIC	BOULDER		BOULDE	RRD	ERIND	ALE	RD
MR-GS-1 (A) 725 X 210	MR-GS-3 (R) (A) VARIES X (B) VARIES X	150	MR-GS- (A) VARIES (B) VARIES	X 150		-65-9 RIES X 300	
NO THROUGH ROAD	4074A	MARGAR	RET RIVER 50	> < 93	AUGUSTA E	BUNBURY	50
MR-GS-10 (A) 600 X 210	MR-GS-12 (A) 320 X 110		IR-GFB-1 VARIES X 210		MR-GFI (A) VARJES		
ART GALLERY	CAVE WINE	RY 🕨	RURAL HOTEL	5 <	9 CATTERY	KENNEL	S 5
MR-VER-1	MD-VER-2		MP-SFR-1		MD.	FR-2	

MR-VFB-1 (A) VARIES X 210 MR-VFB-2 (A) VARIES X 210




MR-SFB-2 (A) VARIES X 210

TRUCK MARKERS



TEMPORARY ROAD WORKS







TEMPORARY ROAD WORKS

WET TAR		SOFT EDGES	ROUGH SURFACE		NO LINES DO NOT OVERTAKE UNLESS SAFE
T3-1 (A) 900 X 600	T3-3 (A) 900 X 600 (B) 1500 X 900	T3-6 (A) 900 X 600	T3-7 (A) 900 X 600 (B) 1500 X 750	T3-9 (A) 900 X 600 (B) 1500 X 900	T3-12 (A) 1500 X 900
NEW WORK NO LINES MARKED		LOOSE SURFACE	BLASTING AREA Switch off radio transmitters	END BLASTING AREA	POWER LINE WORKS IN PROGRESS
T3-11 (A) 1500 X 900	T3-13 (A) 900 X 600 (B) 1500 X 750	T3-14 (A) 900 X 600 (B) 1500 X 900	T4-2 (A) 1200 X 600	T4-3 (A) 1200 X 450	T4-5 (A) 1800 X 900
SMOKE HAZARD	← DETOUR DETOUR →			▶ →	SLOW STOP
T4-6 (A) 900 X 600 (B) 1200 X 900	T5-1 L/R (A) 1200 X 300 (B) 1800 X 450	T5-4 (A) 1500 X 4	т 5- ! 450 (А) 600 л		SSB-600 77-1/R6-8 (A) 600 DIA
PEDESTRIANS WATCH YOUR STEP	← PEDESTRIAN PEDESTRIANS	032	OTHER F	OOTPATH CLOSED	REDUCE SPEED
T8-1 (A) 900 X 600	T8-2 (A) 1200 X 3		 (A 00 X 600 (A	T8-4 1) 900 X 600	MR-TAW-1 (A) 1500 X 750
ROAD CLOSED AHEAD	A	火	5 t	EVENT AHEAD	
MR-TAW-5 (A) 1200 X 900	MR-TAW-27 (A) 900 X 600	MR-TAW-28 (A) 900 X 600	MR-TAW-29 (A) 900 X 600	MR-TAW-30 (A) 1200 X 600	MR-TAW-31 0 (A) 900 X 600
0	POWER LINE Works In Progress	EVENT ON SIDE R			
MR-TAW-32 (A) 1200 X 600	MR-TAW-33 (A) 1200 X 900	MR-TAW-3 (A) 1800 X 6			-TP-21 TR4-1 00 X 600 (B) 700 X 900 (C) 900 X 1200






P 32 08 9248 1002




*Multi-Message Signs on 5mm Corflute



TRAFFIC TECHNOLOGIES - SIGNAGE DIVISION - 08 9248 1002 P 33



*Multi-Message Signs on 5mm Corflute



P 34 08 9248 1002



	5mm Corflute		_	
ROAD CLOSED	ROAD PLANT AHEAD	ROAD PLAN	T ROAD PLA	SIDE
MMS-ADV-33 1200 × 600	MMS-ADV-34 600 × 600	MMS-ADV-35 1200 X 600	MMS-ADV-3 1200 X 600	Inchip
WORK	ADWORK	ROADWORKS	ROADWOR ON SIDE RO	ROAD
IMS-ADV-38 M 600 X 600	IMS-ADV-39 1200 X 600	MMS-ADV-40 1200 X 300	MNS-ADV-4 1200 X 600	MMS-ADV-42 600 X 600
SIDE ROAD CLOSED			>>>	11 \$
MMS-ADV-43 1200 X 600	MMS-ADV-44 600 x 600	MMS-ADV-45 1200 X 300		MS-ADV-47 MMS-ADV-48 600 X 600 600 X 600
			15-ADV-52 500 X 600	MMS-ADV-528 1200 X 600
IHF CHANNEL LE	UHF	DETOUR AHEAD	VERGE WORKS	BRIDGE WORKS
MMS-ADV-53 1200 × 300	MMS-ADV-54 600 X 600	MMS-ADV-56 1200 × 300	MMS-ADV-57 600 × 600	MMS-ADV-59 1200 x 300
N RAMP	J.		ten 👻	BUSH
				WMS-ADV-65
MM5-ADV-60 1200 X 300	MMS-ADV-61 600X 600		MS-ADV-63 MMS-AI 600 X 600 600 X	
	D HAZARDOUS		600 X 600 600 X	



*Multi-Message Signs on 5mm Corflute





QUADSTAND SIGNS



QUAD-01 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-04 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-07 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-10 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-13 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-02 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-05 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-08 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-11 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



(A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-03 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-06 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-09 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900




QUAD-12 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



QUAD-15 (A) 600 X 600 (B) 900 X 600 (C) 1200 X 900



SAFETY SIGNS






DANGER SIGNS

ANY TEXT	DANGER DO NOT ENTER	KEEP OUT NO ACCESS	CANGER KEEP OFF	CANGER KEEP OUT AUTHORISED PERSONNEL ONLY
DGR-000 (A) 450 x 300 (B) 600 x 450	DGR-001 (A) 450 x 300 (B) 600 x 450	DGR-002 (A) 450 x 300 (B) 600 x 450	DGR-003 (A) 450 x 300 (B) 600 x 450	DGR-004 (A) 450 × 300 (B) 600 × 450
DANGER NO ENTRY AUTHORISED PERSONNEL ONLY	EXPLOSIVES KEEP OUT	CANGER KEEP CLEAR EXPLOSIVE POWERED TOOLS IN USE	DANGER NO ENTRY	DEMOLITION WORK IN PROGRESS
DGR-005 (A) 450 × 300 (B) 600 × 450	DGR-006 (A) 450 x 300 (B) 600 x 450	DGR-007 (A) 450 x 300 (B) 600 x 450	DGR-008 (A) 450 × 300 (B) 600 × 450	DGR-009 (A) 450 x 300 (B) 600 x 450
CRANE WORKING OVERHEAD	FORKLIFT OPERATING AREA	LOOK OUT FOR TRUCKS	OPEN PIT	WATCH YOUR STEP
DGR-010 (A) 450 × 300 (B) 600 × 450	DGR-011 (A) 450 x 300 (B) 600 x 450	DGR-012 (A) 450 × 300 (B) 600 × 450	DGR-013 (A) 450 × 300 (B) 600 × 450	DGR-014 (A) 450 × 300 (B) 600 × 450
WORKERS ABOVE	WORKERS BELOW	CONSTRUCTION SITE UNAUTHORSED PERSONS KEEP OUT	DANGER NO UNAUTHORISED ENTRY BLASTING IN PROGRESS	DANGER DEEP EXCAVATION
DGR-015 (A) 450 x 300 (B) 600 x 450	DGR-016 (A) 450 × 300 (B) 600 × 450	DGR-017 (A) 450 x 300 (B) 600 x 450	DGR-018 (A) 450 × 300 (B) 600 × 450	DGR-019 (A) 450 × 300 (B) 600 × 450
DANGER NO ENTRY AT FIRING TIMES	DANGER NO TIPPING	DANGER SCAFFOLDING INCOMPLETE	WORKER IN CONFINED SPACE	HIGH VOLTAGE
DGR-020 (A) 450 × 300 (B) 600 × 450	DGR-022 (A) 450 × 300 (B) 600 × 450	DGR-023 (A) 450 × 300 (B) 600 × 450	DGR-024 (A) 450 x 300 (B) 600 x 450	DGR-025 (A) 450 × 300 (B) 600 × 450
HIGH VOLTAGE AUTHORISED PERSONNEL ONLY	DANGER UNDERGROUND CABLES	DANGER ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY	DANGER HIGH VOLTAGE OVERHEAD	LIVE WIRES
DGR-026 (A) 450 x 300 (B) 600 x 450	DGR-027 (A) 450 × 300 (B) 600 × 450	DGR-028 (A) 450 x 300 (B) 600 x 450	DGR-029 (A) 450 × 300 (B) 600 × 450	DGR-030 (A) 450 × 300 (B) 600 × 450

DANGER SIGNS







DANGER SIGNS

DANGER	DANGER	DANGER	DANGER	DANGER
DIESEL	HAZARDOUS	НОТ	POISON	TOXIC
FUEL	CHEMICALS		- oloon	MATERIALS
DGR-062 (A) 450 x 300 (B) 600 x 450	DGR-063 (A) 450 x 300 (B) 600 x 450	DGR-064 (A) 450 x 300 (B) 600 x 450	DGR-065 (A) 450 x 300 (B) 600 x 450	DGR-066 (A) 450 x 300 (B) 600 x 450
DANGER	DANGER	DANGER	DANGER	DANGER
HAZARDOUS WASTE	WEAR GOGGLES AND RUBBER GLOVES WHEN HANDLING CHEMICALS	HYDROCHLORIC ACID	LIQUID PETROLEUM GAS	OXYGEN NO SANCHING - NO OPEN FLAMES
DGR-067 (A) 450 x 300 (B) 600 x 450	DGR-068 (A) 450 x 300 (B) 600 x 450	DGR-069 (A) 450 x 300 (B) 600 x 450	DGR-070 (A) 450 x 300 (B) 600 x 450	DGR-071 (A) 450 x 300 (B) 600 x 450
DANGER	DANGER	DANGER	DANGER	DANGER
PESTICIDE STORAGE	SULFURIC ACID	NITROGEN	PROPANE GAS	AUTOMATICALLY CONTROLLED MAY START AT ANY TIME
DGR-072 (A) 450 x 300 (B) 600 x 450	DGR-073 (A) 450 x 300 (B) 600 x 450	DGR-074 (A) 450 x 300 (B) 600 x 450	DGR-075 (A) 450 x 300 (B) 600 x 450	DGR-076 (A) 450 x 300 (B) 600 x 450
DANGER	DANGER	DANGER	DANGER	DANGER
DO NOT START THIS MACHINE	KEEP CLEAR OF MOVING CONVEYOR	KEEP HANDS CLEAR	PINCH POINT	NO SMOKING SWITCH OFF ENGINE BEFORE OPENING FUEL TANK
DGR-077 (A) 450 x 300 (B) 600 x 450	DGR-078 (A) 450 × 300 (B) 600 × 450	DGR-079 (A) 450 x 300 (B) 600 x 450	DGR-080 (A) 450 × 300 (B) 600 × 450	DGR-081 (A) 450 × 300 (B) 600 × 450
DANGER	DANGER	DANGER	DANGER	DANGER
NO SMOKING NO NAKED FLAMES NO MATCHES	NO SMOKING BEYOND THIS POINT	NO UNAUTHORISED ENTRY	OPEN HOLE	ND UNAUTHORISED ENTRY BLASTING IN PROGRESS
DGR-082 (A) 450 × 300 (B) 600 × 450	DGR-083 (A) 450 × 300 (B) 600 × 450	DGR-084 (A) 450 × 300 (B) 600 × 450	DGR-085 (A) 450 × 300 (B) 600 × 450	DGR-086 (A) 450 × 300 (B) 600 × 450
DANGER	DANGER			
FIRING IN PROGRESS	OPEN STOPE			
DGR-087 (A) 450 × 300 (B) 600 × 450	DGR-088 (A) 450 × 300 (B) 600 × 450			

SAFETY AND EXIT SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



SAFE-091 (A) 300 X 450 (B) 450 X 600



(A) 300 X 450 (B) 450 X 600



SAFE-093 (A) 300 X 450 (B) 450 X 600



SAFE-094 (A) 300 X 450 (B) 450 X 600



SAFE-095 (A) 300 X 450 (B) 450 X 600



SAFE-096 (A) 300 X 450 (B) 450 X 600



SAFE-097 (A) 300 X 450 (B) 450 X 600



SAFE-102 (A) 450 X 300 (B) 600 X 450



SAFE-106 (A) 450 X 300 (B) 600 X 450



SAFE-111 (A) 450 X 180 (B) 600 X 240



SAFE-098 (A) 300 X 450 (B) 450 X 600



SAFE-099 (A) 450 X 300 (B) 600 X 450

> SAFETY FIRST

FIRST AID

KIT

SAFE-108

(A) 450 X 300

(B) 600 X 450

EYE

WASH

STATION

SAFE-103

(A) 450 X 300

(B) 600 X 450

NEXT STAF

SAFE-107

(A) 450 X 300

(B) 600 X 450

FIRST

AID

EMERGENCY DIAL 000 IN CASE

SAFE-115

(A) 450 X 180

(B) 600 X 240

OF EMERGENCY

SAFE-112

(A) 450 X 180

(B) 600 X 240

MEETING



SAFE-100 (A) 450 X 300 (B) 600 X 450



SAFE-104 (A) 450 X 300 (B) 600 X 450



SAFE-109 (A) 450 X 300 (B) 600 X 450



SAFE-113 (A) 450 X 180 (B) 600 X 240



SAFE-116 (A) 450 X 180 (B) 600 X 240



SAFE-101 (A) 450 X 300 (B) 600 X 450

EMERGENCY ASSEMBLY POINT

> **SAFE-105** (A) 450 X 300 (B) 600 X 450



SAFE-110 (A) 450 X 300 (B) 600 X 450



SAFE-114 (A) 450 X 180 (B) 600 X 240



FIRST AID AND EXIT SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl

EMERGENCY
EXIT ONLY

SAFE-117 (A) 450 X 300 (B) 600 X 450



SAFE-122 (A) 450 X 180 (B) 600 X 240



SAFE-126 (A) 450 X 180 (B) 600 X 240



SAFE-118 (A) 450 X 300 (B) 600 X 450

EXIT -

SAFE-123

(A) 450 X 180

(B) 600 X 240

EVACUATION

SAFE-127

(A) 450 X 180

(B) 600 X 240

ROUTE



SAFE-119 (A) 450 X 300 (B) 600 X 450



SAFE-120 (A) 450 X 300 (B) 600 X 450 EVACUATION ROUTE

> **SAFE-121** (A) 450 X 300 (B) 600 X 450

EMERGENCY

EXIT

SAFE-125

(A) 450 X 180

(B) 600 X 240

EXIT

SAFE-124 (A) 450 X 180 (B) 600 X 240



SAFE-128 (A) 450 X 180 (B) 600 X 240





SAFE-130 (A) 450 X 180 (B) 600 X 240



SAFE-131 (A) 450 X 180 (B) 600 X 240



SAFE-133 (A) 450 X 180 (B) 600 X 240 **SAFE-134** (A) 450 X 180 (B) 600 X 240

---- SAFETY RECORD

THIS MONTHS LOST TIME INJURIES _

THIS YEARS LOST TIME INJURIES

DAYS SINCE LOST TIME INJURY

PREVIOUS BEST

SAFETY IS EVERYONE'S RESPONSIBILITY



<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>

SAFE-136 (A) 600 X 450 (B) 900 X 600 (C) 1200 X 900

PROTECTIVE SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



MUST BE WORN

PPE-137 (A) 300 X 450 (B) 450 X 600



PPE-142 (A) 300 X 450 (B) 450 X 600



PPE-147 (A) 300 X 450 (B) 450 X 600



PPE-152 (A) 300 X 450 (B) 450 X 600



PPE-157 (A) 300 X 450 (B) 450 X 600



PROTECTION MUST BE WORN IN THIS AREA

PPE-138 (A) 300 X 450 (B) 450 X 600



CLOTHING MUST BE WORN IN THIS AREA

PPE-143 (A) 300 X 450 (B) 450 X 600



AND GOGGLES MUST BE WORN IN THIS AREA

PPE-148 (A) 300 X 450 (B) 450 X 600



PPE-153

(A) 300 X 450 (B) 450 X 600



PPE-158 (A) 300 X 450 (B) 450 X 600



PROTECTION MUST BE WORK IN THIS AREA

PPE-139 (A) 300 X 450 (B) 450 X 600



PPE-144 (A) 300 X 450 (B) 450 X 600



RESPIRATOR MUST BE WORN IN THIS AREA

PPE-149 (A) 300 X 450 (B) 450 X 600



IN THIS AREA

(A) 300 X 450 (B) 450 X 600



PPE-159 (A) 300 X 450 (B) 450 X 600



HEAD PROTECTION MUST BE WORN IN THIS AREA

PPE-140 (A) 300 X 450 (B) 450 X 600



MUST BE WORN IN THIS AREA

PPE-145 (A) 300 X 450 (B) 450 X 600



RETURNING TO WORK

(A) 300 X 450 (B) 450 X 600



PPE-155 (A) 300 X 450 (B) 450 X 600



PPE-160 (A) 300 X 450 (B) 450 X 600



PPE-141 (A) 300 X 450 (B) 450 X 600



PPE-146 (A) 300 X 450 (B) 450 X 600



PPE-151 (A) 300 X 450 (B) 450 X 600



PPE-156 (A) 300 X 450 (B) 450 X 600





PROHIBITORY SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



PROH-161 (A) 300 X 450 (B) 450 X 600



PROH-166 (A) 300 X 450 (B) 450 X 600



PROH-171 (A) 300 X 450 (B) 450 X 600



PROH-176 (A) 300 X 450 (B) 450 X 600



PROH-181 (A) 300 X 450 (B) 450 X 600



PROH-162 (A) 300 X 450 (B) 450 X 600



PROH-167 (A) 300 X 450 (B) 450 X 600



PROH-172 (A) 300 X 450 (B) 450 X 600



PROH-177 (A) 300 X 450 (B) 450 X 600



PROH-182 (A) 300 X 450 (B) 450 X 600



PROH-163 (A) 300 X 450 (B) 450 X 600



PROH-168 (A) 300 X 450 (B) 450 X 600



PROH-173 (A) 300 X 450 (B) 450 X 600



PROH-178 (A) 300 X 450 (B) 450 X 600



PROH-183 (A) 300 X 450 (B) 450 X 600



PROH-164 (A) 300 X 450 (B) 450 X 600



PROH-169 (A) 300 X 450 (B) 450 X 600



PROH-174 (A) 300 X 450 (B) 450 X 600



PROH-179 (A) 300 X 450 (B) 450 X 600



PROH-184 (A) 300 X 450 (B) 450 X 600



PROH-165 (A) 300 X 450 (B) 450 X 600



PROH-170 (A) 300 X 450 (B) 450 X 600



PROH-175 (A) 300 X 450 (B) 450 X 600



PROH-180 (A) 300 X 450 (B) 450 X 600



PROH-185 (A) 300 X 450 (B) 450 X 600

PROHIBITORY SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



PROH-186 (A) 300 X 450 (B) 450 X 600

NO OFFROAD

VEHICLES

PROH-191

(A) 300 X 450 (B) 450 X 600



PROH-187 (A) 300 X 450 (B) 450 X 600



PROH-192 (A) 300 X 450 (B) 450 X 600



PROH-188 (A) 300 X 450 (B) 450 X 600



PROH-193 (A) 300 X 450 (B) 450 X 600



PROH-189 (A) 300 X 450 (B) 450 X 600



PROH-194 (A) 300 X 450 (B) 450 X 600



PROH-190 (A) 300 X 450 (B) 450 X 600



PROH-195 (A) 300 X 450 (B) 450 X 600



WARNING SIGNS



WARN-196 (A) 300 X 450 (B) 450 X 600



WARN-201 (A) 300 X 450 (B) 450 X 600



WARN-206 (A) 300 X 450 (B) 450 X 600



WARN-211 (A) 300 X 450 (B) 450 X 600



WARN-197 (A) 300 X 450 (B) 450 X 600



WARN-202 (A) 300 X 450 (B) 450 X 600



WARN-207 (A) 300 X 450 (B) 450 X 600



WARN-212 (A) 300 X 450 (B) 450 X 600



WARN-198 (A) 300 X 450 (B) 450 X 600



WARN-203 (A) 300 X 450 (B) 450 X 600



WARN-208 (A) 300 X 450 (B) 450 X 600



WARN-213 (A) 300 X 450 (B) 450 X 600



WARN-199 (A) 300 X 450 (B) 450 X 600



WARN-204 (A) 300 X 450 (B) 450 X 600



WARN-209 (A) 300 X 450 (B) 450 X 600



WARN-214 (A) 300 X 450 (B) 450 X 600



WARN-200 (A) 300 X 450 (B) 450 X 600



WARN-205 (A) 300 X 450 (B) 450 X 600



WARN-210 (A) 300 X 450 (B) 450 X 600



WARN-215 (A) 300 X 450 (B) 450 X 600

WARNING SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



WARN-216 (A) 300 X 450 (B) 450 X 600



WARN-217 (A) 300 X 450 (B) 450 X 600



WARN-218 (A) 300 X 450 (B) 450 X 600

WATCH YOUR

STEP



WARN-219 (A) 300 X 450 (B) 450 X 600



WARN-220 (A) 300 X 450 (B) 450 X 600

CLEARANCE

METRES



WARN-221 (A) 300 X 450 (B) 450 X 600



WARN-226 (A) 300 X 125 (B) 450 X 180



WARN-222 (A) 300 X 450 (B) 450 X 600 WARN-223 (A) 300 X 125 (B) 450 X 180



WARN-227 (A) 300 X 125 (B) 450 X 180



MIND YOUR

HEAD

WARN-224 (A) 300 X 125 (B) 450 X 180



WARN-228 (A) 300 X 125 (B) 450 X 180 WARN-225 (A) 300 X 125 (B) 450 X 180



WARN-229 (A) 300 X 125 (B) 450 X 180



WARN-230 (A) 300 X 125 (B) 450 X 180



WARN-234 (A) 450 X 300 (B) 600 X 450



WARN-231 (A) 450 X 300 (B) 600 X 450



WARN-235 (A) 450 X 300 (B) 600 X 450



WARN-232 (A) 450 X 300 (B) 600 X 450



WARN-236 (A) 450 X 300 (B) 600 X 450




WARN-233 (A) 450 X 300 (B) 600 X 450



WARN-237 (A) 450 X 300 (B) 600 X 450



OFFICE AND CAR PARK SIGNS



FIRE SAFETY SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



FIRE-262 (A) 300 X 450 (B) 450 X 600



FIRE-267 (A) 300 X 450 (B) 450 X 600



FIRE-272 (A) 300 X 450 (B) 450 X 600



FIRE-276 (A) 450 X 300 (B) 600 X 450



FIRE-280 (A) 200 DIA



FIRE-286 (A) 300 HIGH



FIRE-263 (A) 300 X 450 (B) 450 X 600



FIRE-268 (A) 300 X 450 (B) 450 X 600



FIRE-273 (A) 300 X 450 (B) 450 X 600



FIRE-277 (A) 450 X 300 (B) 600 X 450

POWDER

FIRE-281

(A) 200 DIA

IRE EXTINCILISHE

FIRE-287

(A) 300 HIGH



FIRE-282 (A) 200 DIA



FIRE-288 (A) 300 HIGH



FIRE-264 (A) 300 X 450 (B) 450 X 600



FIRE-269 (A) 300 X 450 (B) 450 X 600



FIRE-265 (A) 300 X 450 (B) 450 X 600



FIRE-270 (A) 300 X 450 (B) 450 X 600



FIRE-274 (A) 300 X 450 (B) 450 X 600

FIRE DOOR KEEP CLOSED

FIRE-278 (A) 450 X 300 (B) 600 X 450

FIRE-284

(A) 200 DIA

FIRE EXTINGUISH

FIRE-290

(A) 300 HIGH



FIRE-283 (A) 200 DIA



FIRE-289 (A) 300 HIGH



FIRE-266 (A) 300 X 450 (B) 450 X 600



FIRE-271 (A) 300 X 450 (B) 450 X 600



FIRE-275 (A) 450 X 300 (B) 600 X 450



FIRE-279 (A) 450 X 300 (B) 600 X 450



FIRE-285 (A) 200 DIA



FIRE-291 (A) 300 HIGH



HAZARDOUS GOODS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



HAZ-1 (A) 100 X 100 (B) 300 X 300



HAZ-2.3 (A) 100 X 100 (B) 300 X 300



HAZ-4.3 (A) 100 X 100 (B) 300 X 300



HAZ-6.3 (A) 100 X 100 (B) 300 X 300



HAZ-7.2 (A) 100 X 100 (B) 300 X 300



HAZ-1.4 (A) 100 X 100 (B) 300 X 300



HAZ-2.4 (A) 100 X 100 (B) 300 X 300



HAZ-5.1 (A) 100 X 100 (B) 300 X 300



HAZ-6.4 (A) 100 X 100 (B) 300 X 300



HAZ-7.3 (A) 100 X 100 (B) 300 X 300



HAZ-11 (A) 100 X 100 (B) 300 X 300



HAZ-1.5 (A) 100 X 100 (B) 300 X 300



HAZ-3 (A) 100 X 100 (B) 300 X 300



HAZ-5.2 (A) 100 X 100 (B) 300 X 300



HAZ-6.5 (A) 100 X 100 (B) 300 X 300



HAZ-8 (A) 100 X 100 (B) 300 X 300



HAZ-12 (A) 100 X 100 (B) 300 X 300



HAZ-2.1 (A) 100 X 100 (B) 300 X 300



HAZ-4.1 (A) 100 X 100 (B) 300 X 300



HAZ-6.1 (A) 100 X 100 (B) 300 X 300



HAZ-7 (A) 100 X 100 (B) 300 X 300



HAZ-9 (A) 100 X 100 (B) 300 X 300



HAZ-13 (A) 100 X 100 (B) 300 X 300



HAZ-2.2 (A) 100 X 100 (B) 300 X 300



HAZ-4.2 (A) 100 X 100 (B) 300 X 300



HAZ-6.2 (A) 100 X 100 (B) 300 X 300



HAZ-7.1 (A) 100 X 100 (B) 300 X 300



HAZ-10 (A) 100 X 100 (B) 300 X 300











BRACKETS

UNBRACED SIGNS



TD1/TD3 Single Sided 60mm 00



TD2/TD4 Double Sided 60mm 00



FRISBEE Two Piece Single/Double Sided 60mm 00



TRILOBULAR **KEY**



SECURITY SPANNER Suits Trilobular Key

BRACED SIGNS



ARC BRACKET ARC060 - 60mm OD ARC076 - 76mm OD ARC089 - 89mm OD ARC102 - 102mm OD ARC114 - 114mm OD



SADDLE BRACKET UN15-60 - 60mm OD UN15-76 - 76mm OD UN15-89 - 89mm OD UN15-102 - 102mm OD UN15-114 - 114mm OD UN15-140 - 140mm OD



CB1 Single Sided



CB2

Double Sided



UB KNUCKLE For use with UR-Pacto (I-Beams)



LRH-3876 BRACKETS (SIGNFIX)







L-CLAMP HEBSI Use with TD1 or 3 Suits Hollow Extrusion



AL16/AL18 AL16 - 150mm AL18 - 210mm



BSL BRACKET Suits Solid Extrusion



AL26/AL28 AL26 - 150mm AL28 - 210mm



BS CROSS BRACKET Suits Solid Extrusion

AL36/AL38

AL36 - 150mm AL38 - 210mm

STAINLESS STEEL BANDING 30M Rolls 13mm or 19mm



TOP MOUNT BRACKET Suits Hollow Extrusion



BANDING

BRACKET

UR251





BANDING

BUCKI F

BBUC13 - 13mm

BBUC19-19mm

ST BLADE BRACKET Suits Timber Post

BANDING

TOOL



SOCKETS





LOC-SOCKET DRIVING TOOL



LOC-SOCKET WEDGE



ANTI-TWIST BAR



M10X50 CUP HEAD NUT & BOLT



ROSTA KEY

ROADSIDE

WEDGE

600mm



BOLT ASSEMBLY

M8/M10

a

TD BOLT

M10x21 Conetip

Hex Head



ANTI-THEFT WASHER M8 - 8mm M10 - 10mm



ANTI-VANDAL BOLT M10 - Jümm







- * Manufactured to Main Roads WA Specifications
- * 76mm x 38mm x 2.0mm Galvanised Tube
- * Powdercoated Safety Yellow
- * Drilled to suit MRWA signage
- * Available Sizes;
 - 1.6m
 - 3.2m
 - 3.4m
 - 3.6m
 - 3.8m
 - 4.2m



FRP - 76*38 YELL

ROUND SIGN POSTS



FRP - 50NB GREY FRP- 50NB YELL



TRAFFIC CONES AND BOLLARDS

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 450	450mm	Plain Reflective	\checkmark	450 450HCS
TRAFFIC CONE 700	700mm	Plain Reflective	COLOURS AVAILABLE ON REQUEST BLUE GREEN YELLOW WHITE	700 700HCS
TRAFFIC CONE 900	900mm	Plain Reflective	\checkmark	900 900HCS
HBAS BOLLARD	1M Stem	Reflective 8kg Base 12kg Base		HBASSTEM-WA HBBASE8-WA HBBASE12-WA
T-TOP BOLLARD	1M Stem	Reflective 8kg Base 12kg Base	\checkmark	TTOPSTEM-WA TTOPBASE8 TTOPBASE12
BIGFOOT	1050mm Stem	Plain Reflective		BIGFOOT
FLEXIBLE BOLLARD	800mm	Plain Reflective		SSPUFLEX POST8



DELINEATION



TEMP RAISED **PAVEMENT MARKER** 301AW - White 2-Way 301AR - Red 2-Way 301AY - Yellow 2-Way 301BR - Red 1-Way 301ERW - Red/White 2-Way



CATSEYE **PAVEMENT MARKER** 80AY - Yellow 2-Way 80AW - White 2-Way 80AG - Blue 2-Way 80AR - Red 2-Way 80ERW - Red/White 2-Way



HOT MELT PADS 6903AMP To Suit Cateye Pavement Marker



CORNER CUBE DELINEATORS RCC - Red WCC - White ACC - Amber BCC - Blue GCC - Green



GD3 DELINEATORS Red/White




RD3 DELINEATORS



3M™ Stamark™ **REMOVABLE PAVEMENT MARKING TAPE 700** White/Yellow 100mm x 110 mtr 150mm x 110 mtr Other sizes available on request

GUIDE POSTS









STEEL PVC RECYCLED GUIDE POST GUIDE POST GUIDE POST

OMNI-FLEX GUIDE POST

HYLIGHT GUARD DELINEATORS





RECYCLED BOLLARD

PRODUCT	DECODIDITION	SIZE & WEIGHT		IMAGE		
CODE	DESCRIPTION	HEIGHT	DIA.	BASE W	WEIGHT	IMAGE
DNF-BK60	 Flexible Bollard EN12767:2019 Material vinyl nitril rubber blends, TPE Integrated fibreglass grid at bending point Can bend 90° without impacting the original shape * Anchorage Depth 200mm 	800mm	110mm	200mm	3.7kg	
DNF-BP60	 Flexible Bollard EN12767:2019 Material vinyl nitril rubber blends, TPE Integrated 	600mm	100mm	220mm	3.2kg	
DNF-BPL75	fibreglass grid at bending point Can bend 90° without impacting the original shape	700mm	110mm	220mm	3.9kg	
DNF-BF75	 Flexible Bollard EN12767:2019 Material vinyl nitril rubber blends, TPE Integrated fibreglass grid at bending point Can bend 90° without impacting the original shape Can be embossed with logo as shown 	730mm	110mm	220mm	4kg	
Available in 5	colours: Dk Gr	een Yel	low Silv	er Grey	Red	Blue

Made from 100% recycled materials

Impact Resistant

UV Resistant

Each bollard can have text or logo embossed to indicate its use, and is available in 5 colours.

8

Y




RECYCLED ENVIRONMENTAL MARKER POSTS



PRODUCT	DECONDIAN	SI	01010	
CODE	DESCRIPTION	HEIGHT	WIDTH	COLOUR
V	Significant Native Vegetation	1425mm	107mm	
Fa	Threatened Fauna Habitat	1425mm	107mm	
Fl	Threatened Plant Species	1425mm	107mm	
Α	Significant Wetlands	1425mm	107mm	

LOCATION SYMBOLS











STANDS



QUAD STAND 600 x 600 600 x 800 900 x 600 1200 x 900



BIPOD LEGS Powdercoated Black Welded Round Bar



MULTI MESSAGE FRAME Powdercoated Black Suits Bipod Legs




MULTI MESSAGE FRAME Powdercoated Black 900 x 600



A FRAME Powdercoated Black 600 x 450 x 20mm Tube 900 X 1200 x 20mm Tube

HANDRAILS AND BOLLARDS



H STAND



Rubber Sign Stand

þ




STAR PICKETS

T5-Q02BASE/ T5-Q02BLADE



HANDRAILS Powdercoated Yellow with Reflective Tapes 600 x 1200 900 x 1200 1200 x 1200







SCHOOL CROSSING BOLLARDS 1630 High 2350 High

*CUSTOM BOLLARDS AVAILABLE



SAFETY TAPES



3M REFLECTIVE TAPES "Any Width Available In Lime, Orange, White & Red



WARNING TAPES 100mm X 50M



LANE MARKING TAPES 50mm X 33M 75mm X 33M 100mm X 33M



UNDERGROUND MAINS MARKING TAPES 100mm X 250M 150mm X 250M 150mm X 500M

BUNTING



ORANGE BUNTING 30M - Available In Orange, Fluro Yellow, Green, Pink, Red, Yellow & Blue



COLOURED BUNTING 30M - Available Combinations Blue/White Black/Red/White Black/Yellow Red/White



CAUTION BUNTING 30M - Available In Caution (Yellow) Authorised Entry Only (White)



STENCILLED BUNTING 30M

BARRIERS



BARRIER MESH 1M X 50M Available Weights; 5.5kg 8.0kg 14.0kg



RETRACTABLE BAR (Before Expanded) 1270mm (expanded) 2160mm Available in; Yellow/Black Red/White Blue/White



CUSTOM PRINTED SCREEN MESH 1800mm x 50m Role



WORKZONE



SOLAR WARNING LIGHT Piece Bright LED Light 45



CONVEX MIRROR 45cm/ 60cm/ 80cm Plastic Plate (Includes Bracket)



CONVEX MIRROR 60cm/ 60cm Heavy Duty Galvanized Back (Includes Bracket)



RUBBER CORNER PROTECTOR Bull Nose 835mm x 35mm



TRAFFIC BATON Battery Rechargeable 540mm



RUBBER WHEEL CHOCK 300mm Length 150mm Height 260mm Width



SAFETY TRIANGLE Rubber Base 43.5 x 43.5 x 43.5



GALVANIZED SPIKE 150 x 12 300 x 12



RUMBLE STRIP 1000 x 100 x 15



CABLE PROTECTOR 2 Cable Channel Protector 100 x 25 x 5





RUBBER SPEED HUMP 2 Cable Channel Protector 100 x 25 x 5



SPEED LIMIT WITH TARGET BOARD 600mm x 750mm 800mm x 1000mm 1200mm x 1500mm 1600mm x 2000mm



CUSTOM PRINTED SCREEN MESH 1800mm x 50m Role



RUBBER WHEEL STOPPER 1650 x 160 x 100

PORTABLE SPEED HUMP

3000mm Length 40mm Height 220mm Width




LANE SEPARATORS

PRODUCT CODE	DESCRIPTION	SIZE	PRODUCT IMAGE
DNLS-C	LANE SEPARATOR CENTRE	1000 X 270 X 90MM	
DNLS-F	LANE SEPARATOR FEMALE END	440 X 270 X 90MM	
DNLS-M	LANE SEPARATOR MALE END	480 X 270 X 90MM	
DNLSP-SSL	LANE SEPARATOR PADDLE LEFT BLACK/YELLOW CL400	200 X 900MM	
DNLSP-SSR	LANE SEPARATOR PADDLE RIGHT BLACK/YELLOW CL400	200 X 900MM	
	TRAFFIC TE		AGE DIVISION - 08 9248 1002 P 63

SPECIAL ORDER ELECTRONIC SIGNS

~

SPECIAL ORDER ELECTRONIC SIGNAGE





ACTIVE SOLAR ADVANCE WARNING SIGNS



These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 08 9248 1002 to find more information on the electronic signage options available.



SPECIAL ORDER ELECTRONIC SIGNS


ELECTRONIC SPEED LIMIT SIGNS (ESLS)



ESLS speed limit signs are available in Full Dot Matrix or Discrete Characters.

All Signs Available in AS1743 Type A, B, C	
A H 545 x W 545 x D 155mm	
B H 730 x W 730 x D 190mm	
C H 1050 x W 1050 x D 199mm	







ELECTRONIC & PORTABLE TECHNOLOGY





EVOLIS - STANDALONE ELECTRONIC SIGN

EVOLIS

EUROPEAN DESIGNED & MANUFACTURED

- THE EVOLIS STANDALONE DEVICE
- SAME GREAT FEATURES
- SAME SOFTWARE PLATFORM
- SAME OPTIONAL EXTRAS

The Evolis Speed Indication Device is the product of choice for an all in one radar and data collection device. Not only does it present a sleek European design, it has also been built using the best components giving it a reputation for being one of the most energy efficient and reliable units in the market. ALSO AVAILABLE IN A TRAILER VERSION, SEE PAGE 62.

The Evolis Speed Indication Device is easily configured and installed to educate motorists of their travel speeds. It helps to reduce overall excess traffic speeds, particularly in high incident areas. Utilising the optional built in data logger, road asset owners can gather and analyse traffic speed data on specific roads so that they can make informed planning decisions on road safety.









FEATURES & BENEFITS

- Anti-corrosion, anti-UV treatment plus unit sealing ensures long term resistance, strength and durability
- Injected ABS resin waterproof housing with integrated hooks
- Lockable permanent mounting bar made of injected ABS resin, mounted on poles with brackets (sold separately)
- Front face made of tough polycarbonate, fixed to the casing with mechanical clip and gasket seal
- Waterproof IP66 housing for 2 batteries, USB port, dial selector and adaptor
- Installed in minutes by one person
- Optional 1 or 2 way traffic flow statistics
- Optional pre-configured speed/text display settings prior to installation
- Accompanying EVOCOM software for settings configuration plus data analysis
 - 34cm high speed digits (red/amber/green), a large amber text template and ultra-high brightness LEDs

MOBILE EVOLIS WITH TRAILER

NEW PRODUCTS



[[

MOBILE EVOLIS EUROPEAN DESIGNED & MANUFACTURED

With more than 8000 units installed world-wide, the Evolis Speed Indication Device is the product of choice for an all in one radar and data collection device. Not only does it present a sleek European design, it has also been built using the best components giving it a reputation for being one of the most energy efficient and reliable units in the market. ALSO AVAILABLE AS A STANDALONE DEVICE, SEE PAGE 68.

The Evolis Speed Indication Device is easily configured and installed to educate motorists of their travel speeds. It helps to reduce overall excess traffic speeds, particularly in high incident areas. Utilising the optional built in data logger, road asset owners can gather and analyse traffic speed data on specific roads so that they can make informed planning decisions on road safety.

- Anti-corrosion, anti-UV treatment plus unit sealing ensures long term resistance, strength and durability
- Injected ABS resin waterproof housing with integrated hooks
- Lockable permanent mounting bar made of injected ABS resin, mounted on poles with brackets (sold separately)
- Front face made of tough polycarbonate, fixed to the casing with mechanical clip and gasket seal
- Waterproof IP66 housing for 2 batteries, USB port, dial selector and adaptor
- Installed in minutes by one person
- Optional 1 or 2 way traffic flow statistics
- Optional pre-configured speed/text display settings prior to installation
- Accompanying EVOCOM software for settings configuration plus data analysis
- 34cm high speed digits (red/amber/green), a large amber text template and ultra-high brightness LEDs



MOBILE EVOLIS WITH TRAILER



RADAR SENSOR

Doppler Radar: Detection range: Detection angle: Accuracy:

DISPLAY

LED: Colors: Size of digits: Text display (Matrix): 24.125 Ghz 10-250 metres 17 o +/- 1km/h (travelling at 100km/h)

3 digits Red, Amber and Green 340mm 640mm x 160mm (64 x 16 pixels) 1 line of 7 characters 160mm High 2 lines of 10 characters 70mm High 250m 1.2 seconds (configurable)

Visibility: Refresh:

HOUSING

Dimensions: Housing: Front face: Waterproof: Weight: H: 700mm x W: 709mm x D: 170mm Injected ABS resin, grey RAL 7035 Polycarbonate IP66 8kg (without batteries)

EVOCOM SOFTWARE

ADVANCED CONFIGURATION & STATISTIC ANALYSIS

Evocom PC software, provided free of charge, is featured with a user-friendly interface for advanced configuration: specific speed ranges, speed increments, data recording function (*), text messages, time slots etc...

(*)Data recording function (one way / two way traffic flow statistics) purchased separately.



MOBILE VARIOUS MESSAGE SIGNS

er-mac

UITE



NEW PRODUCTS



State of the art full-matrix trailer-mounted portable variable message signs. Features the Opti Power lens, tilt and rotate solar panels, Jamlogic fleet management software (modem required) and Stealth Technology (except the colour version). These units combine energy-efficient design and high-quality construction to provide the most reliable and cost-effective message signs on the market. Built with a compact design which makes it perfect for use on highway construction projects where space is limited as well as urban areas.



PCMS-548VT SUITABLE FOR APPROACHING VEHICLE SPEEDS UP TO 60 KM/H



MOBILE VARIOUS MESSAGE SIGNS

NEW PRODUCTS



PCMS-320RC SUITABLE FOR APPROACHING

SUITABLE FOR APPROACHING VEHICLE SPEEDS GREATER THAN 90 KM/H

Our high speed modem with GPS allows you to maximise your productivity, efficiency and profitability, all remotely from your office or home. The JamLogic software is FREE and you get all the updates at no extra cost.

- Monitor, maintain and manage your signs from any PC, laptop, tablet or smartphone
- View your equipment in a list and GPS map view
- Change a message on one or more signs simultaneously with a simple click
- View your messages and battery voltages
- Group your signs in folders (by customer, location, project... the choice is yours)
- Receive e-mail or text alerts (low battery, cellular failure etc)





PCMS-320TRC SUITABLE FOR APPROACHING VEHICLE SPEEDS GREATER THAN 90 KM/H

LIGHT TOWERS

NEW PRODUCTS



PPL-1000



PTL-1000



UP TO 14K LUMENS

UP TO 14K LUMENS

The PPL-1000 and PTL-1000 are compact, battery powered portable presence and target lights. Presence lighting allows the motoring public to visually see from a distance an upcoming night time lane closure. The system is quick and easy to set up and does not require a diesel generator to power. They feature ultra bright LED lamps with Ver-Mac's exclusive Nightbrite Technology, providing a brighter and more environmentally friendly lighting system. Equipped with high performance lithium batteries and fast-charging system, these quality units will perform night after night. The presence of lighting reduces motorist's speed, approaching and through the work zone, increasing safety for motorist's and workers alike.



NO NOISE

NO SMELL

NO FUEL EMISSIONS

LIGHT TOWERS



NEW PRODUCTS

PSLT-4000S



PSLT-6000



UP TO 42K LUMENS

UP TO 63K LUMENS

The PSLT-4000S and PSLT-6000 are compact and powerful portable solar light towers that are cost effective and have a great return on investment. They are as visually bright, effective and compact as conventional diesel light towers, without costing thousands of dollars every year in fuel and labour. They feature ultra bright LED lamps with Ver-Mac's exclusive Nightbrite Technology, providing a brighter and more environmentally friendly lighting system. These quality units are ideal for lighting construction work zones, parking lots, special events, emergency response plus oil and mining applications.



3M SIGN WARRANTY

DeNeefe Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeefe have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs. This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING			APPLICABLE EXTENDED WARRANTY	
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m²Percentile)*
		3M [™] Electrocut [™] Film Series 1170		
	3M Diamond Grade [™] DG3 Reflective Sheeting Series 4000	3M UV Ink Series 8800, with 1170 clear overlay	12 years	
	(non-fluorescent colours)	3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3	3M" Electrocut" Film Series 1170		
CLASS 1100	Reflective Sheeting Series	3M UV Ink Series 8800 , with 1170 clear overlay	10 yearsţ	80%**
	4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M Screen Process Colours Series 880i		
	3M Diamond Grade [®] DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut [™] Film Series 1170	3 years	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
		3M Electrocut [™] Film Series 1170	12 years	80%**
	3M VIP 3990 series (non-fluorescent colours)	3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
CLASS 900		3M Screen Process Colours Series 880i		
CLA35 900	3M VIP 3990 series 3983	3M Electrocut™ Film Series 1170		
	Fluorescent Yellow/Green	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	10 years	
	& 3981 Fluorescent Yellow	3M Screen Process Colours Series 880i		
CLASS 400	2M High Intensity Driematic	3M Electrocut [™] Film Series 1170		
	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	10 years	
		3M Screen Process Colours Series 880i		50%**
CLASS 100	3M Engineer Grade [™] 3200	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
	Beaded Series	3M Screen Process Colours Series 990 for series 3200 only	,	

*Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

** Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Obsevation Angle 0.2* and Entrance Angle 4* defined in relevant tables inluded in AS/NZS 1906.12017

1 If 3M* Scotchcal* Electrocut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

13M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 160 Anti Graffiti Film and 180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 180 maintains anti dew properties for up to S years.



WARRANTY

🕻 ICS Platinum Warranty

Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

Sign Manufacturer: Application:	De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095 Permanent Traffic Signs to Government Agencies in Australia
Substrate:	Conditioned aluminium as per AS/NZS1906.1:2007
Films:	The complete range of Avery Dennison Reflective Traffic Products
Warranty Period:	T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film
	T-6500 Prismatic Class 1/1W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film
	T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials**. This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandations or mischief. Slight code fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletias pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.

Sunny Signs A Subsidiary of Traffic Technologies Ltd.

WA

SUNNY SIGN COMPANY 30 Emerald Rd.

Maddington, 6109 P: 08 9248 1002 F: 08 9209 2288

VIC

DENEEFE SIGNS

25 Brisbane St, Eltham, 3095 P: 03 9430 0266 F: 03 9430 0277

QLD DENEEFE SIGNS

84 Bluestone Circuit, Seventeen Mile Rocks, 4073 P: 07 3184 2000 F: 07 3266 2244

ACT DENEEFE SIGNS

61 Aurora Ave, Queanbeyan, 2620 P: 02 6299 7922 F: 02 6299 7977

SA DENEEFE SIGNS P: 03 9430 0266 F: 03 9430 0277

TAS DENEEFE SIGNS

Unit 4/ 18A Hull St, Glenorchy, 7010 P: 03 6273 1177 F: 03 6273 1759

NSW

DENEEFE SIGNS 12-14 Leeds St, Rhodes, 2073 P: 02 9701 9999 F: 02 9736 3391

NT

DENEEFE SIGNS 7 Brooker St, Winnellie, 0820

P: 08 8947 0733 F: 08 8947 0713

FOR ORDERS & ENQUIRIES PHONE

08 9248 1002