

# DeNeefe Signs

A Subsidiary of Traffic Technologies Ltd

## Heavy Transport



## SAFETY SIGNAGE

AUSTRALIAN MADE TO AUSTRALIAN STANDARDS

“Our mission is to provide safety to all road users. To supply energy efficient, intelligent and smart solutions to enable informed decisions. To focus on the needs of our clients and stakeholders”






# Contents


- **REAR VEHICLE MARKER PLATES**
  - D.N.O.T.V. PLATE
  - REAR STRIP PLATES AND DECAL SETS
- **OVERSIZE AND LONG VEHICLE**
  - OVERSIZE
  - DO NOT OVERTAKE TURNING VEHICLE
  - LONG VEHICLE
  - ROAD TRAIN
- **HAZARDOUS GOODS**
  - HAZCHEM SIGNS
  - FLIP OVER KIT
  - CLASS LABEL HOLDERS
  - EFLARE
  - SAFETY BATON
  - COLLAPSIBLE CONES
  - HAZARDOUS GOODS SIGNS
- **SAFETY, FIRE SAFETY SIGNS AND CONSPICUITY FLEET TAPES**
  - R4 SERIES
  - VESTS
  - OVERSIZE FLAGS
  - FIRE EXTINGUISHER
  - BREAKDOWN TRIANGLE
  - FIRST AID KITS
  - FLASHING WARNING LIGHT
  - GIVE WAY TO BUSES
  - DRIVER UNDER INSTRUCTION
  - FIRE SAFETY SIGNS
  - FLEET TAPES




# REAR VEHICLE MARKER PLATES




**ROAD TANK VEHICLE WITH  
CATEGORY 33 PLATES**




**SEMITRAILER/FLAT DECK VEHICLE  
WITH CATEGORY 33 AND 31L PLATES**




**OMNIBUS WITH  
CATEGORY 34A AND 33 PLATES**




**RIGID TRUCK WITH  
CATEGORY 34A AND 33 PLATES**



**VEHICLE CARRIER WITH 31L VERTICAL AND  
HORIZONTAL STRIP PLATES**



**LOG TRAILER/JINKER WITH  
31L AND 161 STRIP PLATES**



**PRIME MOVER WITH 615A AND 615B STRIPS  
AND 31L PLATES**

## REAR MARKING PLATES


Rear Marking Plates for vehicles over 12 tonnes GVM and all trailers over 10 tonnes GTM.

Class 400 and retro-reflective are available on 1.6mm aluminium with rounded corners and mounting holes.

Vehicles or combinations 7.5 metres or more in length that have to straddle lanes or turn from an adjacent lane to turn left or right at intersections. MUST be fitted with 'Do Not Overtake' signs.

- If space permits – use Category 33 and Category 34 as first choice.
- If Category 33 is selected, use either Category 31L or Category 33L also.
- If Category 34 is selected, use Category 33 on the right, or use Category 34 on both sides.
- If no room on the vehicle for Category 33 or 34, then Category 31 or Category 33L can be used. Use in conjunction with rear marker plates.
- Strip colour bands to be used wherever space will permit to show each extremity of the vehicle. Always mounted slope down and outward.

### AS 4001.2017: CLASS 400 ON ALUMINIUM OR DECAL



## STORAGE & HANDLING

Signs should arrive with either slip sheeting or other protective material between each of the signs to reduce the risk of abrasions during shipment.

Signs should not be stacked flat, but stored on the edge in a dry environment.

Stacking signs flat may compress either the glass beads, or prisms in the sheeting, resulting in a loss of necessary reflectivity and damage to ink.

## CLEANING

Take extra care to maintain integrity of signs. Attention to careful cleaning is required. Use warm water and mild soap or detergent together with soft cloth or sponge. Do not use solvents or abrasives.

Refrain from using high pressure jet washer as it will compromise the longevity of the signs.

### ALL THE SIGNAGE SHOWN IS AVAILABLE IN:

- STANDARD 1.6MM ALUMINIUM
- SELF-ADHESIVE RETRO-REFLECTIVE DECAL

# OVERSIZE AND LONG VEHICLES

## CLASSIFICATION

A full range of oversize plates are available to meet the Australian Transport Commission Regulations

## OPTIONS

- Aluminium Plates
- Pressure Sensitive Decals
- Fabric Banners with Eyelets
- Double Sided Plates
- Two Piece Plates
- Hinged Plates
- Two Piece Hinged
- Multiple Hinged Plates

**RETRO-REFLECTIVE SIGNS:** HINGED, STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER CL100 & CL400



**OSZSS STEEL**

1200 X 450 (Single/Sided)

**OSALS ALUM**

1200 X 450 (Single/Sided)

**OSALSHI**

1200 X 450 (Single/Sided)

Hi-Intensity



**OSALS-VERHINGED**

1200 X 450

(Alum. Vert. Hinged)



**OSLAALD ALUM**

1200 X 600 (Double Sided)

**OSLAZSD STEEL**

1200 X 600 (Double Sided)



**OSALD ALUM**

1200 X 450 (Double Sided)



**OSFACES**

1200 X 450 (Reflective Decal)



**OSBR FABRIC BANNER**

1200 X 450 (Reflective)



**OSALS-HINGED**

1200 X 450

(Alum. Horizontal Hinged)



**OS-2PIECE-AL-HI**

1200 X 450

(in 2 pieces Over and Size)



**OSAALS ALUM**

1200 X 600 (Single Sided)



**OSLABR BANNER**

1200 X 600 (Reflective)

**DO NOT OVERTAKE TURNING VEHICLE**

**1800 DECAL**

1675 X 75

Also Available 1225 X 70

**ALL THE ABOVE SIGNS  
ARE AVAILABLE IN OTHER SIZES UPON REQUEST**





**LONGVBAN**

1200 X 300 (Fabric Banner)



**LONGVHCLE12X3**

1200 X 300 (Alum. Vert. Hinged)



**LONGVHH**

1200 X 300 (Single Sided)  
(Alum. Horizontal Hinged)



**LONGVEH60X25**

600 X 245 (Alum. in 2 pieces Long and Vehicle)

**LONGVEH6X3**

600 X 300 (Alum. in 2 pieces Long and Vehicle)



**RTLVI2X3**

1200 X 300 - 1 PIECE (Alum. Horizontal Hinged)

**LONG VEHICLE & ROAD TRAIN**



**LONGVHCLE**


1200 X 300 (Alum.)



**RTLVI510X250**

510 X 250 - 2 PIECES (Alum. Horizontal Hinged)

**ROAD TRAIN & LONG VEHICLE**



**LVRT510X250**

510 X 250 - 2 PIECES (Alum. Horizontal Hinged)

**LONG VEHICLE & ROAD TRAIN**



**RT12250AL**

1200 X 250 (Single Sided)



**RT12250 BANNER**

1200 X 250



**RT12250ALVH**

1200 X 250  
(Alum. Vertical Hinged)



**RT12250ALHH**

1200 X 250  
(Alum. Horizontal Hinged)



**RT12250AL-1**

600 X 250  
(Alum. Road Only)



**RT12250AL-2**

600 X 250  
(Alum. Train Only)



**RT510250-1PS**

510 X 250  
(Decal Road Only)



**RT510250-2PS**

510 X 250  
(Decal Train Only)



**RT510250-1**

510 X 250  
(Alum. Road Only)



**RT510250-2**

510 X 250  
(Alum. Train Only)

**ALSO AVAILABLE AS A KIT**  
**RT510250KIT**

**ALL THE ABOVE SIGNS**  
**ARE AVAILABLE IN OTHER SIZES UPON REQUEST**

# HAZARDOUS GOODS SIGNS



HAZCHEM6X3 600 x 300



HAZ 600 x 120



HAZ-2WE 600 x 150



Sample Layout  
TANK 800 X 400  
TRUCK 800 X 600

## DANGEROUS GOODS FLIP OVER KIT




FLIPOVERKIT  
350




- EXPLOSIVE \*1
- FLAMMABLE SOLID 4
- FLAMMABLE GAS 2
- FLAMMABLE LIQUID 3
- SPONTANEOUSLY COMBUSTIBLE
- NON-FLAMMABLE GAS 2
- DANGEROUS GOODS
- CORROSIVE 8
- DANGEROUS WHEN WET
- MISCELLANEOUS DANGEROUS GOODS
- TOXIC GAS 2
- TOXIC 6
- OXIDISING AGENT 5.1
- ORGANIC PEROXIDE 5.2

## CLASS LABEL HOLDER



MHOLD250  
250 x 250



## CLASS LABEL HOLDER



MHOLD510  
510 x 250

OTHER SIZES AVAILABLE UPON REQUEST

## EFLARE WARNING BEACON

### EFLARE CONE CLIP



### EFLARE RUBBER BASE



## SAFETY BATON TWAND



## COLLAPSIBLE CONES

WITH BUILT IN LIGHT  
FLASHING OR STEADY





**EXPIM250 STEEL**

250 x 250

**EXPIP250 DECAL**

250 x 250

**EXPI4M250 STEEL**

250 x 250

**EXPI4P250 DECAL**

250 x 250

**EXP15M250 STEEL**

250 x 250

**EXP15P250 DECAL**

250 x 250

**EXP16M250 STEEL**

250 x 250

**EXP16P250 DECAL**

250 x 250

**FS4M250 STEEL**

250 x 250

**FS4P250 STEEL**

250 x 250

**FG2M250 STEEL**

250 x 250

**FG2P250 DECAL**

250 x 250

**F3M250 STEEL**

250 x 250

**F3P250 DECAL**

250 x 250

**FC4M250 STEEL**

250 x 250

**FC4P250 DECAL**

250 x 250

**NFNTGM250 STEEL**

250 x 250

**NFNTGP250 DECAL**

250 x 250

**DGM250 STEEL**

250 x 250

**DGP250 DECAL**

250 x 250

**C8M250 STEEL**

250 x 250

**C8P250 DECAL**

250 x 250

**DWWM250 STEEL**

250 x 250

**DWWP250 DECAL**

250 x 250

**OA5M250 STEEL**

250 x 250

**OA5P250 DECAL**

250 x 250

**OA5M250 STEEL**

250 x 250

**OA5P250 DECAL**

250 x 250

**OP5M250 STEEL**

250 x 250

**OP5P250 DECAL**

250 x 250

**R7M250 STEEL**

250 x 250

**R7P250 DECAL**

250 x 250

**IS6M250 STEEL**

250 x 250

**IS6P250 DECAL**

250 x 250

**T6M250 STEEL**

250 x 250

**T6P250 DECAL**

250 x 250

**TGM250 STEEL**

250 x 250

**TGP250 DECAL**

250 x 250

**MDGM250 STEEL**

250 x 250

**MDGP250 DECAL**

250 x 250

# SAFETY, FIRE SAFETY SIGNS AND FLEET TAPES

**R4 SERIES 100KM/H SPEED LIMITED** STEEL, PRESSURE SENSITIVE, PVC, CL100 & CL400



**R4-213 STEEL** 300 x 400  
**R4-213P P/S** 300 x 400



**R4-214 STEEL** 300 x 300  
**R4-214P P/S** 300 x 300



**R4-218 STEEL** 250 x 250  
**R4-218P P/S** 250 x 250



**R4-215 STEEL** 680 x 80  
**R4-215P P/S** 680 x 80

## VESTS



### HI-VISIBILITY VESTS

Reflective - Day And Night  
Logo Can Be Printed On Request

## OVERSIZE FLAG - DOWEL



**OSFD**  
450 x 450 (Cloth)  
(Dowel Flag)

## OVERSIZE FLAG



**OSFE**  
450 X 450 (Cloth with Eyelets)

## FLUORESCENT FLAG



**FFL 400 X 400**  
**FFL 300 300 X 300**  
(Vinyl)

## FIRE EXTINGUISHER



## GIVE WAY TO BUSES



**R6-31A**  
350 x 350 DECAL

## BREAKDOWN TRIANGLE

**BREAKT**  
Set of 3



## DRIVER UNDER INSTRUCTION



**DUI**  
525 x 250

## FIRST AID KIT



## FLASHING WARNING LIGHT



**FWL**

FIRE SAFETY SIGNS CORFLUTE, ALUMINIUM, STEEL, POLYPROPYLENE, SELF-ADHESIVE

FULL RANGE AVAILABLE UPON REQUEST



FIRE-262

(A) 300 X 450  
(B) 450 X 600



FIRE-263

(A) 300 X 450  
(B) 450 X 600



FIRE-264

(A) 300 X 450  
(B) 450 X 600



FIRE-265

(A) 300 X 450  
(B) 450 X 600



FIRE-266

(A) 300 X 450  
(B) 450 X 600



FIRE-280

(A) 200 DIA



FIRE-281

(A) 200 DIA



FIRE-282

(A) 200 DIA



FIRE-283

(A) 200 DIA



FIRE-284

(A) 200 DIA



FIRE-285

(A) 200 DIA

CONSPICUITY & FLEET TAPES

Reflective contour markings on trucks make detection easy, giving drivers time to see a vehicle, react and avoid a collision.

V-6700B - Rigid Surfaces

Available in the European and Asia-Pacific markets only, V-6700B tape is ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. Designed for use on trucks and trailers with rigid surfaces, V-6700B provides superior reflectivity and enhanced night-time safety. It is a high quality, durable, microprismatic retroreflective material with a pressure sensitive adhesive and a single layer construction that does not require edge sealing.



V-6790 - Flexible Surfaces

Another product available in the European and Asia-Pacific markets only, V-6790 tape is also ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. It provides the same superior nighttime visibility performance as the V-6700B tape, but is designed for use on trucks and trailers with flexible surfaces.



PRODUCT SPECIFICATION

| PRODUCT | DURABILITY | APPLICATION                       | SPECIFICATIONS   | APPROVAL MARK | SIZE         | COLOURS |        |     |
|---------|------------|-----------------------------------|------------------|---------------|--------------|---------|--------|-----|
|         |            |                                   |                  |               |              | WHITE   | YELLOW | RED |
| V-6700B | 8 YEARS    | RIGID SURFACES TRUCKS/TRAILERS    | ECE 104, CLASS C | 104R 000001   | 50mm X 50mtr | ✓       | ✓      | ✓   |
| V-6790  | 3 YEARS    | FLEXIBLE SURFACES TRUCKS/TRAILERS | ECE 104, CLASS C | 104R 000002   | 50mm X 50mtr | ✓       | ✓      | ✓   |

# DeNeefe Signs

A Subsidiary of Traffic Technologies Ltd

## DENEFE SIGNS

320 Darebin Road  
Fairfiled VIC 3078

[www.trafficltd.com.au](http://www.trafficltd.com.au)

### NSW

P: +61 2 9736 3677  
F: +61 2 9736 3391  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### NT

P: +61 8 8947 0733  
F: +61 8 8947 0713  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### QLD

P: +61 7 3266 1900  
F: +61 7 3266 2244  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### VIC

P: +61 3 9430 0222  
F: +61 3 9430 0244  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### ACT

P: +61 2 6299 7922  
F: +61 2 6299 7977  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### TAS

P: +61 3 6273 1177  
F: +61 3 6273 1759  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### SA

P: +61 8 8362 2385  
  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### WA

P: +61 8 9248 1002  
F: +61 8 9209 2288  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

### UNITED KINGDOM

P: +44 (0) 1159 223 797  
F: +44 (0) 1159 223 836  
e: [info@aldridgetraffic.co.uk](mailto:info@aldridgetraffic.co.uk)



Accreditation No:  
10378

