

Sunny Signs

PRODUCT CATALOGUE

A Subsidiary of Traffic Technologies Ltd



FOR ORDERS & ENQUIRIES PHONE 08 9248 1002



3M Diamond Warranty
Programme
Certified Manufacturer



KIWALITE



Sunny signs is part of Traffic Technologies, a publicly listed company operating in every state of Australia. It's WA manufacturing plant is located in Malaga.

As part of Traffic Technologies, we are able to offer access to other parts of our group which include Traffic Signals, Street Lighting and associated products, Portable Roadside Technology, Smart City Solutions and Emergency Phones. All of these services can be utilised in a mine site or many other infrastructure environments.

As a sign manufacturing company, Sunny Signs is able to offer the full gamut of signs that may be required from Road and Traffic Signage to any Standard or Custom Safety Sign.

We have a fully equipped Graphics Department who are able to receive a file with your design and interpret your specifications to produce print ready artwork for your approval.

As a 3M preferred supplier, signs that we produce are covered by the 3M Diamond Warranty Program whose duration is governed by the class of material chosen for a specific sign. As a preferred supplier, the company is audited by 3M to ensure that all our systems and procedures are being performed as per their requirements. The 3M warranty information is contained further in this catalogue.

By utilising Sunny Signs you have the assurance of dealing with a Quality Assured company that is backed by a National Structure who uses reflective materials sourced from an internationally renowned provider of vinyl products.

WALGA is pleased to confirm that Sunny Signs is a Preferred Supplier as part of the WALGA Preferred Supplier Panel for the Provision of Signage to the Local Government Sector in Western Australia.

The Sunny Signs appointment followed a robust public process (Tender) conducted by WALGA to establish a Preferred Supply panel in this category area at the request of our Member councils to facilitate direct access to endorsed suppliers for the sector's significant spend in the area of Signage.

WALGA looks forward to a long and successful partnership with Sunny Signs as a Preferred Supplier. Should you have any queries please do not hesitate to contact us at purchasing@walga.asn.au.

Paul Davies
General Manager

3M Traffic Safety Systems

Road Safety Solutions

There's reflective sheeting for signs, then there is 3M™
Diamond Grade™ DG3



3M™ Diamond Grade™ DG3 high performance Reflective Sheeting delivers outstanding sign visibility from all angles for all drivers, in all types of compromised conditions for minimal difference in cost.

Delivers outstanding sign visibility for aged drivers and all vehicles - cars, 4WDs, trucks.

Wide angle reflectivity for disadvantaged sign positions (overhead gantries, right-hand mounted signs, street names, sharp corners).

Meets relevant standards - the new RTA NSW Class 1X & DTMR OLD Class 1X, and AS/NZS 1906.1 Class 1W.

Ideal for dangerous sections of road and black spot zones.

Guaranteed performance and durability through our 3M Diamond Warranty Programme.


Available in a range of standard and fluorescent colours.

**FOR MORE INFORMATION,
Contact your local 3M Traffic Safety
Systems Representative or 3M on 136 136**

3M Reflective Sheeting has unique patterns.
Make sure you're able to identify your signs.



3M™ High Intensity
Prismatic™ Series 3930
Meets AS/NZS 1906.1
Class 1



3M™ Diamond Grade™ DG Series
4000 Meets AS/NZS 1906.1
Class 1W, RTA NSW Class 1X
& DTMR QLD Class 1X

3M

TABLE OF CONTENTS

PAGE



ROAD & TRAFFIC SIGNS

6

WARNING SIGNS	7
REGULATORY SIGNS	13
RAILWAY ASSEMBLIES	18
GUIDE SIGNS	19
SERVICE SIGNS	22
TOURIST SIGNS	24
BICYCLE ROUTE MARKERS	25
FEDERALLY FUNDED SERIES	26
HAZARD MARKERS	27
STREET NAME PLATES	28
TRUCK MARKERS	29
TEMPORARY ROADWORK SIGNS	30
MULTI MESSAGE SIGNS	32
QUADSTAND SIGNS	37



SAFETY SIGNS

38

DANGER SIGNS	39
FIRST AID & EXIT SIGNS	42
PPE SIGNS	44
PROHIBITORY SIGNS	45
WARNING SIGNS	47
OFFICE & CARPARK SIGNS	49
FIRE SAFETY SIGNS	50
HAZARDOUS GOODS SIGNS	51



HARDWARE & WORKZONE

52

BRACKETS	53
POSTS	55
TRAFFIC CONES & BOLLARDS	56
DELINEATION	57
GUIDE POSTS	57
RECYCLED FLEXIBLE BOLLARDS	58
RECYCLED ENVIRONMENTAL MARKER POSTS	59
STANDS	60
HANDRAILS & BOLLARDS	60
SAFETY TAPES	61
BUNTING	61
BARRIERS	61
WORK ZONE	62
LANE SEPARATORS	63
SPECIAL ORDER ELECTRONIC SIGNS	64



ELECTRONIC & PORTABLE TECHNOLOGY

66

MOBILE EVOLIS	67
MOBILE EVOLIS WITH TRAILER	69
MOBILE VARIABLE MESSAGE SIGNS	70
LIGHT TOWERS	72

ROAD AND TRAFFIC SIGNS





WARNING SIGNS

* A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



W1-1 (L)



W1-1 (R)



W1-2 (L)



W1-2 (R)



W1-3 (L)



W1-3 (R)



W1-4 (L)



W1-4 (R)



W1-5 (L)



W1-5 (R)



W1-7 (L)



W1-7 (R)



W1-8 (L or R)
TURN



W1-8 (L or R)
REVERSE TURN



W1-8 (L or R)
CURVE



W1-8 (L or R)
REVERSE CURVE



W1-8 (L or R)
HAIRPIN BEND



W2-1



W2-3



W2-4 (L)



W2-4 (R)



W2-5



W2-7



W2-8 (L)



W2-8 (R)



W2-9 (L)



W2-9 (R)



W2-10 (L)



W2-10 (R)



W2-11 (L)



W2-11 (R)



W2-12 (L)



W2-12 (R)



W2-13 (L)



W2-13 (R)



W2-14 (L)



W2-14 (R)



W2-15 (L)



W2-15 (R)



W2-16 (L)



W2-16 (R)



W3-1



W3-2



W3-3



W3-4



W4-1



W4-3



W4-4

WARNING SIGNS



*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



W4-5



W4-6



W4-8



W4-9



W4-10



W4-11



W5-1



W5-2



W5-4



W5-6



W5-7



W5-8



W5-9



W5-10



W5-11



W5-12



W5-13



W5-14



W5-16



W5-17



W5-18



W5-19



W5-20



W5-22



W5-24



W5-25



W5-26



W5-27



W5-28



W5-29



W5-30



W5-31



W5-33



W5-34 (L)



W5-34 (R)



W5-35 (L)



W5-35 (R)



W5-36



W5-37



W5-38



W5-39



W5-40



W5-42



W5-44



W5-45



W5-46



W5-49



W5-50



W5-64



WARNING SIGNS

*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



W5-209



W5-210



W6-1



W6-2



W6-3

*ORANGE use MR-WDP-3



W6-4



W6-5



W6-6



W6-7



W6-8



W6-9



W6-204



W7-2



W7-2-2



W7-3



W7-4



W7-7 (L)



W7-7 (R)



W7-8



W7-9 (L)



W7-9 (R)



W7-12



W7-13



W8-2



W8-3 (L)



W8-3 (R)



W8-4



W8-5



W8-7



W8-8



W8-9



W8-13



W8-14



W8-15



W8-16



W8-17-1



W8-17-2



W8-18



W8-19



W8-20



W8-21



W8-22



W8-23



W8-24



W8-25



W8-26



W9-1 (L)



W9-1 (R)



W9-2 (L)

WARNING SIGNS



*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



W9-2 (R)



W9-3 (L)



W9-3 (R)



W9-4 (L)



W9-4 (R)



MR-WDAL-2



MR-WDI-1



MR-WDI-2



MR-WDI-3



MR-WDI-5



MR-WDI-6



MR-WDI-8



MR-WDI-11



MR-WDI-12



MR-WDI-13



MR-WDI-14



MR-WDI-15



MR-WDI-16



MR-WDI-17



MR-WDI-18



MR-WDI-19



MR-WDI-20



MR-WDI-21



MR-WDI-23



MR-WDAD-2



MR-WDAD-3



MR-WDAD-5



MR-WDAD-6



MR-WDAD-7



MR-WDAD-8



MR-WDAD-9



MR-WDAD-10



MR-WDAD-11



MR-WDAD-12



MR-WDAD-13



MR-WDAD-14



MR-WDAD-15



MR-WDAD-16



MR-WDAD-17



MR-WDAD-18



MR-WDAD-19



MR-WDAD-20



MR-WDAD-21



MR-WDAD-22



MR-WDAD-23



MR-WDO-1



MR-WDO-4



MR-WDO-5



MR-WDO-6



MR-WDO-7



MR-WDO-8



MR-WDO-11



WARNING SIGNS

*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



MR-WDO-12



MR-WDO-13



MR-WDO-14



MR-WDO-15



MR-WDO-16



MR-WDO-17



MR-WDO-18



MR-WDO-19



MR-WDO-21



MR-WDO-22



MR-WDO-23



MR-WDO-29



MR-WDO-33



MR-WDO-34



MR-WDO-35



MR-WDO-36



MR-WDP-3



MR-WDP-6



MR-WDP-7



MR-WDRW-1



MR-WDAX-11



MR-WDAX-20



MR-WDAX-2



MR-WDO-32-1
(A) 2400 X 2900



MR-WDO-32-2
(A) 2400 X 2900



MR-WDO-32-3
(A) 2400 X 2900



MR-WM-2/1
(A) 2200 X 1800



MR-WM-2/2
(A) 2200 X 1800



MR-WM-2/3
(A) 2200 X 1800



MR-WM-3/1
(A) 2100 X 1200



MR-WM-3/2
(A) 2400 X 1200



MR-WM-4/1
(A) 2100 X 1200



MR-WM-4/2
(A) 2400 X 1200



MR-WM-47
(A) 900 X 1200



MR-WM-50
(A) 2700 X 1200



MR-WM-52
(A) 1500 X 1800



MR-WM-53L
(A) 1500 X 1800



MR-WM-53R
(A) 1500 X 1800



MR-WM-54
(A) 1500 X 1800

WARNING SIGNS



*A SIZE (600mm), B SIZE (750mm) C SIZE (900mm) OR D SIZE (1200mm)



MR-WAW-1



MR-WAW-3



MR-WAW-6



MR-WAW-7



MR-WAW-8



MR-WAW-9



MR-WAW-10



MR-WAW-11

(A) 900 x 1650 (B) 1100 x 1600 (C) 1350 x 2000 (D) 1800 x 2700



MR-WSP-17
(A) 1250 x 1900



MR-WSP-18
(A) 3000 X 3500



MR-WSP-21
(A) 2600 X 3120



REGULATORY SIGNS



R1-1
(A) 600 X 600
(B) 750 X 750
(C) 900 X 900



R1-2
(A) 750 HIGH
(B) 900 HIGH
(C) 1200 HIGH



R1-3
(A) 750 HIGH
(B) 900 HIGH
(C) 1200 HIGH



R2-2(L)
(A) 450 X 600
(B) 600 X 800



R2-2(R)
(A) 450 X 600
(B) 600 X 800



R2-3(L)
(A) 450 X 600
(B) 600 X 800



R2-3(R)
(A) 450 X 600
(B) 600 X 800



R2-4
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750
(D) 900 X 900



R2-5
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750
(D) 900 X 900



R2-6(L)
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750
(D) 900 X 900



R2-6(R)
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750
(D) 900 X 900



R2-7
(A) 450 X 600
(B) 600 X 800



R2-8
(A) 450 X 600
(B) 600 X 800




R2-9(L)
(A) 450 X 750
(B) 600 X 1000



R2-9(R)
(A) 450 X 750
(B) 600 X 1000



R2-10
(A) 600 X 600



R2-11
(A) 450 X 600
(B) 600 X 800



R2-13
(A) 1100 X 1100



R2-14(L)
(A) 600 X 800
(B) 900 X 1200



R2-14(R)
(A) 600 X 800
(B) 900 X 1200



R2-15
(A) 450 X 600
(B) 600 X 800



R2-16
(A) 750 X 600



R2-17
(A) 450 X 800
(B) 600 X 1050
(C) 900 X 1600



R2-18
(A) 1400 X 1400



R2-19
(A) 800 X 1200



R2-20
(A) 450 X 800



R3-1
(A) 600 DIA
(B) 750 DIA
(C) 900 DIA



R4-1
(A) 450 X 600
(B) 600 X 800
(C) 900 X 1200
(D) 1200 X 1600



R4-2
(B) 600 X 800
(C) 900 X 1200

REGULATORY SIGNS



R4-3
(A) 450 X 300
(B) 600 X 400
(C) 900 X 600



R4-4
(A) 450 X 750



R4-5
(A) 450 X 750




R4-8
(A) 450 X 300
(B) 600 X 400




R4-9
(A) 450 X 450
(B) 600 X 600



R4-10
(A) 450 X 750
(B) 600 X 1000



R4-11
(A) 450 X 750
(B) 600 X 1000



R4-12/MR-RS-21
(A) 600 X 800
(B) 900 X 1200



R5-1
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-2
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-3
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-4
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-10
(B) 225 X 450
(C) 300 X 450



R5-13
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450




R5-14
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450




R5-15
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-16
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-20
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-21
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-23
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-35
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-40
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-46
(A) 225 X 300
(B) 225 X 450
(C) 300 X 450



R5-58(L)
(A) 1500 X 1100



R5-58(R)
(A) 1500 X 1100



R6-1
(A) 750 X 900
(B) 1200 X 1440



R6-2
(A) 750 X 900
(B) 1200 X 1440



R6-3
(A) 600 X 900
(B) 900 X 1350



R6-4
(A) 600 X 900
(B) 900 X 1350



R6-5
(A) 600 X 800
(B) 900 X 1200



R6-6
(A) 450 X 750
(B) 675 X 1125



R6-8/T7-1
(A) 600 DIA



REGULATORY SIGNS



R6-9
(A) 450 X 600



R6-10-1
(A) 600 X 600
(B) 900 X 900



R6-10-2
(A) 600 X 600
(B) 900 X 900



R6-10-3
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750



R6-11
(A) 1950 X 600



R6-12
(A) 1500 X 600



R6-13
(A) 1200 X 1500



R6-14
(A) 450 X 750
(B) 675 X 1125



R6-15
(A) 450 X 450
(B) 600 X 600
(C) 750 X 750



R6-19
(A) 1200 X 600
(B) 1800 X 900



R6-20
(A) 1200 X 600
(B) 1800 X 900



R6-21
(A) 900 X 450
(B) 1800 X 900



R6-22
(A) 1200 X 1000
(B) 1440 X 1200
(C) 1800 X 1500



R6-23
(A) 1000 X 800
(B) 1500 X 1200



R6-24
(A) 1350 LENGTH
(B) 1800 LENGTH



R6-25
(A) 1200 X 800
(B) 1350 X 900



R6-28
(A) 900 X 900
(B) 1200 X 1200
(C) 1800 X 1800



R6-29
(A) 1200 X 600
(B) 1800 X 900
(C) 2400 X 1200



R6-31
(A) 350 X 350



R7-1-1
(C) 600 X 800
(D) 900 X 1200
(E) 1200 X 1600



R7-1-3
(C) 600 X 800
(D) 900 X 1200
(E) 1200 X 1600



R7-1-4
(B) 450 X 600
(C) 600 X 800
(D) 900 X 1200



R7-2
(B) 450 X 150
(C) 600 X 200
(D) 900 X 300
(E) 1200 X 400



R7-3(L)
(B) 450 X 300
(C) 600 X 400
(D) 900 X 600
(E) 1200 X 800



R7-3(R)
(B) 450 X 300
(C) 600 X 400
(D) 900 X 600
(E) 1200 X 800



R7-4
(A) 300 X 100
(B) 450 X 150
(C) 600 X 200
(D) 900 X 300
(E) 1200 X 400



R7-5
(B) 450 X 150
(C) 600 X 200
(D) 900 X 600
(E) 1200 X 800

REGULATORY SIGNS



R7-8
(C) 600 X 800
(D) 900 X 1200
(E) 1200 X 1600



R8-1
(A) 300 X 400
(B) 450 X 600
(C) 600 X 800



R8-2
(A) 300 X 400
(B) 450 X 600
(C) 600 X 800



R9-1-3
(B) 600 X 400
(C) 900 X 600
(D) 1200 X 800



R9-2
(A) 450 X 300
(B) 600 X 400
(C) 750 X 500



R9-3
(A) 450 X 300
(B) 600 X 400
(C) 750 X 500



R9-4
(A) 450 X 300
(B) 600 X 400



R9-5
(C) 750 X 375
(D) 900 X 450



R9-6-1
(A) 750 X 150
(B) 1000 X 200
(C) 1200 X 240



R9-6-2
(A) 600 X 400
(B) 750 X 500
(C) 900 X 600
(D) 1200 X 800



R9-7-1
(A) 750 X 150
(B) 1000 X 200
(C) 1200 X 240



R9-7-2
(A) 600 X 400
(B) 750 X 500
(C) 900 X 600
(D) 1200 X 800



MR-RE-4
(A) 450 X 600



MR-RE-5
(A) 450 X 750



MR-RE-9
(A) 450 X 900




MR-RA-2
(A) 450 X 330



MR-RA-3
(A) 450 X 260




MR-RA-8
(A) 600 X 200



MR-RA-21
(A) 600 X 400



MR-RA-22
(A) 450 X 200



MR-RA-23
(A) 450 X 270



MR-RA-24
(A) 750 X 500



MR-RD-5
(A) 450 X 600



MR-RD-6
(A) 300 X 600



MR-RS-7
(B) 600 X 1315



MR-RS-8
(B) 600 X 1315



MR-RS-9
(B) 600 X 1315



MR-RS-10
(A) 600 X 200



MR-RS-11
(A) 600 X 600



MR-RS-12
(A) 600 X 600



MR-RS-15
(B) 600 X 1500



MR-RS-16
(B) 600 X 1500



MR-RS-17
FLOURO YELLOW
(A) 600 X 440



MR-RS-17
FLOURO ORANGE
(B) 600 X 440



REGULATORY SIGNS



MR-RS-20
(A) 450 X 450
(B) 600 X 600



MR-RS-21
(A) 450 X 600
(B) 600 X 800
(C) 900 X 1200



MR-RS-23
(A) 600 X 600
VARIABLE SPEED
LIMIT SIGN



MR-RPK-17
(A) 225 X 450



MR-RPK-18
(A) 225 X 450



MR-RPK-19
(A) 1500 X 1100



MR-RPK-22
(A) 600 X 800



MR-RM-21
(B) 1200 X 2000



MR-RE-4
(A) 450 X 600



MR-RV-3
(B) 900 X 1200



MR-RV-4
(B) 900 X 1200



MR-GT-2
(A) 1400 X 1800
(B) 2350 X 3150



MR-GT-4
(A) 1400 X 1800
(B) 2350 X 3150



MR-GT-15
(A) 450 X 600
(B) 600 X 800
(C) 750 X 900
(D) 900 X 1200



MR-GT-20
(A) 350 X 300
(B) 700 X 600



MR-GT-31
2400 X 1800




MR-GT-32
(D) 900 X 1200



MR-GT-33
(D) 900 X 1200

RAILWAY ASSEMBLIES



R6-24

W7-2-1

R1-2



R6-25

W7-2-2

R1-2

RX-1



R6-24

W7-2-1

R1-1

G9-48



R6-25

W7-2-2

R1-1

G9-48

RX-2



W7-8

G9-48

RX-3-1



W7-9L

G9-48

RX-3-2



W7-9R

G9-48

RX-3-3



W7-7L

W8-3L

RX-4L



W7-7R

W8-3R

RX-4R



R6-24

W7-2-1

R6-9



R6-25

W7-2-2

R6-9

RX-5



W7-4

W8-3L

RX-7L



W7-4

W8-3R

RX-7R



W7-15

W8-3L

RX-8L




W7-15

W8-3R

RX-8R



RX-9



RX-10



GUIDE SIGNS



G1-1
(A) 3265 X 1500



G1-2
(A) 2172 X 1470



G1-3
(A) 2658 X 1650



G1-4
(A) 2400 X 1200



G1-5
(A) 3730 X 1800



G2-1
(A) 1893 X 470



G2-2
(A) 1878 X 470
(B) 1893 X 400



G2-3
(A) LTS X 200



G2-4
(A) 4170 X 550



G3-4
(A) 1550 X 200



G3-5
(A) 1364 X 200



G4-1
(A) 2264 X 1140



G5-1
(A) LTS X 150
(B) LTS X 210



G5-7
(A) 832 X 250



G5-8
(A) 669 X 250



G5-11
(A) 1050 X 900



G7-1-1
(A) 800 X 1200
(B) 1200 X 1800



G7-1-2
(A) 990 X 990
(B) 1485 X 1485



G7-2-3
(A) 1480 X 990
(B) 2220 X 1485



G7-4-3
(A) 1990 X 570
(B) 2985 X 855



G7-4-4
(A) 2480 X 570
(B) 3720 X 855



G7-6-1
(A) 600 X 600
(B) 900 X 900



G7-7-1
(A) 800 X 1200
(B) 1200 X 1800



G7-8-2
(A) 1310 X 990
(B) 1965 X 1485



G7-9-1
(A) 780 X 990
(B) 1170 X 1485



G7-10-1
(A) 900 X 1200
(B) 1350 X 1800



G8-1-1
(A) 310 X 360
(B) 413 X 480



G8-1-2
(A) 310 X 360
(B) 413 X 480



G8-2-1
(A) 310 X 200
(B) 410 X 265



G8-2-2
(A) 310 X 200
(B) 410 X 265



G8-2-3
(A) 310 X 200
(B) 410 X 265



G8-2-4
(A) 310 X 200
(B) 410 X 265



G8-2-5
(A) 310 X 200
(B) 410 X 265



G8-2-6
(A) 310 X 200
(B) 410 X 265



G8-2-7
(A) 310 X 200
(B) 410 X 265

GUIDE SIGNS



G8-3-1
(A) 310 X 200



G8-4-1
(A) 310 X 200



G8-8-1
(A) 375 X 360



G8-8-2
(A) 500 X 480



G8-9-1
(A) 360 X 360



G8-9-2
(A) 360 X 360




G8-9-3
(A) 360 X 360



G8-9-4
(A) 1730 X 900



G8-9-5
(A) 2010 X 600



G9-3
(A) 1700 X 900



G9-4
(A) 1700 X 900



G9-5-1
(A) 1300 X 350



G9-5-2
(A) 1400 X 350



G9-9
(A) 1500 X 750
(B) 1800 X 900



G9-10
(A) 900 X 900
(C) 2400 X 2400



G9-11
(A) 900 X 1100
(B) 2400 X 2950



G9-12
(A) 950 X 1100
(B) 2550 X 2950



G9-15
(A) 600 X 800
(B) 900 X 1200
(C) 1200 X 1600



G9-16
(A) 600 X 800
(B) 900 X 1200
(C) 1200 X 1600



G9-18
(A) 600 X 400
(B) 900 X 600



G9-19
(A) 600 X 200



G9-20
(A) 900 X 600



G9-21
(A) 2150 X 800



G9-22-1
(A) 200 X 2350



G9-22-2
(A) 200 X 2350



G9-22-3
(A) 200 X 2350



G9-23
(A) 800 X 600
(B) 1000 X 750



G9-24
(A) 2200 X 800
(B) 4400 X 1600



G9-25
(A) 2200 X 800
(B) 4400 X 1600



G9-26
(A) 2200 X 1100



G9-27
(A) 2000 X 750
(B) 3000 X 1125



G9-28
(A) 1650 X 750
(B) 2400 X 1125



G9-29
(A) 1600 X 500



G9-30
(A) 1600 X 850



G9-31
(A) 2050 X 650



G9-32
(A) 2100 X 450



G9-33
(A) 2100 X 450



G9-36
(A) 4500 X 750



G9-37
(A) 2600 X 1200



GUIDE SIGNS



G9-38
(A) 2600 X 1200



G9-40-1
(A) 900 X 600
(B) 1200 X 800



G9-41
(A) 450 X 300
(B) 600 X 400



G9-48
(A) 600 X 600
(B) 750 X 750
(C) 900 X 900



G9-60
(A) 450 X 600
(B) 600 X 800



G9-74
750 X 600



G9-73
900 X 900



G10-3
(A) 450 X 450



G11-1
(A) 1930 X 900
(B) 2575 X 1200



G11-8
(A) 1350 X 900
(B) 1800 X 1200



GE2-3
(A) 1800 X 1600



GE6-2
(A) 1200 X 1500



GE6-4
(A) 2500 X 1110



GE7-6
(A) 600 X 700
(B) 900 X 1050



GE9-1
(A) 1400 X 1800



GE9-2
(A) 1400 X 1800



GE9-3
(A) 2600 X 2000



GE9-15
(A) 600 X 400
(B) 750 X 500
GE9-15AA
450 X 300



G9-69
2300 X 1500



GE9-22-1
(A) 2700 X 1400
(B) 3600 X 1867



GE9-22-2
(A) 1750 X 1500
(B) 2350 X 2015



GE9-23
(A) 450 X 450



MR-GE-5
(A) 900 X 1600



MR-GE-6
(A) 900 X 1600
L OR R



MR-GE-7
(A) 2600 X 750
L OR R



MR-GE-22
(A) 600 X 300
(B) 900 X 450



MR-GE-23
(A) 600 X 300
(B) 900 X 450
(D) 1800 X 800



MR-GE-24
(A) 3200 X 1200
L OR R



MR-GE-27
(A) 1800 X 1800



MR-GT-32
(A) 900 X 1200



MR-GT-33
(A) 900 X 1200



MR-GM-49
(A) 450 X 450

SERVICE SIGNS



MR-SM-1
(A) 600 X 600



MR-SM-2
(A) 600 X 600



MR-SM-3
(A) 600 X 600



MR-SM-4
(A) 600 X 600



MR-SM-5
(A) 600 X 600



MR-SM-6
(A) 600 X 600



MR-SM-7
(A) 600 X 600



MR-SM-8
(A) 600 X 600



MR-SM-9
(A) 600 X 600



MR-SM-11
(A) 600 X 600



MR-SM-12
(A) 600 X 600



MR-SM-13
(A) 600 X 600



MR-SM-14
(A) 600 X 600



MR-SM-16
(A) 600 X 600



MR-SM-18
(A) 600 X 600



MR-SM-19
(A) 600 X 600



MR-SM-20
(A) 600 X 600



MR-SM-21
(A) 600 X 600



MR-SM-22
(A) 600 X 600



MR-SM-23
(A) 600 X 600



MR-SM-24
(A) 600 X 600



MR-SM-25
(A) 600 X 600



MR-SM-26
(A) 600 X 600



MR-SM-28
(A) 600 X 600



MR-SM-29
(A) 600 X 600



MR-SM-30
(A) 600 X 600



MR-SM-31
(A) 600 X 600



MR-SM-32
(A) 600 X 600



MR-SM-33
(A) 600 X 600



MR-SMAX-1
(A) 600 X 200



MR-SMAX-2
(A) 600 X 200



MR-SMAX-3
(A) 600 X 360



MR-SMAX-4
(A) 600 X 360



MR-SMAX-5
(A) 600 X 200



MR-SMAX-6
(A) 600 X 200



MR-SMAX-7
(A) 600 X 300



MR-SMAX-8
(A) 600 X 300



SERVICE SIGNS



24 HR STOPPING

MR-SMAX-9
(A) VARIES X 220



BURNS BEACH

MR-SMAX-10
(A) VARIES X 150
(B) VARIES X 220



BURNS BEACH

4

MR-SMAX-11
(A) VARIES X 150
(B) VARIES X 220



MR-SID-33
(A) VARIES X 450



MR-SID-34
(A) VARIES X 750



TOURIST SIGNS



MR-VM-1
(A) 600 X 600



MR-VM-2
(A) 600 X 600



MR-VM-3
(A) 600 X 600



MR-VM-4
(A) 600 X 600



MR-VM-5
(A) 600 X 830



MR-VM-5
(B) 600 X 840



MR-VM-6
(A) 600 X 600



MR-VM-7
(A) 600 X 600



MR-VM-8
(A) 600 X 600



MR-VMAX-1
(A) 600 X 200



MR-VMAX-2
(A) 600 X 200



MR-VMAX-3
(A) 600 X 460



MR-VMAX-4
(A) 600 X 460



MR-VMAX-5
(A) 600 X 200



MR-VMAX-6
(A) 600 X 200



MR-VMAX-7
(A) 600 X 300



MR-VMAX-8
(A) 600 X 300



MR-VMAX-9
(A) VARIES X 150
(B) VARIES X 220



MR-VMAX-10
(A) VARIES X 150
(B) VARIES X 220



BICYCLE ROUTE MARKERS



MR-GC-1
(A) 120 X 150



MR-GC-2
(A) 450 X 600



MR-GC-14
(A) 450 X 750



MR-GC-10
(A) 450 X 150



MR-GC-11
(A) 450 X 150



MR-GC-12
(A) 450 X 225



MR-GC-13
(A) 450 X 225



MR-GC-16
(A) 600 X 450



MR-GC-17
(A) 600 X 120



MR-GC-17
(B) 600 X 200



MR-GC-18
(A) 600 X 225




MR-GC-18
(B) 600 X 300



MR-GC-18
(C) 600 X 400



MR-GC-18
(D) 600 X 450



MR-GC-18
(E) 600 X 600



MR-GC-19
(A) 200 X 250



MR-GC-20
(B) 600 X 200



MR-GS-11
(A) 600 X 80

FEDERALLY FUNDED SERIES



MR-GZ-42
(A) 2000 X 1400
(B) 3000 X 1600



MR-GZ-43
(A) 2000 X 1400
(B) 3000 X 1600



MR-GZ-44
(A) 600 X 900
(B) 900 X 1200



MR-GZ-45
(A) 600 X 900
(B) 900 X 1200



MR-GZ-46
(A) 600 X 170
(B) 900 X 250



MR-GZ-47
900 X 1200



MR-GZ-48
900 X 1200



MR-GZ-49
900 X 1200



MR-GZ-50
900 X 1200



MR-GZ-51
900 X 1200



MR-GZ-60
(A) 600 X 900
(B) 900 X 1200



MR-GZ-52
2400 X 1200



MR-GZ-53
900 X 1200



MR-GZ-54
900 X 1200



MR-GZ-55
900 X 1200



HAZARD MARKERS



D4-1-1
(A) 1600 X 400



D4-1-2
(A) 450 X 450
(B) 600 X 600



D4-1-3
(A) 1800 X 300



D4-2-1
(A) 1800 X 300



D4-2-2
(A) 400 X 1000



D4-3 (L)
(A) 225 X 450
(B) 450 X 900



D4-3 (R)
(A) 225 X 450
(B) 450 X 900



D4-2-3
(A) 1600 X 400



D4-4
(A) 4000 X 400
(B) 6000 X 600



D4-5
(A) 1800 X 450



D4-6
(A) 600 X 750
(B) 750 X 900



MR-HM-1
(A) 2400 X 400



MR-HM-2
(A) 2400 X 400



MR-HM-3
(A) 2400 X 400



MR-HM-4
(A) 2400 X 400



MR-HM-5
(A) 2400 X 400



MR-HM-6
(A) 2400 X 400



MR-HM-7
(A) 2400 X 400



MR-HM-8
(A) 4800 X 800



MR-HM-9
(A) 4800 X 800



MR-HM-10
(A) 4800 X 800



MR-HM-11
(A) 230 X 230



MR-HM-12
(A) 450 X 600

STREET NAME TAGS



LOCAL TRAFFIC ONLY

MR-GS-1
(A) 725 X 210

BOULDER RD
BOULDER RD

MR-GS-3 (R/L)
(A) VARIES X 150
(B) VARIES X 210

BOULDER RD

MR-GS-4
(A) VARIES X 150
(B) VARIES X 210

ERINDALE RD

MR-GS-9
(A) VARIES X 300

NO THROUGH ROAD

MR-GS-10
(A) 600 X 210

4074A

MR-GS-12
(A) 320 X 110

MARGARET RIVER 50

MR-GFB-1
(A) VARIES X 210

93 AUGUSTA BUNBURY 50

MR-GFB-2
(A) VARIES X 210

ART GALLERY

MR-VFB-1
(A) VARIES X 210

CAVE WINERY

MR-VFB-2
(A) VARIES X 210

RURAL HOTEL 5

MR-SFB-1
(A) VARIES X 210

9 CATTERY KENNELS 5

MR-SFB-2
(A) VARIES X 210



TRUCK MARKERS



31L
300 X 100



33
300 X 300



33L
300 X 300



34
300 X 400



41A
400 X 100



41B
400 X 100



615A
600 X 150



615B
600 X 150



81C
800 X 100
*Available in Left or Right



161
1600 X 100



1803 PS
1806 STEEL
400 X 400



1805 PS
1808 STEEL
400 X 400



1811 PS 1810 STEEL
1600 X 200



1814 PS
1812 STEEL
800 X 200



1815 PS
1813 STEEL
800 X 200



1818 PS
1816 STEEL
200 X 800



1819 PS
1817 STEEL
200 X 800



OSZSS STEEL 1200 X 450 (S/S)
OSALS ALUM 1200 X 450 (S/S)
OSALD ALUM 1200 X 450 (D/S)
OSBR BANNER 1200 X 450



OSLAALS ALUM 1200 X 600 (S/S)
OSLAZSD STEEL 1200 X 600 (D/S)
OSLAALD ALUM 1200 X 600 (D/S)
OSLABR BANNER 1200 X 600



RT12250AL 1200 X 250
RT1200B BANNER 1200 X 250

TEMPORARY ROAD WORKS



**ROADWORK
AHEAD**

T1-1
(A) 1800 X 600
(B) 2400 X 900

**BRIDGEWORK
AHEAD**

T1-2
(A) 1800 X 600
(B) 2400 X 900

**ROAD
PLANT
AHEAD**

T1-3-1
(A) 900 X 600

**ROAD PLANT
AHEAD**

T1-3-2
(A) 1800 X 600

**GRADER
AHEAD**

T1-4
(A) 900 X 600



T1-5
(A) 900 X 600
(B) 1200 X 900
(C) 1800 X 1200

**DETOUR
AHEAD**

T1-6
(A) 1200 X 600
(B) 1800 X 900

**TRAFFIC
HAZARD**

T1-10
(A) 1200 X 600

**LINE MARKING
AHEAD**

T1-15
(A) 1800 X 600

**ROADWORK
1km AHEAD**

T1-16
(A) 1800 X 600
(B) 2400 X 900

**PREPARE
TO
STOP**

T1-18
(A) 900 X 600
(B) 1200 X 900



T1-19
(A) 900 X 600
(B) 1200 X 900

**NEW
ROUNDBOUT**

T1-21
(A) 1800 X 600

**CHANGED
SIGNALS**

T1-22
(A) 1200 X 600

**CHANGED
TRAFFIC
CONDITIONS**

T1-23
(A) 1800 X 900

**ROADWORK
NEXT 2 km**

T1-24
(A) 1800 X 600
(B) 2400 X 900

**ROADWORK
ON SIDE ROAD**

T1-25
(A) 1800 X 600
(B) 2400 X 900

**ROAD PLANT
NEXT 2 km**

T1-26
(A) 1800 X 600

**ROAD PLANT
ON SIDE ROAD**

T1-27
(A) 1800 X 600

**NEXT
2 km**

T1-28
(A) 600 X 300
(B) 900 X 900

**BRIDGEWORK
_km AHEAD**

T1-29
(A) 1800 X 600
(B) 2400 X 900



T1-30
(A) 900 X 600

**ROAD
WORK
AHEAD**

T1-31
(A) 900 X 1200

**SIDE ROAD
CLOSED**

T1-32
(A) 1800 X 900



ROAD CLOSED

T1-34
(A) 900 X 600
(B) 1200 X 900

**PART ROAD
CLOSED**

T2-5
(A) 1500 X 600



T2-6-1
(A) 1200 X 900



T2-6-2
(A) 1800 X 900

**WATER
OVER
ROAD**

T2-13
(A) 900 X 600
(B) 1200 X 900

**END
ROADWORK**

T2-16
(A) 1800 X 600

**END
ROAD
WORK**

T2-17
(A) 900 X 1200

**END
DETOUR**

T2-23
(A) 1200 X 600



T2-24
(A) 900 X 600



T2-25
(A) 900 X 600



TEMPORARY ROAD WORKS



T3-1
(A) 900 X 600



T3-3
(A) 900 X 600
(B) 1500 X 900



T3-6
(A) 900 X 600



T3-7
(A) 900 X 600
(B) 1500 X 750



T3-9
(A) 900 X 600
(B) 1500 X 900



T3-12
(A) 1500 X 900



T3-11
(A) 1500 X 900



T3-13
(A) 900 X 600
(B) 1500 X 750



T3-14
(A) 900 X 600
(B) 1500 X 900



T4-2
(A) 1200 X 600



T4-3
(A) 1200 X 450



T4-5
(A) 1800 X 900



T4-6
(A) 900 X 600
(B) 1200 X 900



T5-1 L/R
(A) 1200 X 300
(B) 1800 X 450



T5-4
(A) 1500 X 450



T5-5
(A) 600 X 600



T5-6
(A) 600 X 600



SSB-600
T7-1/R6-8
(A) 600 DIA



T8-1
(A) 900 X 600



T8-2
(A) 1200 X 300



T8-3
(A) 900 X 600



T8-4
(A) 900 X 600



MR-TAW-1
(A) 1500 X 750



MR-TAW-5
(A) 1200 X 900



MR-TAW-27
(A) 900 X 600



MR-TAW-28
(A) 900 X 600



MR-TAW-29
(A) 900 X 600



MR-TAW-30
(A) 1200 X 600



MR-TAW-31
(A) 900 X 600



MR-TAW-32
(A) 1200 X 600



MR-TAW-33
(A) 1200 X 900



MR-TAW-34
(A) 1800 X 600



MR-TP-20
(A) 1200 X 600



MR-TP-21
(A) 900 X 600



TR4-1
(B) 700 X 900
(C) 900 X 1200

MULTI MESSAGE SIGNS



*Multi-Message Signs on 5mm Corflute



MMSF-WA
FRAME



T-BEACON-WA



HBAS-CHEV-CF
HBAS BOLLARD
250 X 1200



PORTABLE
TRAFFIC SIGNALS



GIBNEY BARRIER



MMS-REG-1
600 X 600



MMS-REG-2
600 X 600



MMS-REG-3
600 X 600



MMS-REG-4(L)
600 X 600



MMS-REG-4(R)
600 X 600



MMS-REG-5
600 X 600



MMS-REG-6 LorR
600 X 600



MMS-REG-7
600 X 600



MMS-REG-8
1200 X 300



MMS-REG-10
600 X 600



MMS-REG-11
600 X 600



MMS-REG-12
600 X 600



MMS-REG-13
600 X 600



MMS-REG-14
600 X 600



MMS-PED-1
600 X 600



MMS-PED-2
600 X 600



MMS-PED-3(L/R)
1200 X 300



MMS-PED-4
600 X 600



MMS-PED-5
600 X 600



MMS-PED-6
600 X 600



MMS-PED-7
600 X 600



MMS-PED-8
600 X 600



MMS-EVE-1
600 X 600



MMS-EVE-2
600 X 600



MMS-EVE-3
600 X 600



MMS-EVE-4
1200 X 300



MMS-EVE-5
1200 X 600



MMS-EVE-6
600 X 600



MMS-EVE-7
600 X 600



MMS-EVE-8
600 X 600



MMS-EVE-9
1200 X 600



MMS-EVE-10
1200 X 600



MMS-TER-1
1200 X 300



MMS-TER-2
1200 X 600



MMS-TER-3
600 X 600



MMS-TER-4
600 X 600



MMS-TER-5
1200 X 600



MMS-TER-6
1200 X 300



MMS-DIV-1
600 X 600




MMS-DIV-2(L)
1200 X 600



MULTI MESSAGE SIGNS

*Multi-Message Signs on 5mm Corflute



MULTI MESSAGE SIGNS



*Multi-Message Signs on 5mm Corflute



MMS-POS-13
600 X 600



MMS-POS-14
600 X 600



MMS-POS-15
600 X 600



MMS-ADV-1
1200 X 300



MMS-ADV-2
600 X 600



MMS-ADV-3
600 X 600



MMS-ADV-4
1200 X 300



MMS-ADV-5
1200 X 300



MMS-ADV-6
1200 X 600



MMS-ADV-7
600 X 600



MMS-ADV-8
1200 X 600



MMS-ADV-9
600 X 600



MMS-ADV-9B
1200 X 600



MMS-ADV-10
1200 X 300



MMS-ADV-11
1200 X 300



MMS-ADV-12
600 X 600



MMS-ADV-13
600 X 600




MMS-ADV-14
600 X 600



MMS-ADV-15
600 X 600



MMS-ADV-16
1200 X 300



MMS-ADV-17
1200 X 600



MMS-ADV-18
600 X 600



MMS-ADV-19
1200 X 300



MMS-ADV-20
1200 X 300



MMS-ADV-21
1200 X 300



MMS-ADV-22
1200 X 300



MMS-ADV-23
1200 X 300



MMS-ADV-24
1200 X 300



MMS-ADV-25
1200 X 600



MMS-ADV-26
1200 X 300



MMS-ADV-27
600 X 600



MMS-ADV-28
1200 X 300



MMS-ADV-29
600 X 600



MMS-ADV-30
1200 X 600



MMS-ADV-31
600 X 600



MMS-ADV-32
1200 X 600



MULTI MESSAGE SIGNS

*Multi-Message Signs on 5mm Corflute



MMS-ADV-33
1200 X 600



MMS-ADV-34
600 X 600



MMS-ADV-35
1200 X 600



MMS-ADV-36
1200 X 600



MMS-ADV-37
600 X 600



MMS-ADV-38
600 X 600



MMS-ADV-39
1200 X 600



MMS-ADV-40
1200 X 300



MMS-ADV-41
1200 X 600



MMS-ADV-42
600 X 600



MMS-ADV-43
1200 X 600



MMS-ADV-44
600 X 600



MMS-ADV-45
1200 X 300



MMS-ADV-46
1200 X 300



MMS-ADV-47
600 X 600



MMS-ADV-48
600 X 600



MMS-ADV-49
600 X 600



MMS-ADV-50
600 X 600



MMS-ADV-51
600 X 600



MMS-ADV-52
600 X 600



MMS-ADV-52B
1200 X 600



MMS-ADV-53
1200 X 300



MMS-ADV-54
600 X 600



MMS-ADV-56
1200 X 300



MMS-ADV-57
600 X 600



MMS-ADV-59
1200 X 300



MMS-ADV-60
1200 X 300



MMS-ADV-61
600 X 600



MMS-ADV-62
600 X 600



MMS-ADV-63
600 X 600



MMS-ADV-64
600 X 600



MMS-ADV-65
600 X 600



MMS-ADV-66
600 X 600



MMS-ADV-67
600 X 600



MMS-ADV-68
600 X 600



MMS-ADV-69
1200 X 300



MMS-ADV-70
600 X 600



MMS-ADV-71
1200 X 300

MULTI MESSAGE SIGNS



*Multi-Message Signs on 5mm Corflute

**BURNING
OFF**

MMS-ADV-73
600 X 600

BURNING OFF

MMS-ADV-74
1200 X 300

**HEADLIGHTS
ON**

MMS-ADV-75
600 X 600

BUSH FIRE

MMS-ADV-76
1200 X 300

**SMOKE
HAZARD**

MMS-ADV-77
600 X 600

SMOKE HAZARD

MMS-ADV-78
1200 X 300



MMS-ADV-79
600 X 600

**RUMBLE
STRIP**

MMS-ADV-80
600 X 600



MMS-ADV-81
600 X 600

**STOP HERE
WHEN
DIRECTED**

MMS-ADV-82
1200 X 600



MMS-ADV-83
600 X 600

**WORKERS
UNDER
BRIDGE**

MMS-ADV-84
600 X 600

**RAMP CLOSED
AHEAD**

MMS-ADV-85
1200 X 600

RAMP CLOSED

MMS-ADV-86
1200 X 600

**RAMP
CLOSED**

MMS-ADV-87
600 X 600

**CYCLISTS
IN
LANE**

MMS-ADV-88
600 X 600

**CYCLISTS
IN LANE**

MMS-ADV-89
1200 X 600

**QUEUED
TRAFFIC
AHEAD**

MMS-ADV-90
600 X 600



MMS-ADV-91
600 X 600



MMS-ADV-92
600 X 600

**BICYCLE
LANE
CLOSED
AHEAD**

MMS-ADV-93
600 X 600

SLOW BUS AHEAD

MMS-ADV-94
1200 X 300

DRIVERLESS BUS

MMS-ADV-95
(A) 1200 X 300



MMS-ADV-96
600 X 600

**MOWING
AHEAD**

MMS-ADV-97
600 X 600

MOWING

MMS-ADV-98
1200 X 300



MMS-ADV-99
600 X 600

**PILOT VEHICLE
FOLLOW ME**

MMS-ADV-100
1200 X 600

**ON
SIDE
ROAD**

MMS-ADV-101
600 X 600



QUADSTAND SIGNS



QUAD-01
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-02
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-03
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-04
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-05
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-06
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-07
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-08
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-09
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-10
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-11
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-12
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-13
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900




QUAD-14
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900



QUAD-15
(A) 600 X 600
(B) 900 X 600
(C) 1200 X 900

SAFETY SIGNS





DANGER SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl

DANGER ANY TEXT DGR-000 (A) 450 x 300 (B) 600 x 450	DANGER DO NOT ENTER DGR-001 (A) 450 x 300 (B) 600 x 450	DANGER KEEP OUT NO ACCESS DGR-002 (A) 450 x 300 (B) 600 x 450	DANGER KEEP OFF DGR-003 (A) 450 x 300 (B) 600 x 450	DANGER KEEP OUT AUTHORISED PERSONNEL ONLY DGR-004 (A) 450 x 300 (B) 600 x 450
DANGER NO ENTRY AUTHORISED PERSONNEL ONLY DGR-005 (A) 450 x 300 (B) 600 x 450	DANGER EXPLOSIVES KEEP OUT DGR-006 (A) 450 x 300 (B) 600 x 450	DANGER KEEP CLEAR EXPLOSIVE POWERED TOOLS IN USE DGR-007 (A) 450 x 300 (B) 600 x 450	DANGER NO ENTRY DGR-008 (A) 450 x 300 (B) 600 x 450	DANGER DEMOLITION WORK IN PROGRESS DGR-009 (A) 450 x 300 (B) 600 x 450
DANGER CRANE WORKING OVERHEAD DGR-010 (A) 450 x 300 (B) 600 x 450	DANGER FORKLIFT OPERATING AREA DGR-011 (A) 450 x 300 (B) 600 x 450	DANGER LOOK OUT FOR TRUCKS DGR-012 (A) 450 x 300 (B) 600 x 450	DANGER OPEN PIT DGR-013 (A) 450 x 300 (B) 600 x 450	DANGER WATCH YOUR STEP DGR-014 (A) 450 x 300 (B) 600 x 450
DANGER WORKERS ABOVE DGR-015 (A) 450 x 300 (B) 600 x 450	DANGER WORKERS BELOW DGR-016 (A) 450 x 300 (B) 600 x 450	DANGER CONSTRUCTION SITE UNAUTHORISED PERSONS KEEP OUT DGR-017 (A) 450 x 300 (B) 600 x 450	DANGER NO UNAUTHORISED ENTRY BLASTING IN PROGRESS DGR-018 (A) 450 x 300 (B) 600 x 450	DANGER DEEP EXCAVATION DGR-019 (A) 450 x 300 (B) 600 x 450
DANGER NO ENTRY AT FIRING TIMES DGR-020 (A) 450 x 300 (B) 600 x 450	DANGER NO TIPPING DGR-022 (A) 450 x 300 (B) 600 x 450	DANGER SCAFFOLDING INCOMPLETE DGR-023 (A) 450 x 300 (B) 600 x 450	DANGER WORKER IN CONFINED SPACE DGR-024 (A) 450 x 300 (B) 600 x 450	DANGER HIGH VOLTAGE DGR-025 (A) 450 x 300 (B) 600 x 450
DANGER HIGH VOLTAGE AUTHORISED PERSONNEL ONLY DGR-026 (A) 450 x 300 (B) 600 x 450	DANGER UNDERGROUND CABLES DGR-027 (A) 450 x 300 (B) 600 x 450	DANGER ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY DGR-028 (A) 450 x 300 (B) 600 x 450	DANGER HIGH VOLTAGE OVERHEAD DGR-029 (A) 450 x 300 (B) 600 x 450	DANGER LIVE WIRES DGR-030 (A) 450 x 300 (B) 600 x 450

DANGER SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl

DANGER LIVE WIRES DGR-030 (A) 450 x 300 (B) 600 x 450	DANGER ELECTRIC FENCE DGR-031 (A) 450 x 300 (B) 600 x 450	DANGER OVERHEAD POWER LINES DGR-033 (A) 450 x 300 (B) 600 x 450	DANGER 240 VOLTS DGR-034 (A) 450 x 300 (B) 600 x 450	DANGER 415 VOLTS DGR-035 (A) 450 x 300 (B) 600 x 450
DANGER 6,600 VOLTS DGR-036 (A) 450 x 300 (B) 600 x 450	DANGER 11,000 VOLTS DGR-037 (A) 450 x 300 (B) 600 x 450	DANGER 22,000 VOLTS DGR-038 (A) 450 x 300 (B) 600 x 450	DANGER ISOLATE BEFORE ENTERING DGR-039 (A) 450 x 300 (B) 600 x 450	DANGER EXPLOSIVE GAS NO SMOKING DGR-041 (A) 450 x 300 (B) 600 x 450
DANGER FLAMMABLE MATERIAL NO SMOKING DGR-042 (A) 450 x 300 (B) 600 x 450	DANGER FLAMMABLE MATERIALS DGR-043 (A) 450 x 300 (B) 600 x 450	DANGER FLAMMABLE DGR-044 (A) 450 x 300 (B) 600 x 450	DANGER FLAMMABLE GAS DGR-045 (A) 450 x 300 (B) 600 x 450	DANGER FLAMMABLE MATERIAL STORAGE KEEP HEAT & FLAMES AWAY DGR-046 (A) 450 x 300 (B) 600 x 450
DANGER FLAMMABLE LIQUIDS DGR-047 (A) 450 x 300 (B) 600 x 450	DANGER NO SMOKING DGR-048 (A) 450 x 300 (B) 600 x 450	DANGER ACID DGR-049 (A) 450 x 300 (B) 600 x 450	DANGER ACID WEAR PROPER PROTECTION DGR-050 (A) 450 x 300 (B) 600 x 450	DANGER AMMONIA DGR-051 (A) 450 x 300 (B) 600 x 450
DANGER ASBESTOS REMOVAL IN PROGRESS DGR-052 (A) 450 x 300 (B) 600 x 450	DANGER ASBESTOS DGR-053 (A) 450 x 300 (B) 600 x 450	DANGER CHEMICAL STORAGE DGR-054 (A) 450 x 300 (B) 600 x 450	DANGER CHEMICAL STORAGE AREA AUTHORISED PERSONNEL ONLY DGR-055 (A) 450 x 300 (B) 600 x 450	DANGER CHLORINE DGR-056 (A) 450 x 300 (B) 600 x 450
DANGER HAZARDOUS MATERIALS AREA AUTHORISED PERSONNEL ONLY DGR-057 (A) 450 x 300 (B) 600 x 450	DANGER CORROSIVE DGR-058 (A) 450 x 300 (B) 600 x 450	DANGER CORROSIVE LIQUIDS WEAR PROTECTIVE EQUIPMENT DGR-059 (A) 450 x 300 (B) 600 x 450	DANGER HAZARDOUS MATERIALS DGR-060 (A) 450 x 300 (B) 600 x 450	DANGER CYANIDE DGR-061 (A) 450 x 300 (B) 600 x 450



DANGER SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



DGR-062
(A) 450 x 300
(B) 600 x 450



DGR-063
(A) 450 x 300
(B) 600 x 450



DGR-064
(A) 450 x 300
(B) 600 x 450



DGR-065
(A) 450 x 300
(B) 600 x 450



DGR-066
(A) 450 x 300
(B) 600 x 450



DGR-067
(A) 450 x 300
(B) 600 x 450



DGR-068
(A) 450 x 300
(B) 600 x 450



DGR-069
(A) 450 x 300
(B) 600 x 450



DGR-070
(A) 450 x 300
(B) 600 x 450



DGR-071
(A) 450 x 300
(B) 600 x 450



DGR-072
(A) 450 x 300
(B) 600 x 450



DGR-073
(A) 450 x 300
(B) 600 x 450



DGR-074
(A) 450 x 300
(B) 600 x 450



DGR-075
(A) 450 x 300
(B) 600 x 450



DGR-076
(A) 450 x 300
(B) 600 x 450



DGR-077
(A) 450 x 300
(B) 600 x 450



DGR-078
(A) 450 x 300
(B) 600 x 450



DGR-079
(A) 450 x 300
(B) 600 x 450



DGR-080
(A) 450 x 300
(B) 600 x 450



DGR-081
(A) 450 x 300
(B) 600 x 450



DGR-082
(A) 450 x 300
(B) 600 x 450



DGR-083
(A) 450 x 300
(B) 600 x 450



DGR-084
(A) 450 x 300
(B) 600 x 450



DGR-085
(A) 450 x 300
(B) 600 x 450



DGR-086
(A) 450 x 300
(B) 600 x 450



DGR-087
(A) 450 x 300
(B) 600 x 450



DGR-088
(A) 450 x 300
(B) 600 x 450

SAFETY AND EXIT SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



SAFE-091
(A) 300 X 450
(B) 450 X 600



SAFE-092
(A) 300 X 450
(B) 450 X 600



SAFE-093
(A) 300 X 450
(B) 450 X 600



SAFE-094
(A) 300 X 450
(B) 450 X 600



SAFE-095
(A) 300 X 450
(B) 450 X 600



SAFE-096
(A) 300 X 450
(B) 450 X 600



SAFE-097
(A) 300 X 450
(B) 450 X 600



SAFE-098
(A) 300 X 450
(B) 450 X 600



SAFE-099
(A) 450 X 300
(B) 600 X 450



SAFE-100
(A) 450 X 300
(B) 600 X 450



SAFE-101
(A) 450 X 300
(B) 600 X 450



SAFE-102
(A) 450 X 300
(B) 600 X 450




SAFE-103
(A) 450 X 300
(B) 600 X 450



SAFE-104
(A) 450 X 300
(B) 600 X 450



SAFE-105
(A) 450 X 300
(B) 600 X 450



SAFE-106
(A) 450 X 300
(B) 600 X 450



SAFE-107
(A) 450 X 300
(B) 600 X 450



SAFE-108
(A) 450 X 300
(B) 600 X 450



SAFE-109
(A) 450 X 300
(B) 600 X 450



SAFE-110
(A) 450 X 300
(B) 600 X 450



SAFE-111
(A) 450 X 180
(B) 600 X 240



SAFE-112
(A) 450 X 180
(B) 600 X 240



SAFE-113
(A) 450 X 180
(B) 600 X 240



SAFE-114
(A) 450 X 180
(B) 600 X 240



SAFE-115
(A) 450 X 180
(B) 600 X 240



SAFE-116
(A) 450 X 180
(B) 600 X 240



FIRST AID AND EXIT SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



SAFE-117
(A) 450 X 300
(B) 600 X 450



SAFE-118
(A) 450 X 300
(B) 600 X 450



SAFE-119
(A) 450 X 300
(B) 600 X 450



SAFE-120
(A) 450 X 300
(B) 600 X 450



SAFE-121
(A) 450 X 300
(B) 600 X 450



SAFE-122
(A) 450 X 180
(B) 600 X 240



SAFE-123
(A) 450 X 180
(B) 600 X 240



SAFE-124
(A) 450 X 180
(B) 600 X 240



SAFE-125
(A) 450 X 180
(B) 600 X 240



SAFE-126
(A) 450 X 180
(B) 600 X 240



SAFE-127
(A) 450 X 180
(B) 600 X 240



SAFE-128
(A) 450 X 180
(B) 600 X 240



SAFE-129
(A) 450 X 180
(B) 600 X 240



SAFE-130
(A) 450 X 180
(B) 600 X 240



SAFE-131
(A) 450 X 180
(B) 600 X 240



SAFE-132
(A) 450 X 180
(B) 600 X 240




SAFE-133
(A) 450 X 180
(B) 600 X 240



SAFE-134
(A) 450 X 180
(B) 600 X 240



SAFE-135
(A) 600 X 450
(B) 900 X 600
(C) 1200 X 900



SAFE-136
(A) 600 X 450
(B) 900 X 600
(C) 1200 X 900

PROTECTIVE SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



PPE-137
(A) 300 X 450
(B) 450 X 600



PPE-138
(A) 300 X 450
(B) 450 X 600



PPE-139
(A) 300 X 450
(B) 450 X 600



PPE-140
(A) 300 X 450
(B) 450 X 600



PPE-141
(A) 300 X 450
(B) 450 X 600



PPE-142
(A) 300 X 450
(B) 450 X 600



PPE-143
(A) 300 X 450
(B) 450 X 600



PPE-144
(A) 300 X 450
(B) 450 X 600



PPE-145
(A) 300 X 450
(B) 450 X 600



PPE-146
(A) 300 X 450
(B) 450 X 600



PPE-147
(A) 300 X 450
(B) 450 X 600



PPE-148
(A) 300 X 450
(B) 450 X 600



PPE-149
(A) 300 X 450
(B) 450 X 600



PPE-150
(A) 300 X 450
(B) 450 X 600



PPE-151
(A) 300 X 450
(B) 450 X 600



PPE-152
(A) 300 X 450
(B) 450 X 600



PPE-153
(A) 300 X 450
(B) 450 X 600



PPE-154
(A) 300 X 450
(B) 450 X 600



PPE-155
(A) 300 X 450
(B) 450 X 600



PPE-156
(A) 300 X 450
(B) 450 X 600



PPE-157
(A) 300 X 450
(B) 450 X 600



PPE-158
(A) 300 X 450
(B) 450 X 600



PPE-159
(A) 300 X 450
(B) 450 X 600



PPE-160
(A) 300 X 450
(B) 450 X 600



**THIS PROTECTIVE EQUIPMENT
MUST BE WORN**

- BEYOND THIS POINT
- IN THIS AREA
- ON THIS SITE

PROHIBITORY SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



PROH-161
(A) 300 X 450
(B) 450 X 600



PROH-162
(A) 300 X 450
(B) 450 X 600



PROH-163
(A) 300 X 450
(B) 450 X 600



PROH-164
(A) 300 X 450
(B) 450 X 600



PROH-165
(A) 300 X 450
(B) 450 X 600



PROH-166
(A) 300 X 450
(B) 450 X 600



PROH-167
(A) 300 X 450
(B) 450 X 600



PROH-168
(A) 300 X 450
(B) 450 X 600



PROH-169
(A) 300 X 450
(B) 450 X 600



PROH-170
(A) 300 X 450
(B) 450 X 600



PROH-171
(A) 300 X 450
(B) 450 X 600



PROH-172
(A) 300 X 450
(B) 450 X 600



PROH-173
(A) 300 X 450
(B) 450 X 600



PROH-174
(A) 300 X 450
(B) 450 X 600



PROH-175
(A) 300 X 450
(B) 450 X 600



PROH-176
(A) 300 X 450
(B) 450 X 600



PROH-177
(A) 300 X 450
(B) 450 X 600



PROH-178
(A) 300 X 450
(B) 450 X 600



PROH-179
(A) 300 X 450
(B) 450 X 600



PROH-180
(A) 300 X 450
(B) 450 X 600



PROH-181
(A) 300 X 450
(B) 450 X 600



PROH-182
(A) 300 X 450
(B) 450 X 600



PROH-183
(A) 300 X 450
(B) 450 X 600



PROH-184
(A) 300 X 450
(B) 450 X 600



PROH-185
(A) 300 X 450
(B) 450 X 600

PROHIBITORY SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



PROH-186
(A) 300 X 450
(B) 450 X 600



PROH-187
(A) 300 X 450
(B) 450 X 600



PROH-188
(A) 300 X 450
(B) 450 X 600



PROH-189
(A) 300 X 450
(B) 450 X 600



PROH-190
(A) 300 X 450
(B) 450 X 600



PROH-191
(A) 300 X 450
(B) 450 X 600



PROH-192
(A) 300 X 450
(B) 450 X 600



PROH-193
(A) 300 X 450
(B) 450 X 600



PROH-194
(A) 300 X 450
(B) 450 X 600



PROH-195
(A) 300 X 450
(B) 450 X 600



WARNING SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



WARN-196
(A) 300 X 450
(B) 450 X 600



WARN-197
(A) 300 X 450
(B) 450 X 600



WARN-198
(A) 300 X 450
(B) 450 X 600



WARN-199
(A) 300 X 450
(B) 450 X 600



WARN-200
(A) 300 X 450
(B) 450 X 600



WARN-201
(A) 300 X 450
(B) 450 X 600



WARN-202
(A) 300 X 450
(B) 450 X 600



WARN-203
(A) 300 X 450
(B) 450 X 600



WARN-204
(A) 300 X 450
(B) 450 X 600



WARN-205
(A) 300 X 450
(B) 450 X 600



WARN-206
(A) 300 X 450
(B) 450 X 600



WARN-207
(A) 300 X 450
(B) 450 X 600



WARN-208
(A) 300 X 450
(B) 450 X 600



WARN-209
(A) 300 X 450
(B) 450 X 600



WARN-210
(A) 300 X 450
(B) 450 X 600



WARN-211
(A) 300 X 450
(B) 450 X 600



WARN-212
(A) 300 X 450
(B) 450 X 600



WARN-213
(A) 300 X 450
(B) 450 X 600



WARN-214
(A) 300 X 450
(B) 450 X 600



WARN-215
(A) 300 X 450
(B) 450 X 600

WARNING SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



WARN-216
(A) 300 X 450
(B) 450 X 600



WARN-217
(A) 300 X 450
(B) 450 X 600



WARN-218
(A) 300 X 450
(B) 450 X 600



WARN-219
(A) 300 X 450
(B) 450 X 600



WARN-220
(A) 300 X 450
(B) 450 X 600



WARN-221
(A) 300 X 450
(B) 450 X 600



WARN-222
(A) 300 X 450
(B) 450 X 600



WARN-223
(A) 300 X 125
(B) 450 X 180



WARN-224
(A) 300 X 125
(B) 450 X 180



WARN-225
(A) 300 X 125
(B) 450 X 180



WARN-226
(A) 300 X 125
(B) 450 X 180



WARN-227
(A) 300 X 125
(B) 450 X 180



WARN-228
(A) 300 X 125
(B) 450 X 180



WARN-229
(A) 300 X 125
(B) 450 X 180



WARN-230
(A) 300 X 125
(B) 450 X 180



WARN-231
(A) 450 X 300
(B) 600 X 450



WARN-232
(A) 450 X 300
(B) 600 X 450



WARN-233
(A) 450 X 300
(B) 600 X 450



WARN-234
(A) 450 X 300
(B) 600 X 450



WARN-235
(A) 450 X 300
(B) 600 X 450



WARN-236
(A) 450 X 300
(B) 600 X 450



WARN-237
(A) 450 X 300
(B) 600 X 450



OFFICE AND CAR PARK SIGNS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



OFC-238
(A) 150 X 150
(B) 300 X 300



OFC-239
(A) 150 X 150
(B) 300 X 300



OFC-240
(A) 150 X 50
(B) 300 X 100



OFC-241
(A) 150 X 50
(B) 300 X 100



OFC-242
(A) 150 X 50
(B) 300 X 100



OFC-243
(A) 150 X 50
(B) 300 X 100



OFC-244
(A) 150 X 50
(B) 300 X 100



OFC-245
(A) 150 X 50
(B) 300 X 100




OFC-246
(A) 150 X 50
(B) 300 X 100



OFC-247
(A) 150 X 50
(B) 300 X 100



OFC-248
(A) 150 X 50
(B) 300 X 100



OFC-249
(A) 150 X 50
(B) 300 X 100



OFC-250
(A) 150 X 225



OFC-251
(A) 150 X 225



OFC-252
(A) 150 X 225



CPK-253
(A) 300 X 450



CPK-254
(A) 300 X 450



CPK-255
(A) 300 X 450



CPK-256
(A) 300 X 450



CPK-257
(A) 300 X 450



CPK-258
(A) 300 X 450



CPK-259
(A) 300 X 450



CPK-260
(A) 300 X 450



CPK-261
(A) 300 X 450

FIRE SAFETY SIGNS



*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



FIRE-262
(A) 300 X 450
(B) 450 X 600



FIRE-263
(A) 300 X 450
(B) 450 X 600



FIRE-264
(A) 300 X 450
(B) 450 X 600



FIRE-265
(A) 300 X 450
(B) 450 X 600



FIRE-266
(A) 300 X 450
(B) 450 X 600



FIRE-267
(A) 300 X 450
(B) 450 X 600



FIRE-268
(A) 300 X 450
(B) 450 X 600



FIRE-269
(A) 300 X 450
(B) 450 X 600



FIRE-270
(A) 300 X 450
(B) 450 X 600



FIRE-271
(A) 300 X 450
(B) 450 X 600



FIRE-272
(A) 300 X 450
(B) 450 X 600



FIRE-273
(A) 300 X 450
(B) 450 X 600



FIRE-274
(A) 300 X 450
(B) 450 X 600



FIRE-275
(A) 450 X 300
(B) 600 X 450



FIRE-276
(A) 450 X 300
(B) 600 X 450



FIRE-277
(A) 450 X 300
(B) 600 X 450



FIRE-278
(A) 450 X 300
(B) 600 X 450



FIRE-279
(A) 450 X 300
(B) 600 X 450



FIRE-280
(A) 200 DIA



FIRE-281
(A) 200 DIA



FIRE-282
(A) 200 DIA



FIRE-283
(A) 200 DIA



FIRE-284
(A) 200 DIA



FIRE-285
(A) 200 DIA



FIRE-286
(A) 300 HIGH



FIRE-287
(A) 300 HIGH



FIRE-288
(A) 300 HIGH



FIRE-289
(A) 300 HIGH



FIRE-290
(A) 300 HIGH



FIRE-291
(A) 300 HIGH



HAZARDOUS GOODS

*Available on Aluminium, Steel, Corflute, Polypropylene & Self Adhesive Vinyl



HAZ-1
(A) 100 X 100
(B) 300 X 300



HAZ-1.4
(A) 100 X 100
(B) 300 X 300



HAZ-1.5
(A) 100 X 100
(B) 300 X 300



HAZ-2.1
(A) 100 X 100
(B) 300 X 300



HAZ-2.2
(A) 100 X 100
(B) 300 X 300



HAZ-2.3
(A) 100 X 100
(B) 300 X 300



HAZ-2.4
(A) 100 X 100
(B) 300 X 300



HAZ-3
(A) 100 X 100
(B) 300 X 300



HAZ-4.1
(A) 100 X 100
(B) 300 X 300



HAZ-4.2
(A) 100 X 100
(B) 300 X 300



HAZ-4.3
(A) 100 X 100
(B) 300 X 300



HAZ-5.1
(A) 100 X 100
(B) 300 X 300



HAZ-5.2
(A) 100 X 100
(B) 300 X 300



HAZ-6.1
(A) 100 X 100
(B) 300 X 300



HAZ-6.2
(A) 100 X 100
(B) 300 X 300



HAZ-6.3
(A) 100 X 100
(B) 300 X 300



HAZ-6.4
(A) 100 X 100
(B) 300 X 300



HAZ-6.5
(A) 100 X 100
(B) 300 X 300



HAZ-7
(A) 100 X 100
(B) 300 X 300



HAZ-7.1
(A) 100 X 100
(B) 300 X 300



HAZ-7.2
(A) 100 X 100
(B) 300 X 300



HAZ-7.3
(A) 100 X 100
(B) 300 X 300



HAZ-8
(A) 100 X 100
(B) 300 X 300



HAZ-9
(A) 100 X 100
(B) 300 X 300



HAZ-10
(A) 100 X 100
(B) 300 X 300



HAZ-11
(A) 100 X 100
(B) 300 X 300



HAZ-12
(A) 100 X 100
(B) 300 X 300



HAZ-13
(A) 100 X 100
(B) 300 X 300



HARDWARE AND WORK ZONE





HARDWARE AND WORK ZONE

BRACKETS

UNBRACED SIGNS



TD1/TD3
Single Sided
60mm OD



TD2/TD4
Double Sided
60mm OD



FRISBEE
Two Piece
Single/Double Sided
60mm OD



**TRILOBULAR
KEY**



SECURITY SPANNER
Suits Trilobular
Key

BRACED SIGNS



ARC BRACKET
ARC060 - 60mm OD
ARC076 - 76mm OD
ARC089 - 89mm OD
ARC102 - 102mm OD
ARC114 - 114mm OD



SADDLE BRACKET
UN15-60 - 60mm OD
UN15-76 - 76mm OD
UN15-89 - 89mm OD
UN15-102 - 102mm OD
UN15-114 - 114mm OD
UN15-140 - 140mm OD



CB1
Single Sided



CB2
Double Sided



UB KNUCKLE
For use with
UB-Posts
(T-Beams)



**LRH-3876
BRACKETS (SIGNFIX)**

STREET NAME PLATES



L-CLAMP
HEBSL
Use with TD1 or 3
Suits Hollow
Extrusion



BSL BRACKET
Suits Solid
Extrusion



**BS CROSS
BRACKET**
Suits Solid
Extrusion



**STAINLESS
STEEL BANDING**
30M Rolls
13mm or 19mm



**BANDING
BRACKET**
UR251



**BANDING
BUCKLE**
BBUC13 - 13mm
BBUC19 - 19mm



**BANDING
TOOL**



AL16/AL18
AL16 - 150mm
AL18 - 210mm



AL26/AL28
AL26 - 150mm
AL28 - 210mm



AL36/AL38
AL36 - 150mm
AL38 - 210mm



**TOP MOUNT
BRACKET**
Suits Hollow
Extrusion



BS CAP
Suits Solid
Extrusion



**BS JOINING
SET**
Suits Solid
Extrusion



**ST BLADE
BRACKET**
Suits Timber
Post



SOCKETS



LOC-SOCKET
370mm



LOC-SOCKET SPIKE
450mm or 600mm



LOC-SOCKET DRIVING TOOL



LOC-SOCKET WEDGE



ANTI-TWIST BAR



M10X50 CUP HEAD NUT & BOLT




ROSTA KEY



ROADSIDE WEDGE



BOLT ASSEMBLY M8/M10



TO BOLT
M10x21 ConeTip Hex Head



ANTI-THEFT WASHER
M8 - 6mm
M10 - 10mm



ANTI-VANDAL BOLT
M10 - 10mm





HARDWARE AND WORK ZONE

RETANGULAR SIGN POSTS

* *Manufactured to Main Roads WA Specifications*

* *76mm x 38mm x 2.0mm Galvanised Tube*

* *Powdercoated Safety Yellow*

* *Drilled to suit MRWA signage*

* *Available Sizes;*

1.6m

2.0m

3.2m

3.4m

3.6m

3.8m

4.2m



FRP – 76*38 YELL

ROUND SIGN POSTS

* *Galvanised Round Sign Post*

* *Available in Lite, Medium & Heavy Gauge*

* *Can be powdercoated to match specifications*

* *Standard Lengths: 2.1m, 3.2m, 3.6m, 4.2m, 6.5m*

POST DIMENSIONS

50NB = 60mm OD

65NB = 76mm OD

80NB = 89mm OD

90NB = 102mm OD

100NB = 114mm OD

125NB = 140mm OD








150NB = 165mm OD



FRP – 50NB GREY
FRP- 50NB YELL



TRAFFIC CONES AND BOLLARDS

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 450 	450mm	Plain Reflective	✓	450 450HCS
TRAFFIC CONE 700 	700mm	Plain Reflective	COLOURS AVAILABLE ON REQUEST BLUE GREEN YELLOW WHITE	700 700HCS
TRAFFIC CONE 900 	900mm	Plain Reflective	✓	900 900HCS
HBAS BOLLARD 	1M Stem	Reflective 8kg Base 12kg Base		HBASSTEM-WA HBBASE8-WA HBBASE12-WA
T-TOP BOLLARD 	1M Stem	Reflective 8kg Base 12kg Base	✓	TTOPSTEM-WA TTOPBASE8 TTOPBASE12
BIGFOOT 	1050mm Stem	Plain Reflective		BIGFOOT
FLEXIBLE BOLLARD 	800mm	Plain Reflective		SSPUFLEX POST8



HARDWARE AND WORK ZONE

DELINEATION



**TEMP RAISED
PAVEMENT MARKER**
301AW - White 2-Way
301AR - Red 2-Way
301AY - Yellow 2-Way
301BR - Red 1-Way
301ERW - Red/White 2-Way



**CATSEYE
PAVEMENT MARKER**
80AY - Yellow 2-Way
80AW - White 2-Way
80AG - Blue 2-Way
80AR - Red 2-Way
80ERW - Red/White 2-Way



HOT MELT PADS
6903AMP
To Suit Catseye
Pavement Marker



**CORNER CUBE
DELINEATORS**
RCC - Red
WCC - White
ACC - Amber
BCC - Blue
GCC - Green



**G03
DELINEATORS**
Red/White



**RD3
DELINEATORS**



**3M™ Stamark™
REMOVABLE PAVEMENT MARKING TAPE 700**
White/Yellow
100mm x 110 mtr
150mm x 110 mtr
Other sizes available on request

GUIDE POSTS



**STEEL
GUIDE POST**



**PVC
GUIDE POST**



**RECYCLED
GUIDE POST**



**OMNI-FLEX
GUIDE POST**



**HYLIGHT GUARD
DELINEATORS**










RECYCLED BOLLARD

PRODUCT CODE	DESCRIPTION	SIZE & WEIGHT				IMAGE
		HEIGHT	DIA.	BASE W	WEIGHT	
DNF-BK60	<ul style="list-style-type: none">Flexible Bollard EN12767:2019Material vinyl nitril rubber blends, TPEIntegrated fibreglass grid at bending pointCan bend 90° without impacting the original shape <p>* Anchorage Depth 200mm</p>	800mm	110mm	200mm	3.7kg	
DNF-BP60	<ul style="list-style-type: none">Flexible Bollard EN12767:2019Material vinyl nitril rubber blends, TPEIntegrated fibreglass grid at bending pointCan bend 90° without impacting the original shape	600mm	100mm	220mm	3.2kg	
DNF-BPL75		700mm	110mm	220mm	3.9kg	
DNF-BF75	<ul style="list-style-type: none">Flexible Bollard EN12767:2019Material vinyl nitril rubber blends, TPEIntegrated fibreglass grid at bending pointCan bend 90° without impacting the original shapeCan be embossed with logo as shown	730mm	110mm	220mm	4kg	

Available in 5 colours: Dk Green Yellow Silver Grey Red Blue







- Made from 100% recycled materials
 - Flame Resistant
 - Impact Resistant
 - UV Resistant
 - Each bollard can have text or logo embossed to indicate its use, and is available in 5 colours.
- 



HARDWARE AND WORK ZONE

RECYCLED ENVIRONMENTAL MARKER POSTS

STANDARD MARKERS

PRODUCT CODE	DESCRIPTION	SIZE		COLOUR
		HEIGHT	WIDTH	
V	Significant Native Vegetation	1425mm	107mm	
Fa	Threatened Fauna Habitat	1425mm	107mm	
Fl	Threatened Plant Species	1425mm	107mm	
A	Significant Wetlands	1425mm	107mm	

LOCATION SYMBOLS



Start of marked roadside area




End of marked roadside area



Marked roadside area continues



- Area Type
- Location Symbol
- QR Code for more info
- Council logo



HARDWARE AND WORK ZONE



STANDS



QUAD STAND
600 x 600
600 x 800
900 x 600
1200 x 900



BIPOD LEGS
Powdercoated Black
Welded Round Bar




MULTI MESSAGE FRAME
Powdercoated Black
Suits BiPod Legs



MULTI MESSAGE FRAME
Powdercoated Black
900 x 600



A FRAME
Powdercoated Black
600 x 450 x 20mm Tube
900 X 1200 x 20mm Tube



H STAND



AD BASE
Rubber Sign Stand



STAR PICKETS



**T5-Q02BASE/
T5-Q02BLADE**

HANDRAILS AND BOLLARDS



HANDRAILS
Powdercoated Yellow with Reflective Tapes
600 x 1200
900 x 1200
1200 x 1200



SCHOOL CROSSING BOLLARDS
1630 High
2350 High



***CUSTOM BOLLARDS
AVAILABLE**



HARDWARE AND WORK ZONE

SAFETY TAPES



3M REFLECTIVE TAPES

*Any Width Available In
Lime, Orange, White
& Red



WARNING TAPES

100mm X 50M



LANE MARKING TAPES

50mm X 33M
75mm X 33M
100mm X 33M



UNDERGROUND MAINS MARKING TAPES

100mm X 250M
150mm X 250M
150mm X 500M

BUNTING



ORANGE BUNTING

30M - Available In
Orange, Fluro Yellow,
Green, Pink, Red,
Yellow & Blue



COLOURED BUNTING

30M - Available Combinations
Blue/White
Black/Red/White
Black/Yellow
Red/White



CAUTION BUNTING

30M - Available In
Caution (Yellow)
Authorised Entry Only (White)



STENCILLED BUNTING

30M

BARRIERS



BARRIER MESH

1M X 50M
Available Weights;
5.5kg
8.0kg
14.0kg



RETRACTABLE BAR

(Before Expanded) 1270mm
(expanded) 2160mm
Available in;
Yellow/Black
Red/White
Blue/White



CUSTOM PRINTED SCREEN MESH

1800mm x 50m Role



WORKZONE



SOLAR WARNING LIGHT
4 Piece Bright
LED Light



CONVEX MIRROR
45cm/ 60cm/ 80cm
Plastic Plate
(Includes Bracket)



CONVEX MIRROR
60cm/ 60cm
Heavy Duty
Galvanized Back
(Includes Bracket)



RUBBER CORNER PROTECTOR
Bull Nose
835mm x 35mm



TRAFFIC BATON
Battery Rechargeable
540mm



RUBBER WHEEL CHOCK
300mm Length
150mm Height
260mm Width



SAFETY TRIANGLE
Rubber Base
43.5 x 43.5 x 43.5



GALVANIZED SPIKE
150 x 12
300 x 12



RUMBLE STRIP
1000 x 100 x 15



CABLE PROTECTOR
2 Cable Channel
Protector
100 x 25 x 5



RUBBER SPEED HUMP
2 Cable Channel
Protector
100 x 25 x 5



RUBBER WHEEL STOPPER
1650 x 160 x 100



PORTABLE SPEED HUMP
3000mm Length
40mm Height
220mm Width



**SPEED LIMIT WITH
TARGET BOARD**
600mm x 750mm
800mm x 1000mm
1200mm x 1500mm
1600mm x 2000mm



**CUSTOM PRINTED
SCREEN MESH**
1800mm x 50m Role



HARDWARE AND WORK ZONE

LANE SEPARATORS

PRODUCT CODE	DESCRIPTION	SIZE	PRODUCT IMAGE
DNLS-C	LANE SEPARATOR CENTRE	1000 X 270 X 90MM	
DNLS-F	LANE SEPARATOR FEMALE END	440 X 270 X 90MM	
DNLS-M	LANE SEPARATOR MALE END	480 X 270 X 90MM	
DNLSP-SSL	LANE SEPARATOR PADDLE LEFT BLACK/YELLOW CL400	200 X 900MM	
DNLSP-SSR	LANE SEPARATOR PADDLE RIGHT BLACK/YELLOW CL400	200 X 900MM	



SPECIAL ORDER ELECTRONIC SIGNS



SPECIAL ORDER ELECTRONIC SIGNAGE



ACTIVE SOLAR ADVANCE WARNING SIGNS



W5-V122A 1770 x 1000

W5-V122B 2075 x 1200

W5-V122C 2470 x 1500



RX11A 1770 x 1000

RX11B 2075 x 1200



W3-V101A 1770 x 1000

W3-V101B 2075 x 1200

W3-V101C 2470 x 1500

These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 08 9248 1002 to find more information on the electronic signage options available.



SPECIAL ORDER ELECTRONIC SIGNS

ELECTRONIC SPEED LIMIT SIGNS (ESLS)




ESLS speed limit signs are available in Full Dot Matrix or Discrete Characters.


All Signs Available in AS1743 Type **A, B, C**

A H 545 x W 545 x D 155mm

B H 730 x W 730 x D 190mm

C H 1050 x W 1050 x D 199mm





ELECTRONIC & PORTABLE TECHNOLOGY





EVOLIS - STANDALONE ELECTRONIC SIGN

EVOLIS

EUROPEAN DESIGNED & MANUFACTURED

- THE EVOLIS STANDALONE DEVICE
- SAME GREAT FEATURES
- SAME SOFTWARE PLATFORM
- SAME OPTIONAL EXTRAS

The Evolis Speed Indication Device is the product of choice for an all in one radar and data collection device. Not only does it present a sleek European design, it has also been built using the best components giving it a reputation for being one of the most energy efficient and reliable units in the market. ALSO AVAILABLE IN A TRAILER VERSION, SEE PAGE 62.

The Evolis Speed Indication Device is easily configured and installed to educate motorists of their travel speeds. It helps to reduce overall excess traffic speeds, particularly in high incident areas. Utilising the optional built in data logger, road asset owners can gather and analyse traffic speed data on specific roads so that they can make informed planning decisions on road safety.



FEATURES & BENEFITS

- Anti-corrosion, anti-UV treatment plus unit sealing ensures long term resistance, strength and durability
- Injected ABS resin waterproof housing with integrated hooks
- Lockable permanent mounting bar made of injected ABS resin, mounted on poles with brackets (sold separately)
- Front face made of tough polycarbonate, fixed to the casing with mechanical clip and gasket seal
- Waterproof IP66 housing for 2 batteries, USB port, dial selector and adaptor
- Installed in minutes by one person
- Optional 1 or 2 way traffic flow statistics
- Optional pre-configured speed/text display settings prior to installation
- Accompanying EVOCOM software for settings configuration plus data analysis
- 34cm high speed digits (red/amber/green), a large amber text template and ultra-high brightness LEDs





NEW PRODUCTS



MOBILE EVOLIS

EUROPEAN DESIGNED & MANUFACTURED

With more than 8000 units installed world-wide, the Evolis Speed Indication Device is the product of choice for an all in one radar and data collection device. Not only does it present a sleek European design, it has also been built using the best components giving it a reputation for being one of the most energy efficient and reliable units in the market. ALSO AVAILABLE AS A STANDALONE DEVICE, SEE PAGE 68.

The Evolis Speed Indication Device is easily configured and installed to educate motorists of their travel speeds. It helps to reduce overall excess traffic speeds, particularly in high incident areas. Utilising the optional built in data logger, road asset owners can gather and analyse traffic speed data on specific roads so that they can make informed planning decisions on road safety.

- Anti-corrosion, anti-UV treatment plus unit sealing ensures long term resistance, strength and durability
- Injected ABS resin waterproof housing with integrated hooks
- Lockable permanent mounting bar made of injected ABS resin, mounted on poles with brackets (sold separately)
- Front face made of tough polycarbonate, fixed to the casing with mechanical clip and gasket seal
- Waterproof IP66 housing for 2 batteries, USB port, dial selector and adaptor
- Installed in minutes by one person
- Optional 1 or 2 way traffic flow statistics
- Optional pre-configured speed/text display settings prior to installation
- Accompanying EVOCOM software for settings configuration plus data analysis
- 34cm high speed digits (red/amber/green), a large amber text template and ultra-high brightness LEDs



MOBILE EVOLIS WITH TRAILER



Optional Extras

- Bluetooth Connection
- 3G Connection
- One way Traffic Flow Statistics
- Two way Traffic Flow Statistics

RADAR SENSOR

Doppler Radar:	24.125 Ghz
Detection range:	10-250 metres
Detection angle:	17 o
Accuracy:	+/- 1km/h (travelling at 100km/h)

DISPLAY

LED:	3 digits
Colors:	Red, Amber and Green
Size of digits:	340mm
Text display (Matrix):	640mm x 160mm (64 x 16 pixels) 1 line of 7 characters 160mm High 2 lines of 10 characters 70mm High
Visibility:	250m
Refresh:	1.2 seconds (configurable)

HOUSING

Dimensions:	H: 700mm x W: 709mm x D: 170mm
Housing:	Injected ABS resin, grey RAL 7035
Front face:	Polycarbonate
Waterproof:	IP66
Weight:	8kg (without batteries)

EVOCOM SOFTWARE

ADVANCED CONFIGURATION & STATISTIC ANALYSIS

Evocom PC software, provided free of charge, is featured with a user-friendly interface for advanced configuration: specific speed ranges, speed increments, data recording function (*), text messages, time slots etc...

(*)Data recording function (one way / two way traffic flow statistics) purchased separately.





NEW PRODUCTS



PCMS-4880RC
SUITABLE FOR APPROACHING
VEHICLE SPEEDS UP TO 50 KM/H

State of the art full-matrix trailer-mounted portable variable message signs. Features the Opti Power lens, tilt and rotate solar panels, Jamlogic fleet management software (modem required) and Stealth Technology (except the colour version). These units combine energy-efficient design and high-quality construction to provide the most reliable and cost-effective message signs on the market. Built with a compact design which makes it perfect for use on highway construction projects where space is limited as well as urban areas.



PCMS-548VT
SUITABLE FOR APPROACHING
VEHICLE SPEEDS UP TO 60 KM/H





MOBILE VARIOUS MESSAGE SIGNS

NEW PRODUCTS



PCMS-320RC SUITABLE FOR APPROACHING VEHICLE SPEEDS GREATER THAN 90 KM/H

Our high speed modem with GPS allows you to maximise your productivity, efficiency and profitability, all remotely from your office or home. The JamLogic software is FREE and you get all the updates at no extra cost.

- Monitor, maintain and manage your signs from any PC, laptop, tablet or smartphone
- View your equipment in a list and GPS map view
- Change a message on one or more signs simultaneously with a simple click
- View your messages and battery voltages
- Group your signs in folders (by customer, location, project... the choice is yours)
- Receive e-mail or text alerts (low battery, cellular failure etc)



PCMS-320TRC SUITABLE FOR APPROACHING VEHICLE SPEEDS GREATER THAN 90 KM/H



NEW PRODUCTS

PPL-1000



**UP TO 14K
LUMENS**

PTL-1000



**UP TO 14K
LUMENS**

The PPL-1000 and PTL-1000 are compact, battery powered portable presence and target lights. Presence lighting allows the motoring public to visually see from a distance an upcoming night time lane closure. The system is quick and easy to set up and does not require a diesel generator to power. They feature ultra bright LED lamps with Ver-Mac's exclusive Nightbrite Technology, providing a brighter and more environmentally friendly lighting system. Equipped with high performance lithium batteries and fast-charging system, these quality units will perform night after night. The presence of lighting reduces motorist's speed, approaching and through the work zone, increasing safety for motorist's and workers alike.



- ✓ NO NOISE
- ✓ NO SMELL
- ✓ NO FUEL EMISSIONS



NEW PRODUCTS

PSLT-4000S



**UP TO 42K
LUMENS**

PSLT-6000



**UP TO 63K
LUMENS**

The PSLT-4000S and PSLT-6000 are compact and powerful portable solar light towers that are cost effective and have a great return on investment. They are as visually bright, effective and compact as conventional diesel light towers, without costing thousands of dollars every year in fuel and labour. They feature ultra bright LED lamps with Ver-Mac's exclusive Nightbrite Technology, providing a brighter and more environmentally friendly lighting system. These quality units are ideal for lighting construction work zones, parking lots, special events, emergency response plus oil and mining applications.



3M SIGN WARRANTY

DeNeeff Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeeff have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs.

This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING		APPLICABLE EXTENDED WARRANTY		
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m² Percentile)*
CLASS 1100	3M Diamond Grade™ DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M" Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M" Electrocut™ Film Series 1170	10 years‡	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut™ Film Series 1170	3 years	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrocut™ Film Series 1170	10 years	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 400	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M Electrocut™ Film Series 1170	10 years	50%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 100	3M Engineer Grade™ 3200 Beaded Series	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
		3M Screen Process Colours Series 990 for series 3200 only		

* Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

** Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Observation Angle 0.2° and Entrance Angle 4° defined in relevant tables included in AS/NZS 1906.1:2007

† If 3M" Scotchlite™ Electrocut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

‡ 3M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 1160 Anti Graffiti Film and 1180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 1180 maintains anti dew properties for up to 5 years.



AVERY DENNISON SIGN WARRANTY



ICS Platinum Warranty

Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

Sign Manufacturer: De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095
Application: Permanent Traffic Signs to Government Agencies in Australia
Substrate: Conditioned aluminium as per AS/NZS1906.1:2007
Films: The complete range of Avery Dennison Reflective Traffic Products

Warranty Period: T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-6500 Prismatic Class 1/1W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials.** This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. **THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.**

Sunny Signs

A Subsidiary of Traffic Technologies Ltd.

WA

SUNNY SIGN COMPANY

30 Emerald Rd,
Maddington, 6109
P: 08 9248 1002
F: 08 9209 2288

VIC

DENEFFE SIGNS

320 Darebin Road,
Fairfield, 3078
P: 03 9430 0266
F: 03 9430 0277

QLD

DENEFFE SIGNS

Unit 19/15 Holt St,
Pinkenba, QLD 4008
P: 07 3184 2000
F: 07 3266 2244

ACT

DENEFFE SIGNS

61 Aurora Ave,
Queanbeyan, 2620
P: 02 6299 7922
F: 02 6299 7977

SA

DENEFFE SIGNS

P: 03 9430 0266
F: 03 9430 0277

TAS

DENEFFE SIGNS

11A Lampton Ave,
Derwent Park TAS, 7009
P: 03 6273 1177
F: 03 6273 1759

NSW

DENEFFE SIGNS

Unit 38, 38-46 South St,
Rydalmere, 2116
P: 02 9701 9999
F: 02 9736 3391

NT

DENEFFE SIGNS

10 Swan Cresecant,
Winnellie, NT 0820
P: 08 8947 0733
F: 08 8947 0713

FOR ORDERS & ENQUIRIES PHONE

08 9248 1002



Catalogue No: 7